



CITOject F

High Quality Ejection Material

CITOject F is a tried and tested, high-quality ejection material that has been specially developed for use on cutting dies and meets the requirements of both die manufacturers as well as those of companies converting solid and corrugated board.

Due to its material quality and reliability, CITOject F sets benchmarks for all standard applications.

OUR RECOMMENDATION FOR THE

- High standards
- Constant machine performance
- Long service lives
- Outstanding results



Area of application:

- Flatbed / folding carton
- Flatbed / corrugated board

CITOject F

The colour-coding enables clear identification of the respective function. The ejection material has been certified as safe for the production of folding boxes for food packaging and is available with the self-adhesive CITO EasyFix technology.

CITOject F has the following convincing product properties:

- For **long runs** and **constant machine performance**
- Simple optical quality control through **colour-coding**
- **Reduction of cutting pressure** in the machine
- **Fewer nicks** and **faster sheet transfer**
- **UV and ageing-resistant** material
- **EasyFix technology** for exact positioning and residue-free removal of the ejection material
  - ✓ Time-saving due to fast and simple attachment of profile
  - ✓ No damage to the cutting die
  - ✓ 100 % efficiency of the rubber lining
  - ✓ Increased work safety
- Certified as **safe for the production of folding boxes for food packaging**
  - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials
  - ✓ Production reliability combined with product safety

CITO Quality Label:

This quality label on the cutting die means that high-quality elastomers such as CITOject F have been used.

Discover the product diversity:

www.cito.de/citojectf

Other sizes available on request.

Overview

	Description	Dimensions (L × W)
	CITOject F 15 SAND	1000 × 600 mm
	CITOject F 25 YELLOW	1000 × 970 mm
	CITOject F 35 GREEN	990 × 860 mm
	CITOject F 45 ORANGE	990 × 780 mm
	CITOject F 55 BLUE	900 × 700 mm

Available in heights from 7 mm to 11 mm.

Self-adhesive version CITOject F EasyFix available

Upon request CITOject F is also supplied in strips in the following geometries:

Straight cut



With separator



Note: The indicated dimensions of length and width with plates can vary by ± 5 mm.

partner for success



CITO Ejection Performance Guide

The digital online tool dynamically shows you the ideal ejection material for all your jobs.

How it works:

- Enter your order data such as material, run length, machine speed and special applications in the CITO Ejection Performance Guide.
- Receive your individual recommendation for your application with one click.
- For an even more detailed recommendation, request your personal PDF guide by email. You will receive it immediately. You will get the precise material height for each of your specific requirements.

If you have any further questions or would like more information please contact our experts to find the perfect solution for your application.

Try it out now! It's free!
www.cito.de/epg

CITO-SYSTEM GmbH Hugo-Junkers-Straße 7 • 90411 Nürnberg/Germany
+49 911 95885-0 • info@cito.de • www.cito.de

NR.260714-EN