

Product Catalogue

English - Vol. 25.2.0



Order and customer service


Phone

+49 911 95885-0

More about CITO at www.cito.de

CITO 2


Contents



BoxLine

... for creasing and diecutting technology

Creasing Systems, Cutting Plates, CITO BALANCE PROFILE, Makeready Material, Tools for nicks, Cleaning Agent, CITO Rule Puller, CITO SHEET RAMP, CITO Register Pin, CITO Chase Screw



FormLine

... for diemaking

Ejection Material, Adhesives and Glue, Plotter Auxiliaries, Counterboard Material, Accessories for Diemaking, Stripping Components, Blanking Components



PrintLine

... for offset and flexo printing

RSP Inline Finishing Systems, RSP Accessories, Offset Articles, Flexographic Printing Articles, Envelope Feeder



ProcessLine

... for production and testing processes

Crease, Corrugated Board, Braille Measuring Devices



KnowHow

... for optimum application

Online Seminars, Inhouse Training

Good reasons for your purchase



Do not miss out on any more promotions

Subscribe to our newsletter and be the first to find out about promotions and products.

www.cito.de/newsletter



CITO-App-Service

- direct, online and worldwide!

Use the CITO Abacus Web App for selecting the optimum creasing system. Also included in the App: the latest news and catalogue download.

app.cito.de



Always up-to-date

Visit our page on LinkedIn and find out interesting news about our products and our company.

www.linkedin.com/company/cito-system/



No wishes remain open

Visit our homepage and discover an extensive range of quality products, solutions and tips on use, under the BoxLine, FormLine, PrintLine and ProcessLine sections.

www.cito.de




Information – available quickly and easily

Visit our Media-Center, where you will find a comprehensive collection of product information, documents, technical information and videos on how to use our products.

www.cito.de/media

CITO service – always in the right place ...



... in Germany

For expert advice and support, the CITO sales team is at your disposal. www.cito.de/sales-department



... in Europe, via the CITO GROUP companies

The CITO GROUP consists of the company CITO-SYSTEM GmbH (Germany) and its subsidiaries CITO UK Ltd. (Great Britain), CITO Italia Srl (Italy), CITO CZ s.r.o. (Czech Republic) and PolyMX bv (The Netherlands).


www.cito.de/group



... globally, via more than 90 exclusive agencies

You can benefit from our products and service even from outside Germany. www.cito.de/agencies






CITO BoxLine




Overview BoxLine



Creasing Systems


CITO Abacus – calculation aid for creasing matrix Certified Creasing Systems CITO ULTIMATE, CITO DYNAMIC, CITO BASICplus, CITO PLAST Creasing Accessories



Diecutting Accessories

Cutting Plates
CITO BALANCE PROFILE
Makeready Material
Tools for nicks
Cleaning Agent
CITO Rule Puller
CITO SHEET RAMP
CITO Register Pin
CITO Chase Screw





CITO Creasing Systems





CITO Abacus

CITO Calculation aid for creasing matrices

You can easily and reliably calculate your ideal creasing matrix with the CITO Abacus app or online at www.cito.de:


- Select the right calculator.
- Enter the material thickness.
- Depending on the material and its thickness the CITO Abacus will automatically recommend the appropriate creasing matrices.




Tip: the CITO Abacus is also available as a handy slide rule for everyday use in production. Do not hesitate to ask if you would like to receive one!

Note: different values for CITO PLAST. Use our table of recommendations here for CITO PLAST at **www.cito.de**

CITO Abacus - for cardboard





1. Measure the thickness of material c

The material thickness of the cardboard determines the creasing rule height.

c = mm

2. Determine channel depth A

Designed for material thickness of 0.2 – 1.65 mm

A = **c** = mm


3. Measure creasing rule width d

Recommendation for Creasing rule width **d**: 1.5 pt/0.52 mm for material up to 0.30 mm 2 pt/0.71 mm for material up to 0.58 mm

 $3 \, \text{pt/}1.05 \, \text{mm}$ for material up to $0.85 \, \text{mm}$ $4 \, \text{pt/}1.42 \, \text{mm}$ for material up to $1.20 \, \text{mm}$ $6 \, \text{pt/}2.10 \, \text{mm}$ for material over $1.21 \, \text{mm}$


d = mm

4. Calculation of the crease width B




RESULT Optimal creasing system = $\mathbf{A} \times \mathbf{B}$







Calculation of the creasing rule height **h**

The material thickness of the cardboard determines the creasing rule height.



CITO Abacus - for corrugated board





1. Measure the thickness of compressed material e

The thickness of compressed material of the corrugated board determines the creasing rule height.



2. Determine channel depth A


Designed for material thickness of 0.5 - 1.3 mm

3. Measure creasing rule width d


Recommendation for Creasing rule width **d**: 1.5 pt/0.52 mm for material up to 0.30 mm 2 pt/0.71 mm for material up to 0.58 mm

3 pt/1.05 mm for material up to 0.85 mm 4 pt/1.42 mm for material up to 1.20 mm 6 pt/2.10 mm for material over 1.21 mm

4. Calculation of the crease width B







Calculation of the creasing rule height ${\boldsymbol h}$

The thickness of compressed material of the corrugated board determines the creasing rule height.







Certified Creasing Systems

for the manufacture folding carton packaging for food

Production Reliability & Product Safety

Our certified creasing systems combine production safety with product safety.

- ✓ Safe for the manufacture of folding cartons for foods
- ✓ Conform with the EU Directive for food contact materials (EC No. 1935/2004 Art. 3 and 17)

We are aware of our responsibility for human health, safe production processes and sustainable products. With our certified materials we offer the packaging manufacturers quality products, which they can use safely in the production of food packaging.

In the production process of packaging, which comes into direct or indirect contact with food, it is necessary that these materials can be used safely for the manufacture of food packaging. During the production of the packaging, particles of material coming in contact with them are abraded and are deposited on or in the packaging material. This also affects the creasing matrices, which are placed on the cutting plate and come into direct contact with the packaging material during the diecutting process.

CITO ULTIMATE is the first creasing system worldwide, to be certified as safe for the production of folding carton packaging for food. The high-performance film-based creasing system can therefore be used for the production of food packaging with a clear conscience.

Use safe processes and top quality! You can rely on this when you use our certified materials!



Learn more about materials for food packaging:

www.cito.de/certified-creasing-systems





CITO ULTIMATE

The unique high performing film-based creasing matrix with a flexible surface – with ISEGA certificate

CITO ULTIMATE offers the greatest size variety available on the market and is recognized as the leading creasing matrix worldwide. The ideal creasing system for all applications and materials — whether virgin fibre or recycled material, paper or folding cartons, laminated micro flute or corrugated board, fully imprinted, UV coated or foil laminated. Perfect handling due to Fingerlift technique and easy to trim with the knife.

Outstanding adhesive power on the cutting plate and residue-free removal thanks to EasyFix technology.

The profile of the creasing matrix is **colour-coded**. This means that the correct creasing strip can be easily identified by the colour, preventing use of an inappropriate size. In addition, the labelling on the locator is clearly legible and printed with high frequency. Even with small creasing strips, the converter can be sure that they are using the correct size. Mixing up of the sizes is thus avoided.

Colour-coding means safe and efficient processes, smooth workflow and optimum machine performance. The result: Reliable and consistently high product quality.

The advantages:

- Flexible coating on a sturdy base for consistently high crease quality from the first to the last sheet, even for extremely large runs
- · All versions with SG technology
- Reduces cracking of the crease
- Ideal for repeat jobs or for archiving in combination with cutting plates
- Available in around 600 different sizes, versions and specials
- European patent application EP 15 001 869.5



CITO ULTIMATE Overall width 12 mm



| H × W mm |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| 0.2×0.6 | 0.3×0.6 | 0.4×0.6 | | | | |
| 0.2×0.7 | 0.3×0.7 | 0.4×0.7 | 0.5×0.7 | | | |
| 0.2×0.8 | 0.3×0.8 | 0.4×0.8 | 0.5×0.8 | 0.6×0.8 | | |
| 0.2 × 1.0 | 0.3×1.0 | 0.4×1.0 | 0.5×1.0 | 0.6 × 1.0 | | |
| 0.2 × 1.1 | 0.3×1.1 | 0.4×1.1 | 0.5×1.1 | 0.6 × 1.1 | | |
| 0.2 × 1.2 | 0.3×1.2 | 0.4×1.2 | 0.5×1.2 | 0.6 × 1.2 | | |
| 0.2×1.3 | 0.3×1.3 | 0.4×1.3 | 0.5×1.3 | 0.6×1.3 | 0.7×1.3 | |
| | 0.3×1.4 | 0.4×1.4 | 0.5×1.4 | 0.6×1.4 | | |
| | 0.3×1.5 | 0.4×1.5 | 0.5×1.5 | 0.6×1.5 | 0.7×1.5 | |
| | 0.3 × 1.6 | 0.4 × 1.6 | 0.5×1.6 | 0.6 × 1.6 | 0.7×1.6 | |
| | 0.3×1.7 | 0.4×1.7 | 0.5×1.7 | 0.6×1.7 | 0.7×1.7 | 0.8×1.7 |
| | 0.3 × 1.9 | 0.4 × 1.9 | 0.5 × 1.9 | 0.6 × 1.9 | 0.7×1.9 | 0.8 × 1.9 |

CITO ULTIMATE Shoulder width 6 mm



H × W mm	H × W mm					
0.5×2.1	0.6×2.1	0.7×2.1	0.8×2.1			
0.5×2.3	0.6×2.3	0.7×2.3	0.8×2.3	1.0 × 2.3		
0.5×2.5	0.6×2.5	0.7×2.5	0.8×2.5	1.0×2.5		
0.5×2.7	0.6×2.7	0.7×2.7	0.8×2.7	1.0×2.7		
	0.6×3.0	0.7×3.0	0.8×3.0	1.0×3.0	1.2×3.0	
	0.6×3.2	0.7×3.2	0.8×3.2	1.0 × 3.2	1.2 × 3.2	
	0.6×3.5	0.7×3.5	0.8×3.5	1.0×3.5	1.2×3.5	
	0.6×4.0	0.7×4.0	0.8×4.0	1.0×4.0	1.2×4.0	1.5 × 4.0*
	0.6×4.5	0.7×4.5	0.8×4.5	1.0×4.5	1.2×4.5	
	0.6×5.0	0.7×5.0	0.8×5.0	1.0×5.0	1.2×5.0	1.5 × 5.0*
	0.6×6.0	0.7×6.0	0.8×6.0	1.0×6.0	1.2×6.0	1.5 × 6.0*
			0.8×7.0	1.0×7.0	1.2×7.0	
						1.7 × 5.0*
						1.7 × 6.0*

Matched to 4 pt, 6 pt and 8 pt for easier handling when equipping the tools.

Locator for creasing rules of widths 4 - 6 pt (1.42 - 2.10 mm)

H × W mm	H × W mm	H×W mm	H×W mm	H×W mm
$0.6 \times 3.0/2$	$0.7 \times 3.0/2$	$0.8 \times 3.0/2$	$1.0 \times 3.0/2$	
0.6 × 3.2/2	$0.7 \times 3.2/2$	$0.8 \times 3.2/2$	$1.0 \times 3.2/2$	
$0.6 \times 3.5/2$	$0.7 \times 3.5/2$	$0.8 \times 3.5/2$	$1.0 \times 3.5/2$	
$0.6 \times 4.0/2$	$0.7 \times 4.0/2$	$0.8 \times 4.0/2$	$1.0 \times 4.0/2$	$1.2 \times 4.0/2$
			$1.0 \times 5.0/2$	


Locator for creasing rules of widths 8 pt (2.84 - 3.00 mm)

H × W mm	H×W mm	H×W mm	H×W mm	H×W mm	
$0.6 \times 4.0/3$		$0.8 \times 4.0/3$			
$0.6 \times 5.0/3$		$0.8 \times 5.0/3$	1.0 × 5.0/3	1.2 × 5.0/3	1.5 × 5.0/3*
$0.6 \times 6.0/3$		$0.8 \times 6.0/3$	$1.0 \times 6.0/3$	$1.2 \times 6.0/3$	1.5 × 6.0/3*
$0.6 \times 7.0/3$		$0.8 \times 7.0/3$	$1.0 \times 7.0/3$		
		$0.8 \times 8.0/3$	$1.0 \times 8.0/3$		

Further sizes regarding creasing channel depth, width and locator available upon demand

Contents of box: $50 \times 70 \text{ cm} = 35 \text{ m}$ * Base material differs

CITO ULTIMATE CMR



Design and quality as CITO ULTIMATE on reels. Ideal for the production of larger packaging and displays. Less waste.

H×W mm	H × W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm
0.3 × 0.8	0.4 × 1.0	0.5 × 1.3	0.6 × 1.7	0.8 × 2.1	0.8 × 2.7	1.0 × 3.0	1.0 × 4.0	1.2 × 4.0
0.3 × 1.0	0.4 × 1.2	0.5 × 1.5	0.6 × 1.9	0.8 × 2.3	0.8×3.2		1.0 × 5.0	
0.3×1.2	0.4 × 1.3		0.6 × 2.1	0.8 × 2.5	0.8×3.5			
0.3×1.3	0.4 × 1.5		0.6 × 2.3					
			0.6×2.5					
			0.6 × 2.7					
			0.6 × 3.0					
- 37 m -	- 37 m -	- 35 m -	- 35 m -	- 30 m -	- 28 m -	- 28 m -	- 25 m -	- 25 m -

Further sizes regarding creasing channel depth, width and locator available upon demand

- Metres per reel -

CITO ULTIMATE Multipack



With five different sizes in one package.

Order no.	Description	H × W mm	Contents
ALU13001	CITO ULTIMATE Multipack 0.3	0.3 × 1.0 / 1.1 / 1.2 / 1.3 / 1.4	10 pieces each
ALU14001	CITO ULTIMATE Multipack 0.4	0.4 × 1.1 / 1.2 / 1.3 / 1.4 / 1.5	10 pieces each
ALU15001	CITO ULTIMATE Multipack 0.5	0.5 × 1.3 / 1.4 / 1.5 / 1.6 / 1.7	10 pieces each
ALU16001	CITO ULTIMATE Multipack 0.6	0.6 × 1.5 / 1.6 / 1.7 / 1.9 / 2.1	10 pieces each
ALU18001	CITO ULTIMATE Multipack 0.8	0.8 × 2.1 / 2.3 / 2.5 / 2.7 / 3.0	10 pieces each
CITO LILTIN	1ATE Multipacks are available on re	equest	



CITO ULTIMATE RS



When small distances between cutting and creasing rule are required (e.g. glue flaps, window cuttings), this is the ideal creasing system to use, suitable for small folding cartons.

H × W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm
0.3×0.8	0.4×0.8	0.5×0.8	0.6×0.8	0.7 × 1.5	0.8×2.3
0.3×1.0	0.4×1.0	0.5×1.0	0.6×1.0	0.7×1.7	0.8×2.7
0.3×1.2	0.4×1.1	0.5×1.1	0.6×1.3	0.7×1.9	
0.3 × 1.3	0.4 × 1.2	0.5×1.2	0.6×1.4	0.7×2.1	
0.3×1.4	0.4×1.3	0.5×1.3	0.6×1.5	0.7×2.3	
0.3×1.5	0.4×1.4	0.5×1.4	0.6×1.7	0.7×2.5	
	0.4×1.5	0.5×1.5	0.6 × 1.9	0.7×2.7	
	0.4 × 1.6				
	0.4×1.7	0.5×1.7	0.6×2.1		
	0.4 × 1.9	0.5 × 1.9	0.6×2.7		

Further sizes regarding creasing channel depth, width and locator available upon demand

Contents of box: 50×70 cm = 35 m

CITO ULTIMATE CC



Special creasing system for double crease with a short distance between the creasing rules.

H × W mm	H×W mm	H×W mm	H × W mm			
0.3×1.0	0.4 × 1.0	0.5 × 1.0	0.6 × 1.2		0.8 × 1.9	1.0 × 2.3
0.3 × 1.1	0.4×1.1	0.5 × 1.1	0.6×1.3	0.7×1.5	0.8×2.1	1.0 × 2.5
0.3×1.2	0.4×1.2	0.5×1.2	0.6 × 1.5	0.7×1.7	0.8×2.3	1.0×2.7
0.3×1.3	0.4×1.3	0.5 × 1.3	0.6 × 1.6	0.7×1.9	0.8×2.5	1.0 × 3.0
0.3×1.5	0.4×1.4	0.5×1.4	0.6×1.7	0.7×2.1	0.8×2.7	
0.3×2.3	0.4 × 1.5	0.5 × 1.5	0.6 × 1.9	0.7×2.3	0.8×3.0	
	0.4×1.7	0.5×1.7	0.6×2.1	0.7×2.5	0.8×4.0	
	0.4 × 1.9	0.5 × 1.9	0.6×2.3	0.7×2.7		
		0.5×2.1	0.6×2.5	0.7×3.0		
		0.5×2.7	0.6×2.7	0.7×4.0		

Further sizes regarding creasing channel depth, width and locator available upon demand

Contents of box: $40 \times 70 \text{ cm} = 28 \text{ m}$

CITO ULTIMATE CS



Special creasing system for double creases; can be used separately, with extremely narrow shoulders for the smallest distances between creasing rule/ creasing rule and knife/creasing rule, e.g. for miniature folding cartons and folders.

| H × W mm |
|------------------|------------------|------------------|------------------|
| 0.3×0.8 | 0.4×0.8 | 0.5×0.8 | 0.6 × 1.3 |
| 0.3 × 1.0 | 0.4×1.0 | 0.5×1.0 | 0.6 × 1.5 |
| 0.3×1.2 | 0.4×1.2 | 0.5×1.2 | 0.6×1.7 |
| 0.3×1.3 | 0.4×1.3 | 0.5×1.3 | 0.6 × 1.9 |
| 0.3×1.5 | 0.4×1.5 | 0.5×1.4 | |
| | 0.4×1.7 | 0.5×1.5 | |
| | 0.4×1.9 | 0.5×1.7 | |
| | | 0.5 × 1.9 | |

Further sizes regarding creasing channel depth, width and locator available upon demand

Contents of box: $50 \times 70 \text{ cm} = 35 \text{ m}$



CITO ULTIMATE CSD

1.3 mm 1.3 mm CS variant for multiple creasing rule: can be used separately, with extremely narrow shoulders for the smallest distances between creasing rule/creasing rule and knife/creasing rule.

H×W mm	H×W mm	H×W mm	H×W mm	
0.3 × 1.0	0.4×0.8	0.5×0.8		
0.3×1.2	0.4 × 1.0	0.5×1.0		
0.3×1.3	0.4×1.2	0.5×1.3		
0.3×1.5	0.4×1.3	0.5×1.5		

Further sizes regarding creasing channel depth, width and locator available upon demand

Contents of box: $50 \times 70 \text{ cm} = 35 \text{ m}$

CITO ULTIMATE IK



Creasing system for high-value products made from corrugated board. Inside chamfering reduces tensile stress and thus avoids cracking of the surface of the material.


Shoulder width 6 mm

H × W mm	H × W mm	H×W mm	H×W mm	H × W mm	H×W mm
0.5 × 2.1	0.6 × 2.1				
0.5×2.3	0.6 × 2.3	0.7×2.3	0.8×2.3		
	0.6×2.5	0.7×2.5	0.8×2.5		
0.5×2.7	0.6×2.7	0.7×2.7	0.8×2.7	1.0×2.7	
0.5×3.0	0.6×3.0	0.7×3.0	0.8×3.0	1.0×3.0	
	0.6 × 3.2		0.8×3.2	1.0×3.2	
0.5×3.5	0.6×3.5		0.8×3.5	1.0×3.5	
	0.6×4.0		0.8×4.0	1.0×4.0	1.2×4.0
				1.0×4.5	
			0.8×5.0	1.0×5.0	1.2×5.0
			0.8×6.0	1.0×6.0	
				1.0×7.0	

Further sizes regarding creasing channel depth, width and locator available upon demand

Contents of box: $50 \times 70 \text{ cm} = 35 \text{ m}$

CITO ULTIMATE RYU



Special double-crease without a center piece for premium 180° folding of products made from corrugated board.

A mm	H×W mm	H×W mm	H × W mm	H×W mm
/3	0.6 × 5.0	0.7×5.0	0.8×5.0	1.0 × 5.0
/4	0.6 × 6.0	0.7×6.0	0.8×6.0	1.0 × 6.0
/5	0.6 × 7.0	0.7×7.0	0.8×7.0	1.0×7.0
/5	0.6 × 8.0	0.7×8.0	0.8×8.0	1.0 × 8.0
/6.5		0.7×9.0	0.8×9.0	1.0×9.0

A = Creasing rule distance center/center W = Creasing rule width

Creasing rule width 3 pt/1.05 mm

Shoulder width 6 mm

Contents of box: $50 \times 70 \text{ cm} = 35 \text{ m}$

Further sizes regarding creasing channel depth, width and locator available upon demand.





CITO DYNAMIC

The efficient film-based creasing matrix

The optimum creasing system for all solid board, corrugated board, display and folding carton board applications. Perfect handling due to Fingerlift technique and easy to trim with the knife. Outstanding adhesion on the cutting plate and residue-free removal thanks to EasyFix technology.

- · Ideal for medium and long runs
- The total widths of 10 mm, 12 mm and 15 mm are adapted to the respective creasing channel and are available in different versions
- Great value for money

CITO DYNAMIC Overall width 10 mm



H×W mm	H × W mm	H×W mm	H × W mm		
0.3×0.6	0.4×0.7	0.5×0.8			
0.3×0.7	0.4×0.8	0.5×1.0	0.6 × 1.0		
0.3×0.8	0.4×1.0	0.5×1.1	0.6 × 1.2		
0.3 × 1.0	0.4×1.1	0.5 × 1.2	0.6 × 1.3		
0.3 × 1.1	0.4×1.2	0.5×1.3	0.6×1.4		
0.3 × 1.2	0.4×1.3	0.5×1.4			
0.3×1.3	0.4×1.4				
0.3×1.4					

Other sizes available on request.

Contents of box: $50 \times 70 \text{ cm} = 35 \text{ m}$



CITO DYNAMIC Overall width 12 mm



| H×W mm |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| 0.3 × 1.5 | 0.4 × 1.5 | 0.5 × 1.5 | 0.6 × 1.5 | 0.7×1.7 | 0.8×2.1 | 1.0 × 2.3 |
| 0.3 × 1.6 | 0.4×1.6 | 0.5×1.6 | 0.6 × 1.6 | 0.7×1.9 | 0.8×2.3 | 1.0 × 2.5 |
| 0.3×1.7 | 0.4×1.7 | 0.5×1.7 | 0.6×1.7 | 0.7×2.1 | 0.8×2.5 | 1.0×2.7 |
| | 0.4 × 1.9 | 0.5 × 1.9 | 0.6 × 1.9 | 0.7×2.3 | 0.8×2.7 | 1.0 × 3.0 |
| | | 0.5×2.1 | 0.6×2.1 | 0.7×2.5 | 0.8×3.0 | 1.0×3.2 |
| | | 0.5×2.3 | 0.6×2.3 | 0.7×2.7 | 0.8×3.2 | 1.0 × 3.5 |
| | | 0.5×2.5 | 0.6×2.5 | 0.7×3.0 | 0.8×3.5 | 1.0×4.0 |
| | | 0.5×2.7 | 0.6×2.7 | 0.7×3.2 | 0.8×4.0 | |
| | | 0.5×3.0 | 0.6×3.0 | 0.7×3.5 | | |
| | | | 0.6×3.2 | 0.7×4.0 | | |
| | | | 0.6×3.5 | | | |
| | | | 0.6×4.0 | | | |

Other sizes available on request.

Contents of box: $50 \times 70 \text{ cm} = 35 \text{ m}$

CITO DYNAMIC Overall width 15 mm



H×W mm	H×W mm	H×W mm
0.8×4.5	1.0 × 4.5	1.2×4.0
0.8×5.0	1.0 × 5.0	1.2×4.5
0.8×6.0	1.0 × 6.0	1.2×5.0
		1.2 × 6.0

Other sizes available on request.

Contents of box: 40×70 cm = 28 m

CITO DYNAMIC CMR

CITO DYNAMIC also available as CMR reels: 30 m per reel



CITO BASICplus

The economic film-based creasing matrix with plastic shoulders

For high-quality creasing of folding cartons to displays through to corrugated board packaging. Perfect handling due to Fingerlift technique and easy to trim with the knife. Outstanding adhesion on the cutting plate and residue-free removal thanks to EasyFix technology.

The base of the creasing matrix is **colour-coded**. This means that the correct creasing strip can be easily identified by the colour, preventing use of an inappropriate size. In addition, the labelling on the locator is clearly legible and printed with high frequency. Even with small creasing strips, the converter can be sure that they are using the correct size. Mixing up of the sizes is thus avoided.


Colour-coding means safe and efficient processes, smooth workflow and optimum machine performance. The result: Reliable and consistently high product quality.

Available in IK, Off-center, MINI, RYU and Double Crease versions

The advantages:

- · User-friendly design due to labelling of the sharp edge and colour-coding
- · Flat sharp edges for perfect sheet transfer
- · Ideal for smaller and medium runs
- Good value for money





Locator for creasing rules of widths 2 - 3 pt

| H × W mm |
|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| | | Ove | erall width 10 | mm | | |
| 0.3×0.8 | 0.4×0.8 | 0.5×0.8 | | | | |
| 0.3×1.0 | 0.4×1.0 | 0.5×1.0 | | | | |
| 0.3 × 1.1 | 0.4 × 1.1 | 0.5 × 1.1 | | | | |
| 0.3×1.2 | 0.4×1.2 | 0.5×1.2 | | | | |
| 0.3×1.3 | 0.4 × 1.3 | 0.5×1.3 | 0.6 × 1.3 | | | |
| 0.3×1.4 | 0.4×1.4 | 0.5×1.4 | 0.6×1.4 | | | |
| 0.3×1.5 | 0.4 × 1.5 | 0.5 × 1.5 | 0.6 × 1.5 | 0.7×1.5 | | |
| | 0.4 × 1.6 | 0.5×1.6 | 0.6×1.6 | | | |
| | 0.4×1.7 | 0.5×1.7 | 0.6×1.7 | | | |
| | 0.4 × 1.9 | 0.5 × 1.9 | 0.6 × 1.9 | 0.7×1.9 | 0.8 × 1.9 | |
| | | 0.5×2.1 | 0.6×2.1 | 0.7×2.1 | 0.8×2.1 | |
| | | | 0.6×2.3 | 0.7×2.3 | 0.8×2.3 | |
| | | | 0.6×2.5 | 0.7×2.5 | 0.8×2.5 | 1.0 × 2.5 |
| | | | 0.6×2.7 | 0.7×2.7 | 0.8×2.7 | 1.0×2.7 |
| | | | 0.6×3.0 | | 0.8×3.0 | 1.0 × 3.0 |
| | | Ove | erall width 12 | mm | | |
| | | | 0.6×3.5 | | 0.8×3.5 | |
| | | | | 0.7×3.7 | | |
| | | | | | 0.8×4.0 | 1.0×4.0 |
| Other sizes a | vailable on red | nuest | | Contents | of box: 50 x | 70 cm = 35 m |

Other sizes available on request.

Contents of box: $50 \times 70 \text{ cm} = 35 \text{ m}$


Locator for creasing rules of widths 3 - 4 pt

H × W mm	H × W mm	H × W mm	H × W mm	H×W mm	H×W mm	H×W mm	H×W mm		
Overall width 10 mm									
0.5×1.5									
0.5×1.7	0.6×1.7								
0.5×1.9			0.8 × 1.9						
0.5×2.1	0.6 × 2.1	0.7×2.1	0.8×2.1						
	0.6 × 2.3	0.7×2.3	0.8×2.3						
0.5×2.5	0.6×2.5	0.7×2.5	0.8×2.5						
0.5×2.7	0.6 × 2.7	0.7×2.7	0.8×2.7	1.0 × 2.7					
	0.6 × 3.0	0.7×3.0	0.8×3.0	1.0 × 3.0					
			Overall wi	dth 12 mm					
	0.6 × 3.2	0.7×3.2	0.8×3.2	1.0 × 3.2					
	0.6 × 3.5	0.7×3.5	0.8×3.5	1.0 × 3.5					
	0.6×4.0	0.7×4.0	0.8×4.0	1.0×4.0					
			Shoulder w	idth 6 mm *					
					1.2 × 3.2				
					1.2 × 3.5				
					1.2×4.0	1.4×4.0			
					1.2 × 4.5				
	0.6 × 5.0		0.8×5.0	1.0 × 5.0	1.2 × 5.0	1.4 × 5.0	1.6 × 5.0		
				1.0 × 6.0			1.6 × 6.0		

Contents of box: 50 \times 70 cm = 35 m, * Contents of box: 40 \times 70 cm = 28 m

Further sizes regarding creasing channel depth, width, locator and 22.4 m box contents available upon demand.





Locator for creasing rules of widths 4 - 6 pt

H×W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm			
Overall width 12 mm									
		0.8×3.0							
		0.8×3.2							
0.6 × 3.5		0.8×3.5	1.0 × 3.5						
0.6×4.0		0.8×4.0	1.0×4.0						
		Shoulder w	idth 6 mm *	•					
			1.0×4.5	1.2×4.5					
0.6 × 5.0		0.8×5.0	1.0 × 5.0	1.2 × 5.0	1.4 × 5.0	1.6 × 5.0			
		0.8×6.0	1.0 × 6.0	1.2 × 6.0	1.4 × 6.0	1.6 × 6.0			

Contents of box: 50×70 cm = 35 m, * Contents of box: 40×70 cm = 28 m


Locator for creasing rules of widths 8 pt

			H×W mm	H×W mm				
Shoulder width 6 mm *								
			0.8×5.0	1.0 × 5.0				
			0.8×6.0	1.0 × 6.0				

Contents of box: 50×70 cm = 35 m, * Contents of box: 40×70 cm = 28 m

Further sizes regarding creasing channel depth, width, locator and 22.4 m box contents available upon demand.





CITO BASICplus CMR

CITO BASICplus on reels. Ideal for the production of larger packaging and displays; developed for small to medium runs, usable for folding box board up to corrugated board. Cost-effective, less waste.

Locator for creasing rules of widths 2 - 3 pt

H × W mm	H × W mm	H × W mm	H × W mm	H × W mm	H × W mm					
	Overall width 10 mm									
0.3×0.8										
0.3×1.0	0.4×1.0									
0.3×1.2	0.4 × 1.2									
0.3×1.3	0.4×1.3	0.5 × 1.3								
	0.4×1.4									
	0.4×1.5	0.5 × 1.5								
	0.4×1.7	0.5×1.7	0.6×1.7							
	0.4 × 1.9	0.5 × 1.9	0.6 × 1.9							
			0.6×2.1	0.7×2.1						
			0.6×2.3	0.7×2.3						
					0.8×2.7					

Contents of reel: 30 m


Locator for creasing rules of widths 3 - 4 pt

	H × W mm	H×W mm	H×W mm	H×W mm	H×W mm				
Overall width 10 mm									
	0.6 × 2.3		0.8×2.3						
	0.6×2.5	0.7×2.5	0.8×2.5						
	0.6 × 2.7	0.7×2.7	0.8×2.7						
	0.6×3.0		0.8×3.0	1.0 × 3.0					
	Overall wi	dth 12 mm							
		0.7×3.2	0.8×3.2						
			0.8×3.5						
	0.6×4.0		0.8×4.0	1.0 × 4.0					
	Shoulder w	idth 6 mm *	:						
				1.0 × 5.0	1.4 × 5.0				

Contents of reel: 30 m, * Contents of reel: 23 m

Further sizes regarding creasing channel depth, width and locator available upon demand.





CITO BASICplus IK

The creasing matrix for high-quality corrugated board products. Internal chamfering reduces tensile stress and thus prevents cracking of the surface of the material.

Locator for creasing rules of widths 2 - 3 pt

	H×W mm	H×W mm	H×W mm					
Overall width 10 mm								
	0.7×2.3							
		0.8 × 2.5						
		0.8×2.7	1.0 × 2.7					
		0.8×3.0						
Overall width 12 mm								
		0.8×3.5						

Contents of box: 50×70 cm = 35 m

Locator for creasing rules of widths 3 - 4 pt

H × W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm				
			Overall widt	h 10 mm					
0.5×2.1	0.6×2.1		0.8×2.1						
	0.6×2.3	0.7×2.3	0.8×2.3						
	0.6×2.5	0.7×2.5	0.8×2.5						
	0.6×2.7	0.7×2.7	0.8×2.7	1.0×2.7					
0.5×3.0	0.6×3.0	0.7×3.0	0.8×3.0	1.0×3.0					
			Overall widt	h 12 mm					
		0.7×3.2		1.0 × 3.2					
	0.6×3.5		0.8×3.5	1.0×3.5					
	0.6×4.0		0.8×4.0	1.0×4.0					
	Shoulder width 6 mm *								
			0.8×5.0		1.6 × 5.0				
				1.0×6.0					

Contents of box: 50×70 cm = 35 m, * Contents of box: 40×70 cm = 28 m

Locator for creasing rules of widths 4 - 6 pt

H × W mm	H×W mm	H×W mm	H×W mm					
Overall width 12 mm								
0.6 × 3.0								
		0.8×3.5	1.0×3.5					
0.6 × 4.0		0.8×4.0	1.0×4.0					
Shoulder width 6 mm *								
		0.8×4.5	1.0 × 4.5					

Contents of box: 50×70 cm = 35 m, * Contents of box: 40×70 cm = 28 m

Locator for creasing rules of widths 8 pt

H × W mm	H×W mm	H×W mm	H×W mm		
	S	houlder wid	th 6 mm *		
	0.7×4.0				
0.6 × 5.0		0.8×5.0			
			1.0 × 6.0		

* Contents of box: $40 \times 70 \text{ cm} = 28 \text{ m}$

Further sizes regarding creasing channel depth, width and locator available upon demand.





CITO BASICplus Off-center

Special creasing matrix for double creases with small distance between the creasing rule/creasing rule and cutting/creasing rule.

Locator for creasing rules of widths 2 - 3 pt

H×W mm					
0.3×0.8	0.4×0.8	0.5×0.8			
0.3×1.0	0.4×1.0	0.5×1.0			
0.3×1.1	0.4×1.1	0.5×1.1			
0.3×1.2	0.4×1.2	0.5×1.2			
0.3×1.3	0.4×1.3	0.5×1.3			
0.3×1.4	0.4×1.4	0.5×1.4			
0.3×1.5	0.4×1.5	0.5×1.5	0.6×1.5		
	0.4 × 1.6	0.5 × 1.6	0.6 × 1.6		
	0.4×1.7	0.5×1.7	0.6×1.7		
		0.5 × 1.9	0.6 × 1.9	0.7×1.9	

Locator for creasing rules of widths 3 - 4 pt

H×W mm	H×W mm	H×W mm	H×W mm	H×W mm
0.5 × 2.1	0.6 × 2.1	0.7×2.1	0.8 × 2.1	
	0.6×2.3	0.7×2.3	0.8×2.3	
	0.6×2.5	0.7×2.5	0.8×2.5	
0.5 × 2.7	0.6×2.7	0.7×2.7	0.8×2.7	1.0×2.7
	0.6×3.0	0.7×3.0	0.8×3.0	1.0×3.0
	0.6 × 3.5		0.8×3.5	

Contents of box: 30×70 cm = 21 m

Further sizes regarding creasing channel depth, width and locator available upon demand.

Please indicate the thickness of the creasing rule when ordering!

2 mm

CITO BASICplus MINI

Creasing matrix for small distances between cutting and creasing rule (e.g. glue aps, window cuttings) as well as for multiple creasing for presentation folders. Also ideal for small folding cartons.

Locator for creasing rules of widths 2 - 3 pt


H × W mm	H × W mm	H × W mm		
0.3×0.8	0.4×0.8			
0.3 × 1.0	0.4×1.0	0.5 × 1.0		
0.3×1.2	0.4×1.2	0.5×1.2		
0.3 × 1.3	0.4×1.3	0.5×1.3		
		0.5×1.4		
0.3 × 1.5	0.4 × 1.5	0.5 × 1.5		
		0.5×1.6		
		0.5×1.7		
		0.5×2.1		

Contents of box: $30 \times 70 \text{ cm} = 21 \text{ m}$

Further sizes regarding creasing channel depth, width and locator available upon demand.



CITO BASICplus RYU



Special double crease without a center piece for premium 180° folding of products made from corrugated board.

A mm	H×W mm	H×W mm	H×W mm	H×W mm	
/3	0.6 × 5.0	0.7 × 5.0	0.8 × 5.0	1.0 × 5.0	
/4			0.8×5.0		
/4	0.6 × 6.0	0.7×6.0	0.8×6.0	1.0 × 6.0	
/5			0.8×6.0	1.0 × 6.0	
/5	0.6 × 7.0	0.7×7.0	0.8×7.0	1.0×7.0	
/5	0.6 × 8.0	0.7×8.0	0.8×8.0	1.0 × 8.0	
/6.5	0.6 × 9.0	0.7×9.0	0.8×9.0	1.0×9.0	
/8	0.6 × 10.0	0.7×10.0	0.8 × 10.0	1.0 × 10.0	

A = Creasing rule distance center/center

W = Creasing rule width


Creasing rule width 3 pt/1.05 mm

Shoulder width 6 mm

Contents of box: $30 \times 70 \text{ cm} = 21 \text{ m}$

Further sizes regarding creasing channel depth, width and locator available upon demand

CITO BASICplus Double Crease



Double creasing on a film base for various grammages. Distance between channels center/center.

A mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm	H×W mm
2	0.3×0.8	0.3×1.2					
2.5	0.3×0.8	0.3 × 1.2					
3	0.3×0.8	0.3×1.2	0.4×1.0	0.4×1.3	0.5×1.0		0.5×1.5
3.5		0.3×1.2		0.4×1.3		0.5×1.3	0.5 × 1.5
4		0.3×1.2	0.4×1.2	0.4×1.3	0.5×1.2	0.5×1.3	0.5 × 1.5
5				0.4×1.3		0.5×1.3	0.5 × 1.5

A = Creasing rule distance center/center

Contents of box: $20 \times 70 \text{ cm} = 14 \text{ m}$

W = Creasing rule width

Creasing channel width 2 pt/0.71 mm

Overall width 15 mm

Further sizes regarding creasing channel depth, width and locator available upon demand.





CITO PLAST

The classic metal-based creasing matrix with plastic shoulders

The creasing matrix is convincingly reliable, stable and flexible.

The advantages at a glance:

- Full surface and inseparable join between metal base and plastic shoulders for additional safety
- · User-friendly thanks to colour-coding
- Ideal for small and medium runs
- Available in Off-center, Double Crease, Reverse Crease and Hinge Crease versions
- Patented technology

Perfect handling by the fingerlift technique. Excellent adhesion on the cutting plate and residue-free removal thanks to the EasyFix technology.



For platens and cylinders

CITO PLAST plus

Metal-based creasing matrix for reduced crease rule height tooling.

Order no.	Size	Colour	Height	Width	Locator for creasing rule width	Contents
ACA00005	20/1-1.5	Mauve	0.38 mm	0.55 mm	1 - 1.5 pt	28 m
ACA00006	32/1.5-2	Orange	0.38 mm	0.80 mm	1.5 - 2 pt	28 m
ACA00007	40/2-3	Buff	0.38 mm	1.00 mm	2 - 3 pt	28 m
ACA00008	45/2-3	Violet	0.38 mm	1.20 mm	2 - 3 pt	28 m
ACA00009	50/2-3	White	0.45 mm	1.30 mm	2 - 3 pt	28 m
ACA00010	55/2-3	Sky	0.45 mm	1.40 mm	2 - 3 pt	28 m
ACA00011	57/2-3	Lime	0.45 mm	1.50 mm	2 - 3 pt	28 m
ACA00012	60/2-3	Yellow	0.50 mm	1.60 mm	2 - 3 pt	28 m
ACA00019	60/3-4	Yellow	0.50 mm	1.60 mm	3 - 4 pt	28 m
ACA00013	67/2-3	Pink	0.50 mm	1.70 mm	2 - 3 pt	28 m
ACA00014	73/2-3	Slate	0.55 mm	1.90 mm	2 - 3 pt	28 m
ACA00015	75/2-3	Green	0.60 mm	2.00 mm	2 - 3 pt	28 m
ACA00016	83/2-3	Brown	0.60 mm	2.10 mm	2 - 3 pt	28 m
ACA00017	90/2-3	Red	0.70 mm	2.30 mm	2 - 3 pt	28 m
ACA00018	90/3-4	Red	0.70 mm	2.30 mm	3 - 4 pt	28 m
ACA00001	105/2-3	Blue	0.80 mm	2.60 mm	2 - 3 pt	28 m
ACA00002	105/3-4	Blue	0.80 mm	2.60 mm	3 - 4 pt	28 m
ACA00003	120/3-4	Dark brown	0.90 mm	3.00 mm	3 - 4 pt	28 m
ACA01007	126/3-4	Olive	0.95 mm	3.20 mm	3 - 4 pt	14 m
ACA01011	130/3-4	Red	1.10 mm	3.00 mm	3 - 4 pt	14 m
ACA01001	150/3-4	Grey	1.30 mm	3.80 mm	3 - 4 pt	14 m
ACA01002	150/6	Grey	1.30 mm	3.80 mm	6pt	14 m
ACA01003	200/4	Black	1.50 mm	5.00 mm	4pt	14 m
ACA01004	200/6	Black	1.50 mm	5.00 mm	6 pt	14 m
ACA01006	250/4	Cream	1.70 mm	6.00 mm	4pt	14 m
ACA01005	250/6	Cream	1.70 mm	6.00 mm	6 pt	14 m

Contents of box: 40×70 cm = 28 m Contents of box: 20×70 cm = 14 m

CITO PLAST Off-center

For small distances between creasing rule/creasing rule and cutting/creasing rule.

Order no.	Size	Colour	Height	Width	Locator for creasing rule width
ACB00001	OFF 40/2-3	Lederfarben	0.38 mm	1.00 mm	2 - 3 pt
ACB00002	OFF 50/2-3	White	0.45 mm	1.30 mm	2 - 3 pt
ACB00003	OFF 60/2-3	Yellow	0.50 mm	1.60 mm	2 - 3 pt

Contents of box: $40 \times 70 \text{ cm} = 28 \text{ m}$

CITO PLAST Double Crease

Double creasing for material between $200-300\ g/m^2$. Distance between channels center/center.


Order no.	Size	Colour	Height	Width	Space between channels
ACC01001	Double 3.0 mm	White	0.45 mm	1.30 mm	3.0 mm
ACC01002	Double 3.5 mm	White	0.45 mm	1.30 mm	3.5 mm
ACC01003	Double 4.0 mm	White	0.45 mm	1.30 mm	4.0 mm
ACC01004	Double 5.0 mm	White	0.45 mm	1.30 mm	5.0 mm

Contents of box: $20 \times 70 \text{ cm} = 14 \text{ m}$



For platens, cylinders and diecutters





Order no.	Size	Colour	Basic height	Nib height	Nib width	Distance creasing rules	Contents
Basic height 0	.7 mm						
ACD00001	2P/12	Green	0.7 mm	0.6 mm	2 pt	1.2 - 1.4 mm	28 m
ACD00002	2P/15	Green	0.7 mm	0.6 mm	2 pt	1.5 - 1.9 mm	28 m
ACD00006	2P/27	Green	0.7 mm	0.6 mm	2 pt	2.7 - 3.2 mm	28 m
ACD00003	3P/19	Blue	0.7 mm	0.8 mm	3 pt	1.9 - 2.3 mm	28 m
ACD00004	3P/23	Blue	0.7 mm	0.8 mm	3 pt	2.3 - 2.7 mm	28 m
ACD01005	4P/27	Brown	0.7 mm	0.9 mm	4 pt	2.7 - 3.2 mm	14 m
ACD01001	4P/35	Brown	0.7 mm	0.9 mm	4 pt	3.5 - 4.0 mm	14 m
ACD01003	6P/45	Black	0.7 mm	1.5 mm	6 pt	4.5 - 5.0 mm	14 m
ACD01004	6P/55	Black	0.7 mm	1.5 mm	6 pt	5.5 - 6.0 mm	14 m
Basic height 0	.3 mm						
ACD03018	1.5P/10	White	0.3 mm	0.5 mm	1.5 pt	0,8 - 1,0 mm	28 m
ACD03001	2P/12	Red	0.3 mm	0.6 mm	2 pt	1.2 - 1.4 mm	28 m
ACD03002	2P/15	Red	0.3 mm	0.6 mm	2 pt	1.5 - 1.9 mm	28 m
ACD03003	2P/23	Red	0.3 mm	0.6 mm	2 pt	2.3 - 2.7 mm	28 m
ACD03004	3P/19	Yellow	0.3 mm	0.8 mm	3 pt	1.9 - 2.3 mm	28 m
ACD03005	3P/23	Yellow	0.3 mm	0.8 mm	3 pt	2.3 - 2.7 mm	28 m
ACD03015	4P/23	Beige	0.3 mm	0.9 mm	4 pt	2.3 - 2.7 mm	14 m
ACD03006	4P/27	Beige	0.3 mm	0.9 mm	4 pt	2.7 - 3.2 mm	14 m
ACD03007	4P/35	Beige	0.3 mm	0.9 mm	4 pt	3.5 - 4.0 mm	14 m
ACD03012	4P/45	Beige	0.3 mm	1.5 mm	4 pt	4.5 - 5.0 mm	14 m
ACD03017	6P/35	Sky	0.3 mm	1.5 mm	6 pt	3.5 - 4.0 mm	14 m
ACD03008	6P/45	Sky	0.3 mm	1.5 mm	6 pt	4.5 - 5.0 mm	14 m
ACD03009	6P/50	Sky	0.3 mm	1.5 mm	6 pt	5.0 - 5.5 mm	14 m
ACD03010	6P/55	Sky	0.3 mm	1.5 mm	6 pt	5.5 - 6.0 mm	14 m

Contents of box: 40×70 cm = 28 m Contents of box: 20×70 cm = 14 m

CITO PLAST Hinge Crease

For creasing corrugated board that can be folded up to 90° on both sides on platens, cylinders or diecutters.

Order no.	Colour	Height	Width	Contents
ACE00001	Blue	1.50 mm	2.00 mm	28 m

Contents of box: 40×70 cm = 28 m















Creasing Matrix Accessories

AC 3 Cutter

The unique concept of the AC 3 cutter means that creasing systems can be cut to the desired length and the cut edges chamfered, both in a single step. This saves you valuable time, not only when setting up the discutter. Due to these time savings, on average, the cost of purchasing the AC 3 is recovered within about 1 month.

Thanks to the user-friendly design of the AC 3, a perfectly centric 45° angle cut can be achieved, either with the supplied measuring cursor or with the adjustment aid, depending on requirements.

Cut lengths are between 25 mm and 815 mm.

Order no.	Description	Unit
ADC00001	AC 3 Cutter	1 pc.
ADC00002	AC 3 Extension ruler 1,500 mm	1 pc.
ADC00004	AC 3 Blade changing set	1 pc.
ADC00007	AC 3 cutting plate sk for blades with narrow angle	10 pcs.
BRH00020	Safety gloves	1 pair

AC 2 Cutter

Manually operated cutter with a 700 mm ruler and cursor for the adjustment of the creasing strip width to a neat 45° angle cut (both ends are cut to an angle at the same time). Adjustment aid for centric setting of the angle cut.

Order no.	Description	Unit
BDA00001	AC 2 Cutter	1 pc.
BDA01002	AC 2 Replacement blade top and bottom part	1 pc.

BC 5 Cutter

The lower cost version without automatic waste ejection, with a 700 mm ruler and measuring cursor for a neat 45° angle cut (both ends are cut to an angle at the same time).

Order no.	Description	Unit
BDB00002	BC 5 Cutter	1 pc.
BDB01002	Knife head for BC 5. rubberised	1 pc.





Hand shears with stop for 45° mitre cut.

Order no.	Description	Unit
BDC00001	S 80 Scissors	1 pc.
BDC00002	Replacement blade S 80	1 pc.
BDC00003	S 80 45° angle	1 pc.



CITO Chamfering Knife

For effective chamfering of the CITO Creasing Matrix.

The rounded blade makes chamfering significantly easier. Thanks to its TÜV-tested, automatic blade retraction, the knife meets the usual safety requirements. The squeeze handle ensures user-friendly handling.

Suitable for all versions and sizes. With replaceable blade.

Order no.	Description	Unit
BOB00009	CITO Chamfering Knife	1 pc.
BOB00012	Spare blades for the CITO Chamfering Knife	1 set = 10 spare blades



CITO CMR Holder

For CITO Creasing Matrix on reels

The efficient storage and conversion of creasing systems on reel

Der kompakte CMR-Halter for CMR-Scheiben zeichnet sich durch seine stabile Bauweise aus and kann bis zu vier CMR-Scheiben aufnehmen.

The advantages:

- Efficient storage and conversion of CMR reels
- · Compact and space-saving design
- Stable construction
- Suitable for up to four CMR reels
- CMR reels are individually removable

Optimally suitable for:

- · CITO ULTIMATE CMR
- · CITO DYNAMIC CMR
- CITO BASICplus CMR
- CITO Cushion Crease EasyFix and CITO Cushion Crease Plus EasyFix


Order no.	Description	Unit
BDA00002	CITO CMR Holder, 4-Slot	1 pc.

Dimensions: Depth: 460 mm, Width: 380 mm, Height: 410 mm


Installation dimensions incl. CMR disc: Depth: 530 mm, Width: 380 mm, Height: 655 mm







Diecutting Accessories



CITO Cutting Plates

The 1 mm Cutting Plates 40+ from CITO are characterised by their very good finishing. The cutting rules leave fewer marks. This reduces the formation of burrs, which in turn means: better cutting results and fewer angel hairs.

Costs are reduced significantly, thanks to the roughly 50~% longer service life. For more cutting machine performance.

The advantages:

- Superb flatness
 - for faster makeready and greater production safety
- Optimum surface hardness
 - for better cutting results and fewer angel hairs
- Longer durability and service life
 - for optimum cutting results even with large production runs

CITO 1 mm Cutting Plates 40+ offer optimum value for money. They combine economy with quality and long durability.

Available for all standard flatbed diecutting machines made by BOBST, Heidelberg / MK Masterwork, Koenig & Bauer / IBERICA, WPM, ASAHI, KAMA and other diecutter producers.

Types and versions on request.




www.cito.de/cutting-plates









GREY / RED



GREY / GREEN



Area of application:

- Flatbed / corrugated board
- Flatbed / folding carton

CITO BALANCE PROFILE

The new product development especially for balancing the cutting die

CITO BALANCE PROFILE was designed in close cooperation between experts in practice and the CITO specialists in applications engineering and R&D. The material properties correspond exactly to the requirements in the diecutting process.

The new type of profile prevents the cutting die from tilting over and ensures a uniform cutting result across the entire sheet. By using the CITO BALANCE PROFILE the makeready time is reduced substantially and the machine performance is increased significantly.

Another advantage: The cutting rules are handled carefully, which has a positive effect on the life of the cutting die. The product innovation is available with self-adhesive CITO EasyFix technology.

The advantages:

- Shorter set-up time by faster makeready
- Reduced cutting pressure
- · Improved sheet run and greater machine performance
- Longer life of the cutting tool
- · Available in self-adhesive CITO EasyFix technology
- · Certified as safe for the production of food packaging
- · Certified as safe for the production of food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials
 - ✓ Production reliability combined with product safety

Order no.	Description	Dimensions (L × W × H)	Colour	Wood thickness
BPB02608	CBP 8 mm	658 × 20 × 8 mm	GREY / RED	18 mm
BPB02610	CBP 10 mm	658 × 20 × 10 mm	GREY / BLUE	15.9 mm
BPB02611	CBP 11 mm	658 × 20 × 11 mm	GREY / BLACK	15 mm
BPB02613	CBP 13 mm	658 × 20 × 13 mm	GREY / GREEN	12 mm

Self-adhesive version CITO BALANCE PROFILE EasyFix



Unit: 38 strips / 25 m







Makeready Material

CITO TAPE

Self-adhesive, special patching tape of calibrated laminated paper. Easy use thanks to protective lead-on with tab and colour code for different thicknesses.

- Higher production reliability through optimum adhesive strength, even for tape-to-tape applications
- Uniform and easy unwinding: no bulging, no blocking and no soiling thanks to winding up on a separate core that is free from burrs
- · Ideal for long runs and repeat orders due to its extreme hardness
- Smooth running of the machine through constant pressure distribution
- Largest choice of widths and thicknesses, even for special applications

CITO TAPE White: We offer you a fast and convenient solution with a material thickness of 0.15 mm for difficult patching situations, such as the initial cutting line or creasing/scoring lines in general.

Order no.	Colour	Thickness	Length	Width	Unit	
Standard width 6 mm						
BJC01002	Blue	0.03 mm	40 m	6.0 mm	25 reels	
BJC01012	Red	0.05 mm	30 m	6.0 mm	25 reels	
BJC01007	Yellow	0.08 mm	20 m	6.0 mm	25 reels	
BJC01030	White	0.15 mm	10 m	6.0 mm	25 reels	
Width 3 mm						
BJC01006	Blue	0.03 mm	40 m	3.0 mm	40 reels	
BJC01016	Red	0.05 mm	30 m	3.0 mm	40 reels	
BJC01011	Yellow	0.08 mm	20 m	3.0 mm	40 reels	
Width 12 mm						
BJC01003	Blue	0.03 mm	40 m	12 mm	12 reels	
BJC01013	Red	0.05 mm	30 m	12 mm	12 reels	
BJC01008	Yellow	0.08 mm	20 m	12 mm	12 reels	
Width 20 mm						
BJC01004	Blue	0.03 mm	40 m	20 mm	7 reels	
BJC01014	Red	0.05 mm	30 m	20 mm	7 reels	
BJC01009	Yellow	0.08 mm	20 m	20 mm	7 reels	
Width 30 mm						
BJC01005	Blue	0.03 mm	40 m	30 mm	5 reels	
BJC01015	Red	0.05 mm	30 m	30 mm	5 reels	
BJC01010	Yellow	0.08 mm	20 m	30 mm	5 reels	

CITO TAPE - Width 700 mm

Perfectly suited for the zone makeready of your stamping/cutting tools and the general preparation of your diecutting machines and platen presses.

Order no.	Colour	Thickness	Length	Width	Unit
BJC01023	Blue	0.03 mm	40 m	700 mm	1 reel
BJC01024	Red	0.05 mm	30 m	700 mm	1 reel
BJC01025	Yellow	0.08 mm	20 m	700 mm	1 reel



CITO Steel Shim Tape

Self-adhesive, made from cold-rolled precision strip steel with fingerlift; for direct patching of the cutting die.

Order no.	Colour	Thickness	Dimensions (L × W)	Unit
AJA06001	White	0.03 mm	10 m × 6.5 mm	1 reel
AJA06002	Yellow	0.04 mm	10 m × 6.5 mm	1 reel
AJA06003	Red	0.05 mm	10 m × 6.5 mm	1 reel
AJA06004	Blue	0.10 mm	10 m × 6.5 mm	1 reel

Tolerance in width ±0.10 mm

Tolerance in thickness ± 0.006 mm






CITO Patch Sheet Tape


The adhesive tape for attaching the makeready sheet to the cutting die chase.

The tear-resistant CITO Patch Sheet Tape can be removed from both the cutting chase and the makeready sheet without leaving any residue.

Our recommendation: Use the CITO Makeready Sheet, 3-ply, as a patch sheet.

Order no.	Dimensions (L × W)	Colour	Unit
BJA00010	66 m × 19 mm	transparent with CITO print	3 reels





CITO Makeready Sheet

Calibrated Makeready Sheet, 3-ply

The calibrated Makeready Sheet from CITO comprising film laminated on both sides with paper to form a 3-layer lay-up, combines the processing and handling advantages of a paper sheet with the tear resistance of a foil:

The paper surface is ideally suited for plotting with inkjet and pen (ballpoint pen). Due to the excellent ink absorption, a good contrast between the paper and the applied layout results; pasting the patching paper with CITO TAPE is also made easier.

The middle foil layer ensures dimensional stability; this makes register-true fine makeready possible. The surface coating is retained, the print is still visible and the patching tape keeps its position. Even in this state, the makeready sheet stays absolutely tearproof due to the laminated material.

Individual intermediate sizes in formats from 100 to 140 cm are available in small quantities and short delivery times. We are therefore able to cover all machine formats.

Paper-film-paper laminate

Order no.	Description	Dimensions (L × W × H)	Unit
BJA00024	CITO Makeready Sheet, 3-ply	50 m × 106 cm × 0.10 mm	1 reel
BJA00020	CITO Makeready Sheet, 3-ply	50 m × 120 cm × 0.10 mm	1 reel
BJA00030	CITO Makeready Sheet, 3-ply	$50 \text{ m} \times 130 \text{ cm} \times 0.10 \text{ mm}$	1 reel
BJA00031	CITO Makeready Sheet, 3-ply	50 m × 140 cm × 0.10 mm	1 reel



Calibrated Makeready Sheet, paper

Order no.	Description	Format	Dimensions $(L \times W \times H)$
BJA00002	Calibrated Makeready Sheet, paper, yellow	102er	1030 × 735 × 0.10 mm
BJA00009	Calibrated Makeready Sheet, paper, yellow	106er	1070 × 740 × 0.10 mm
BJA00015	Calibrated Makeready Sheet, paper, yellow	142er	1410 × 1110 × 0.10 mm



Calibrated Makeready Sheet, film

Order no.	Description	Dimensions (L \times W \times H)	Unit
BJA00017	Calibrated Makeready Sheet, film*	$50 \text{ m} \times 120 \text{ cm} \times 0.13 \text{ mm}$	1 reel

^{*} dimensionally stable, tear resistant and waterproof



Zonal Patching Paper

The zone makeready is used to increase the cutting force in an insufficiently cut area. To this end, 0.03 mm thick zonal patching paper is used.

During the detailing makeready, strips of BEA00062 zonal patching paper are glued onto the makeready sheet on which cutting inequalities appear. The result is a blank of uniform quality without significantly increasing the cutting force.

Order no.	Thickness	Dimensions (L × W)	Unit
BEA00062	0.03 mm	250 m × 1100 mm	1 reel



CITO Special Carbon Paper blue

Can be used repeatedly due to the high number of colour pigments. Available in sheets or on reels.

Order no.	Colour	Dimensions (W × L)	Unit
BJB00004	Blue	72 cm × 102 cm	100 sheets
BJB00003	Blue	70 cm × 150 m	1 reel









Attachment for solid board



Tools for nicks

CITO Manual Nick Grinder

CG 3 - Manual Nick Grinder for cutting dies

With pneumatic drive for high pulling power and patented attachment for pressing down the rubbering. For burr-free grinding of nicks and maintaining the function of the rubber.

The pneumatic drive generates very high and constant pulling power, which is permanently available without, for example, having to consider load cycles or change batteries. The fabric-reinforced pneumatic hose is extremely flexible.

Thanks to the large surface, tilting during grinding is prevented. The user can therefore grind the nicks straight and positionally accurate. The depth of the nick is determined exactly with the depth setting.

The patented attachment for pressing down rubber and ejection materials prevents grinding of the rubber or the profile. The advantage: Fewer and smaller nicks are required and the performance of the cutting die rubbering is maintained. The nick grinder is available with versions for corrugated and solid board. The attachments are matched to the standard widths of the diamond grinding discs for corrugated and solid board.

Nicks can be optimally set with diamond grinding discs. Compared to standard grinding discs, they are extremely robust and therefore more breakproof. They are also more durable and sustainable. The nick grinder comes with the right diamond disc for the device in the required size.

Used in conjunction with the nick grinder, the manual nick tools are ideal. The chisels can be used to enlarge the nicks after grinding if necessary. Two free manual nick tools are also included in the package.

Order no.	Model		Version	Unit
AIA02001	CG 3 V		with attachment for solid board	1 pc.
AIA01001	CG 3 W		with attachment for corrugated board	1 pc.
AIA02003			attachment for solid board (for wood of 18 mm thickness)	1 pc.
AIA01007		de de	attachment for corrugated board (for wood of 15 mm thickness)	1 pc.

Note: The device operates with diamond grinding discs with size 50×8 mm.





Grinding Discs

CITO Diamond Grinding Discs

Grinding discs with specially matched diamond dust grit size – perfect for grinding nicks in cutting rules.

Ideal for use with the CITO CG 3 Manual Nick Grinder. The metal body ensures high break resistance and a long tool life. The service life is around 1,000 times longer than that of conventional grinding discs. The result: more safety, more sustainability, reduced costs.

The nick grinder scope of delivery also includes the right diamond disc for the device in the required size.

Order no.	Thickness	Ø Scheibe x Bohrung	Unit
BID52000	0.2 mm	50 × 8 mm	1 pc.
BID52001	0.3 mm	50 × 8 mm	1 pc.
BID52002	0.4 mm	50 × 8 mm	1 pc.
BID52003	0.5 mm	50 × 8 mm	1 pc.
BID52004	0.6 mm	50 × 8 mm	1 pc.
BID52005	0.7 mm	50 × 8 mm	1 pc.
BID52006	0.8 mm	50 × 8 mm	1 pc.
BID52007	0.9 mm	50 × 8 mm	1 pc.
BID52008	1.0 mm	50 × 8 mm	1 pc.
BID52009	1.2 mm	50 × 8 mm	1 pc.
BID52011	1.5 mm	50 × 8 mm	1 pc.
BID52013	2.0 mm	50 × 8 mm	1 pc.
BID52014	2.5 mm	50 × 8 mm	1 pc.

Other dimensions for products from manufacturers Mafix, SERVO, BT, VERCO, SKS, SERVIFORM on request.



Grinding Discs

From high-quality corundum, hardly any thickness tolerances.

	50 × 8 mm	50 × 6 mm	35 × 7 mm
For devices	CITO SINTEC NOR-GRAPHIC	Mafix	BT Verco LKS
Thickness	Order no.	Order no.	Order no.
0.2 mm	BIC58001	BIC56001	BIC37001
0.3 mm	BIC58002	BIC56002	BIC37002
0.4 mm	BIC58003	BIC56003	BIC37003
0.5 mm	BIC58004	BIC56004	BIC37004
0.6 mm	BIC58005	BIC56005	BIC37005
0.7 mm	BIC58006	BIC56006	BIC37006
0.8 mm	BIC58007	BIC56007	BIC37007
0.9 mm	BIC58008	BIC56008	BIC37008
1.0 mm	BIC58009	BIC56009	BIC37009
1.2 mm	BIC58010	BIC56010	BIC37010
1.5 mm	BIC58012	BIC56012	BIC37012
2.0 mm	BIC58015	BIC56015	BIC37014
2.5 mm	BIC58016	BIC56016	BIC37015

Unit: 25 pcs.

Other dimensions for products from manufacturers Mafix, SERVO, BT, VERCO, SKS, SERVIFORM on request.



Manual nick tools

Optimal for reworking nicks

Manual nick tools are mainly used to extend existing nicks and to subsequently set nicks that can no longer be ground.

The nick chisel is positioned on the suitable place on the non-rubberised cutting rule and is driven in there to the required depth with a hammer.

Due to the precise machining of the robust tool steel, subsequently extended nicks are also shaped optimally.

Order no.	Description	Width
BIA00003	Manual nick chisel	0.3 mm
BIA00004	Manual nick chisel	0.4 mm
BIA00005	Manual nick chisel	0.5 mm
BIA00006	Manual nick chisel	0.6 mm
BIA00007	Manual nick chisel	0.7 mm
BIA00008	Manual nick chisel	0.8 mm
BIA00009	Manual nick chisel	0.9 mm
BIA00010	Manual nick chisel	1.0 mm
BIA00012	Manual nick chisel	1.2 mm
BIA00015	Manual nick chisel	1.5 mm
BIA00020	Manual nick chisel	2.0 mm

Unit: 1 pc.;

Further sizes available upon demand





Material properties:

- Flashpoint > 62 °C
- Solvent content < 5 %
- Does not fall under the TA Luft (German emissions regulations)
- The cleaner is not subject to mandatory hazard labelling under Regulation (EC) No. 1272/200 (CLP)
- The product falls within storage class 10 to TRGS 510 (German hazardous substances regulations)

Cleaning Agent CITOSOL FREE

CITOSOL FREE is the perfect complement to the cleaning agent assortment. It is made from organic solvents and orange terpenes. The cleaning properties of CITOSOL FREE are identical to those of CITOSOL.

The advantages:

- Safe and compatible cleaning
 - thanks to the optimised material properties and ingredients
- · Easy and optimum storage
 - due to the small percentage of solvents and high flashpoint
- · Cost-effective and fast dispatch
 - CITOSOL FREE does not require hazard labelling

CITOSOL FREE is characterised by its small percentage of solvents and therefore its high flashpoint which is a major advantage especially in storage. Material properties and ingredients, from which the user also benefits when cleaning the cutting plate. When it comes to safety and compatibility, use of CITOSOL FREE is a clean solution.

Order no.	Description
BMA00010	CITOSOL FREE 1 Liter
BMA00011	CITOSOL FREE 5 Liter
BMA00007	CITOSOL FREE Cleaning Set
BMA00007	 CITOSOL FREE Cleaning Set 1 can of CITOSOL FREE 1 litre 1 CITOSOL FREE pump spray bottle 1 litre without contents 1 glue scraper with 100 mm blade 1 removal tool with 20 mm blade

CITOSOL FREE is an NSF-registered product (Nonfood Compounds Registration Program). CITOSOL FREE / Category Code: K1, K3 / NSF Registration No. 163240

Accessories for CITOSOL FREE

Order no.	Description	
BMB00013	1 pump spray can CITOSOL FREE 1 litre	
BMB00008	1 set of washer for pump spray can	
BMB00001	1 glue scraper with a 100 mm blade	
BMB00002	1 set of blades (10 pieces) for scraper	
BMB00007	1 removal tool with a 20 mm blade	
BMB00010	1 blade for removal tool (20 mm blade)	







CITOSOL

The lemon-based cleaning agent for cleaning and degreasing metal surfaces and for removing adhesive and printing ink residues. Together with the corresponding CITOSOL accessories, the cutting plate can be cleaned very quickly.

CITOSOL is available in different containers. Ideal for trying out and testing: the CITOSOL Cleaning Set.

Order no.	Description
BMA00001	1 carton with 4 cans at 1 litre each
BMA00003	1 can 5 litres
BMA00004	1 barrel 60 litres
BMA00005	CITOSOL Cleaning Set • 1 can of CITOSOL 1 litre
	1 test spray bottle 1 litre without contents
	1 glue scraper with a 100 mm blade
	 1 removal tool with a 20 mm blade


CITOSOL is an NSF-registered product (Nonfood Compounds Registration Program). CITOSOL / Category Code: K3 / NSF Registration No. 158318

Accessories for CITOSOL

The following accessories are available for optimum application of the CITOSOL cutting plate cleaners:

Order no.	Description
BMB00012	1 pump spray can CITOSOL 1 litre
BMB00008	1 set of washer for pump spray can
BMB00001	1 glue scraper with a 100 mm blade
BMB00002	1 set of blades (10 pieces) for scraper
BMB00007	1 removal tool with a 20 mm blade
BMB00010	1 blade for removal tool (20 mm blade)
BMB00005	1 discharge tap for 60 litre barrel










CITO Rule Puller

The CITO Rule Puller makes changing cutting, creasing and special rules (2-4 pt rules) simply child's play

- · Simple and efficient handling
- The vertical pulling force enable rules to be pulled straight upwards without tilting
- The interchangeable clamping jaws allow you to pull rules even when they are positioned closely together
- Magnetic foot pins enable easy and flexible positioning of the CITO Rule Puller
- Suitable for both left-handed and right-handed users
- Suitable for 2-4 pt rules
- Replacement clamping jaws (wide and narrow) are available separately
- · Narrow and wide clamping jaws are included in the kit

Order no.	Description	Unit
BQS00020	CITO Rule Puller	1 pc.
BQS00021	Jaws for CITO Rule Puller	2 pcs.
BQS00022	Jaws (narrow, for rule distances under 6 mm) for CITO Rule Puller	2 pcs.
BQS00023	Slider for clamping jaws for CITO Rule Puller	1 set
BQS00024	Pins for CITO Rule Puller	1 pc.





CITO SHEET RAMP

Small tool with large effect

CITO SHEET RAMP lifts the sheet before it reaches obstacles to enable faster and more reliable machine running. The CITO SHEET RAMP also supports lifting of the sheet after the cutting process, e.g. out of the creasing channel. The machine operator positions the self-adhesive CITO SHEET RAMP in the machine's running direction, in front of the interfering contour, by means of "Pick and Place".

It can be used as a problem solver on cutting plates, cut-crease plates, Pertinax counters, the middle stripping board or the lower blanking tool. The high adhesive force and easy handling make the CITO SHEET RAMP unique. A small production tolerance enables precise gluing in the cut contours if necessary.

Areas of application

Cutting plate: In front of a reverse cut or a reverse crease: The cardboard is transferred smoothly over the obstacle before the cutting process. After the cutting process, the cardboard is ejected, which helps the sheet transport. In front of a Pertinax counter or on the Pertinax counter in front of a crease or reverse cut. CITO SHEET RAMP can also be used for embossing.

Cut-crease plate: In front of a creasing channel cut across the machine's running direction to lift the sheet out of the channel after cutting. In front of a reverse cut or reverse crease to transport the sheet over the obstacle.

Middle stripping die: For sheet transport over waste holes and to avoid stoppers.

Lower blanking tool: For optimisation of the sheet transport.

User benefits:

- · Higher machine speed
- Avoidance of machine stoppers

CITO SHEET RAMP is suitable for cardboard and corrugated cardboard; two variants available.

Order no.	Description	Length	Colour	Unit
BQR00003	CITO SHEET RAMP S	11 mm 0.43"	Black	200 pcs.
BQR00004	CITO SHEET RAMP M	21 mm 0.83"	Black	200 pcs.





CITO SHEET RAMP M







CITO Register Pin



2nd step



3rd step



4th step



CITO Register Pin

To protect the stripping and blanking tools from damage

The CITO Register Pin is used to align

- · the upper stripping tool with the central stripping board
- or upper blanking tool with the lower blanking tool.

Installation

1st step: Laser-cut the upper and lower stripping board for exact positioning and alignment of the pin.

- Hole size of 12.1 mm -0/+0.1 mm
- 2 pins are required for adjustment, 3 pins per tool are recommended, which are placed across the tool

2nd step: At first the lower tool is placed correctly in the machine and the position of the tool is fixed. Then the CITO Register Pins are inserted from the operator side in at least 2 holes from the upper tool to the lower or central tool.

3rd step: The upper tool is now adjusted until the CITO Register Pins match the holes in the lower or central tool.

4th step: Now the upper tool has the correct alignment with the lower tool and will be fixed in this position.

5th step: The pins are now removed and stored outside of the machine.



With the CITO Register Pin, no additional tools or spare parts are needed.

Order no.	Description	Colour	Unit
BCD00001	CITO Register Pin	Black	6 pcs.







CITO Chase Screw SPO



Mounting: rear side



Mounting: front side



CITO Chase Screw

For secure fixing of the cutting die onto the chase with the appropriate screw

Depending on the thickness of the wood used for the cutting die, screws of different lengths are required. This often leads to mix-ups and thus possibly to the installation of screws of the wrong length. This is where CITO Chase Screws come into play: they are colour-coded according to their length. This makes it easier to select the correct screw length for the respective wood thickness.

Advantages at a glance:

- No more mix-ups or installing screws that are the wrong length
- No damage to the makeready sheet or the makeready protection plate
- Secure and uniform drive thanks to hexalobular socket
- Magnetic box for convenient attachment to the machine
- Practical box with viewing window for clear colour identification

	Description	Colour	Wood thickness	Unit	Order no.
Diecutter SP					
100	CITO Chase Screw SP M4 × 20, TX20	Red	18 mm	50 pcs.	BLC06125
	Mounting: rear side Knock-in nut with Tap M4 Steel zinc plated	Silver		500 pcs.	BLC05104


Diecutter SPC	Diecutter SPO					
3	CITO Chase Screw SPO M5 × 16, TX25	Orange	12 mm	50 pcs.	BLC06122	
3	CITO Chase Screw SPO M5 × 20, TX25	Green	15 mm	50 pcs.	BLC06123	
10	CITO Chase Screw SPO M5 × 25, TX25	Violet	18 mm	50 pcs.	BLC06124	
*	Mounting: front side Knock-in nut without thread Ø 22 mm, sleeve Ø 9.9 mm × height 11.5 mm	Silver		100 pcs.	BLC05101	
*	Mounting: rear side Knock-in nut with Tap M5 Steel zinc plated	Silver		300 pcs.	BLC05105	

The screws are used depending on the height of the wood.



CITO BoxLine 49





CITO FormLine

Overview FormLine



CITO Ejection Material

CITO materials certified for food packaging, CITO EasyFix – self-adhesive profiles, Cutting dies with the CITO Quality Label, CITO Ejection Performance Guide, Ejection Material, Adhesive and Glue



Counterboard Material

CITO Pertinax,
Pertinax Accessories,
Pertinax Milling Tools,
CITO Cutters for cut-crease plates



Plotter Auxiliaries

Drawing Foils, Makeready Sheets, Protection Mats, Ballpoint Pens



Accessories for Diemaking

HS CITO FormLine: Cutting rules and creasing rules, CITO Centerline Reinforcement, CITO LOCK FIX, Perforating and embossing tools, Knock-in Nuts, CITO Rule Puller, Hammers, CITO Handle for rotary half-shells



Stripping Components

CITO SECURE PRESSER 2.0, CITO LOCK, CITO Centering Screw for Centerline I, PROTECTOR, CITO SHEET RAMP, CITO SHEET LIFT 3D, CITO SHEET PRESSER, CITO CRAFT STRIP / CITO CASTLE STRIP, CITO BOX RAMP, CITO DYN SEPARATOR, Stripping Foam, CENTERING Elements, Stripping Pins and Stripping Rules, Stripping Accessories



Blanking Components


Angle-Lock™ Frames,
Grid Material, Pressers, Joggers, Rails, Components,
Material for pusher blocks: CITO SPACER, CITO MOUNTING SLEEVE,
CITO Quick Lock Safety Screw,
CITO Ejection Material for presser plates





CITO Ejection Material





CITO materials certified for food packaging

Certified material to manufacture folding carton packaging for food

We combine production reliability with product safety

- Safe for the manufacture of folding cartons for foods
- Conform with the EU Directive for food contact materials (EC No. 1935/2004 Art. 3 and 17)
- Also certified in the self-adhesive version CITO EasyFix



Learn more about materials for food packaging:

www.cito.de/food-packaging



Quality and safety are important for us!

Particles of all materials are abraded during the diecutting process. This affects both ejection material and rubber profiles on the cutting die as a result of the production. These particles may also be left on the carton and can come into contact with food during the later production process.

Since our products are certified, we can guarantee that the abrasion from material has no shares that are harmful to health. Our materials CITO Polytop, CITOject F, CITO BALANCE PROFILE, CITO MASTER Rubber, CITO FAST Rubber, CITO D/5 Top, CITO D/5, CITO D/12, CITO CREASE Rubber, CITO C/3, CITO B/2 and CITO Slot Rubber can therefore be safely used to manufacture cutting dies to produce folding carton packaging for food.



3

CITO BALANCE PROFILE



























Certified rubber profiles and ejection materials

The following CITO materials are certified as safe to manufacture food packaging:

- ✓ CITO Polytop
- ✓ CITOject F
- CITO BALANCE PROFILE
- ✓ CITO MASTER Rubber
- ✓ CITO FAST Rubber
- CITO D/5 Top
- ✓ CITO D/5 Peak
- ✓ CITO D/5
- CITO D/12
- CITO CREASE Rubber
- ✓ CITO C/3
- CITO B/2
- CITO Slot Rubber






CITO EasyFix Technology – the Original!

Self-adhesive profiles

The advantages:

- Time saving due to easy, fast and precise attachment of the profiles
- Superglue-free laser cuts
- No damage to the cutting die surfaces
- Quick and residue-free changing of the profiles if necessary
- 100 % efficiency of rubber lining
- · Increase in work safety
- Increased customer satisfaction



with EasyFix without EasyFix with EasyFix without EasyFix



Perfection, fast and simple

The perfection of your diemaking is our concern – so raise your productivity, reduce your costs and increase your work protection with CITO EasyFix.

With self-adhesive CITO EasyFix profiles you equip your cutting die quickly and precisely. EasyFix was developed especially for diemaking, to withstand the loads that arise during the diecutting process.

The name "CITO EasyFix" stands for unique functionality, maximum reliability and convincing application advantages. More and more diemakers and packaging producers rightly trust CITO, the producer of unsurpassed quality.

Superglue-free laser cuts

When using CITO EasyFix, no interfering adhesive sticks on the rules and ejection materials. The rules can settle properly in the tool. The setting up is carried out reliably and quickly, no need for additional gluing work.

Without damaging the cutting die

Your customers too can profit from the use of EasyFix profiles on the cutting die, because neither removal of the rubber lining nor changing blades result in the familiar damage to the cutting dies.



For further information visit: www.cito.de/easyfix



Self-adhesive profiles with Fingerlift

CITO rubber profiles with self-adhesive EasyFix technology with Fingerlift.

The new profiles combine all the benefits of material properties, longevity and performance with the EasyFix technology.

The self-adhesive EasyFix tape is now equipped with Fingerlift. This makes it even more user-friendly and efficient to apply.







Cutting dies with the CITO Quality Label



For optimum performance, efficient processes and outstanding quality

The challenges and standards for packaging are increasing – be on the winners' side and use tools that are worth their price in terms of quality and performance.

Because good quality is worth it. It pays to invest in a good tool instead of paying for the perceived saving with reduced production performance, high process costs and unnecessary waste of resources.

We created the CITO Ejection Material quality label so that converters know which materials have been used on the cutting die. This quality symbol on the tool means that high-quality elastomers have been applied.



The advantages:

- Optimum machine performance and maximum output
- Efficient and safe processes that use resources carefully
- Fast and easy makeready
- · Standardised and constant tool quality
- · Cutting dies with high output rates and long durability
- Enormous potential savings in production costs


For optimum value for money, outstanding results – simply more profit.





Learn more about the CITO Quality Label: www.cito.de/cutting-dies-cito-quality-label





CITO Ejection Performance Guide

The digital online tool dynamically shows you the ideal ejection material How it works:

- Enter your order data such as material, run length, machine speed and special applications in the CITO Ejection Performance Guide.
- Receive your individual recommendation for your application with one click.
- For an even more detailed recommendation, request your personal PDF guide by email. You will receive it immediately. You will get the precise material height for each of your specific requirements.

If you have any further questions or would like more information please contact our experts to find the perfect solution for your application.



Try it out now! It's free! www.cito.de/epg







CITO Polytop

Area of application:

- Rotation
- Flatbed / corrugated board
- Flatbed / folding carton

High Performance Ejection Material

CITO Polytop is an extremely wear-resistant and top-quality ejection material that has been specially developed for the diecutting industry.

CITO Polytop is characterised by its consistency, particularly in repeat runs, with a minimum of set-up work.

Outstanding material properties guarantee maximum machine output at all times and excellent diecutting results.

The colour-coding for the different hardnesses allows a quick and easy optical check of the quality. CITO Polytop has been certified as safe for the production of folding boxes for food packaging.

The advantages:

- · For the highest print runs and maximum machine speeds
- · Ideal for repeat runs and all special applications
- Very resistant and durable
- · Simple visual quality control through colour-coding
- · UV and ageing-resistant material
- · Faster and more efficient production process
- · High-quality and excellent end products
- EasyFix technology for exact positioning and residue-free removal of the ejection material
- · Certified as safe for the production of folding boxes for food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials
 - ✓ Production reliability combined with product safety

Overview

	Description	Dimensions (L × W)
4	CITO Polytop 10 OLIVE	658 × 380 mm
4	CITO Polytop 15 SAND	658 × 380 mm
4	CITO Polytop 20 YELLOW	658 × 380 mm
	CITO Polytop 25 RED	658 × 380 mm
	CITO Polytop 30 BLUE	658 × 380 mm
	CITO Polytop 35 GREEN	658 × 380 mm
4	CITO Polytop 40 ORANGE	658 × 380 mm
4	CITO Polytop 45 VIOLET	658 × 380 mm
	CITO Polytop 50 DARK BLUE	658 × 380 mm
	CITO Polytop 60 DARK RED	658 × 380 mm




CITO Polytop Rotation

- Extremely long service lives
- · Maximum machine speed
- Fewer machine downtimes
- · Reduced waste in the sheet edge area and pallet
- · Maximum ejection reliability
- · Clean cut edges
- · Lower ink absorption



CITO Polytop Flatbed / Cardboard

- Longest service lives
- · Highest machine output
- Less knife wear
- Shortest machine set-up times
- · Less diecutting dust
- · Clean cut edges
- · Less angel hair
- · Lower ink absorption



CITO Polytop Flatbed / Corrugated board

- Extremely long service lives
- Minimum machine set-up times
- Reduced cutting pressure
- · Lower ink absorption
- · Less diecutting dust
- Fewer and smaller nicks
- Clean cut edges, less angel hair
- Fewer cracks in the inner liners
- · Less waste



Plates



Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix
CITO Polytop 10 OLIVE	.,		
CITO Polytop Flatbed			
CITO Polytop 10 OLIVE	658 × 380 × 2 mm	BPP00003	BPP02003
CITO Polytop 10 OLIVE	658 × 380 × 3 mm	BPP00005	BPP02005
CITO Polytop 10 OLIVE	658 × 380 × 4 mm	BPP00007	BPP02007
CITO Polytop 10 OLIVE	658 × 380 × 5 mm	BPP00009	BPP02009
CITO Polytop 10 OLIVE	658 × 380 × 6 mm	BPP00011	BPP02011
CITO Polytop 10 OLIVE	658 × 380 × 7 mm	BPP00013	BPP02013
CITO Polytop 10 OLIVE	658 × 380 × 8 mm	BPP00015	BPP02015
CITO Polytop 10 OLIVE	658 × 380 × 9 mm	BPP00017	BPP02017
CITO Polytop 10 OLIVE	658 × 380 × 9.5 mm	BPP00018	BPP02018
CITO Polytop 10 OLIVE	658 × 380 × 10 mm	BPP00019	BPP02019
CITO Polytop 10 OLIVE	658 × 380 × 11 mm	BPP00021	BPP02021
CITO Polytop 10 OLIVE	658 × 380 × 12 mm	BPP00023	BPP02023
CITO Polytop 10 OLIVE	658 × 380 × 13 mm	BPP00025	BPP02025
CITO Polytop Rotation			
CITO Polytop 10 OLIVE	658 × 380 × 14 mm	BPP00027	
CITO Polytop 10 OLIVE	658 × 380 × 15 mm	BPP00029	
CITO Polytop 10 OLIVE	658 × 380 × 16 mm	BPP00031	
CITO Polytop 10 OLIVE	658 × 380 × 17 mm	BPP00033	
CITO Polytop 10 OLIVE	658 × 380 × 18 mm	BPP00035	
CITO Polytop 10 OLIVE	658 × 380 × 19 mm	BPP00037	
CITO Polytop 10 OLIVE	658 × 380 × 20 mm	BPP00039	
CITO Polytop 15 SAND			
CITO Polytop Flatbed			
CITO Polytop 15 SAND	658 × 380 × 2 mm	BPP00103	BPP02103
CITO Polytop 15 SAND	658 × 380 × 3 mm	BPP00105	BPP02105
CITO Polytop 15 SAND	658 × 380 × 4 mm	BPP00107	BPP02107
CITO Polytop 15 SAND	658 × 380 × 5 mm	BPP00109	BPP02109
CITO Polytop 15 SAND	658 × 380 × 6 mm	BPP00111	BPP02111
CITO Polytop 15 SAND	658 × 380 × 7 mm	BPP00113	BPP02113
CITO Polytop 15 SAND	658 × 380 × 8 mm	BPP00115	BPP02115
CITO Polytop 15 SAND	658 × 380 × 9 mm	BPP00117	BPP02117
CITO Polytop 15 SAND	658 × 380 × 9.5 mm	BPP00118	BPP02118
CITO Polytop 15 SAND	658 × 380 × 10 mm	BPP00119	BPP02119
CITO Polytop 15 SAND	658 × 380 × 11 mm	BPP00121	BPP02121
CITO Polytop 15 SAND	658 × 380 × 12 mm	BPP00123	
CITO Polytop 15 SAND	658 × 380 × 13 mm	BPP00125	BPP02125
CITO Polytop Rotation			
CITO Polytop 15 SAND	658 × 380 × 14 mm	BPP00127	
CITO Polytop 15 SAND	658 × 380 × 15 mm	BPP00129	
CITO Polytop 15 SAND	658 × 380 × 16 mm	BPP00131	
CITO Polytop 15 SAND	658 × 380 × 17 mm	BPP00133	
CITO Polytop 15 SAND	658 × 380 × 18 mm	BPP00135	
CITO Polytop 15 SAND	658 × 380 × 19 mm	BPP00137	
CITO Polytop 15 SAND	658 × 380 × 20 mm	BPP00139	
Self-adhesive version			
CITO Polytop EasyFix available fo	or flatbed		

Plate format (unit = 1 plate)

Discover the product diversity. Other sizes available on request.

Note: The indicated dimensions of length and width with plates can vary by $\pm\,5$ mm.





Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix
CITO Polytop 20 YELLOW	2c.is (2 · · · · · · · · · · · · · · ·	J. 25. 1.5.	0.20 2
CITO Polytop Flatbed			
CITO Polytop 20 YELLOW	658 × 380 × 2 mm	BPP00203	BPP02203
CITO Polytop 20 YELLOW	658 × 380 × 3 mm	BPP00205	BPP02205
CITO Polytop 20 YELLOW	658 × 380 × 4 mm	BPP00207	BPP02207
CITO Polytop 20 YELLOW	658 × 380 × 5 mm	BPP00209	BPP02209
CITO Polytop 20 YELLOW	658 × 380 × 6 mm	BPP00211	BPP02211
CITO Polytop 20 YELLOW	658 × 380 × 7 mm	BPP00213	BPP02213
CITO Polytop 20 YELLOW	658 × 380 × 8 mm	BPP00215	BPP02215
CITO Polytop 20 YELLOW	658 × 380 × 9 mm	BPP00217	BPP02217
CITO Polytop 20 YELLOW	658 × 380 × 9.5 mm	BPP00218	BPP02218
CITO Polytop 20 YELLOW	658 × 380 × 10 mm	BPP00219	BPP02219
CITO Polytop 20 YELLOW	658 × 380 × 11 mm	BPP00221	BPP02221
CITO Polytop 20 YELLOW	658 × 380 × 12 mm	BPP00223	BPP02223
CITO Polytop 20 YELLOW	658 × 380 × 13 mm	BPP00225	BPP02225
CITO Polytop Rotation			
CITO Polytop 20 YELLOW	658 × 380 × 14 mm	BPP00227	
CITO Polytop 20 YELLOW	658 × 380 × 15 mm	BPP00229	
CITO Polytop 20 YELLOW	658 × 380 × 16 mm	BPP00231	
CITO Polytop 20 YELLOW	658 × 380 × 17 mm	BPP00233	
CITO Polytop 20 YELLOW	658 × 380 × 18 mm	BPP00235	
CITO Polytop 20 YELLOW	658 × 380 × 19 mm	BPP00237	
CITO Polytop 20 YELLOW	658 × 380 × 20 mm	BPP00239	
CITO Polytop 25 RED			
CITO Polytop Flatbed			
CITO Polytop 25 RED	658 × 380 × 2 mm	BPP00303	BPP02303
CITO Polytop 25 RED	658 × 380 × 3 mm	BPP00305	BPP02305
CITO Polytop 25 RED	658 × 380 × 4 mm	BPP00307	BPP02307
CITO Polytop 25 RED	658 × 380 × 5 mm	BPP00309	BPP02309
CITO Polytop 25 RED	658 × 380 × 6 mm	BPP00311	BPP02311
CITO Polytop 25 RED	658 × 380 × 7 mm	BPP00313	BPP02313
CITO Polytop 25 RED	658 × 380 × 8 mm	BPP00315	BPP02315
CITO Polytop 25 RED	658 × 380 × 9 mm	BPP00317	BPP02317
CITO Polytop 25 RED	658 × 380 × 9.5 mm	BPP00318	BPP02318
CITO Polytop 25 RED	658 × 380 × 10 mm	BPP00319	BPP02319
CITO Polytop 25 RED	658 × 380 × 11 mm	BPP00321	BPP02321
CITO Polytop 25 RED	658 × 380 × 12 mm	BPP00323	BPP02323
CITO Polytop 25 RED	658 × 380 × 13 mm	BPP00325	BPP02325
CITO Polytop Rotation			
CITO Polytop 25 RED	658 × 380 × 14 mm	BPP00327	
CITO Polytop 25 RED	658 × 380 × 15 mm	BPP00329	

Self-adhesive version CITO Polytop EasyFix available for flatbed



Plate format (unit = 1 plate)

CITO Polytop 25 RED

Discover the product diversity. Other sizes available on request.

Note: The indicated dimensions of length and width with plates can vary by ± 5 mm.

658 × 380 × 16 mm

658 × 380 × 17 mm

658 × 380 × 18 mm

658 × 380 × 19 mm

658 × 380 × 20 mm

BPP00331

BPP00333

BPP00335

BPP00337 BPP00339



Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix
CITO Polytop 30 BLUE	,		,
CITO Polytop Flatbed			
CITO Polytop 30 BLUE	658 × 380 × 2 mm	BPP00403	BPP02403
CITO Polytop 30 BLUE	658 × 380 × 3 mm	BPP00405	BPP02405
CITO Polytop 30 BLUE	658 × 380 × 4 mm	BPP00407	BPP02407
CITO Polytop 30 BLUE	658 × 380 × 5 mm	BPP00409	BPP02409
CITO Polytop 30 BLUE	658 × 380 × 6 mm	BPP00411	BPP02411
CITO Polytop 30 BLUE	658 × 380 × 7 mm	BPP00413	BPP02413
CITO Polytop 30 BLUE	658 × 380 × 8 mm	BPP00415	BPP02415
CITO Polytop 30 BLUE	658 × 380 × 9 mm	BPP00417	BPP02417
CITO Polytop 30 BLUE	658 × 380 × 9.5 mm	BPP00418	BPP02418
CITO Polytop 30 BLUE	658 × 380 × 10 mm	BPP00419	BPP02419
CITO Polytop 30 BLUE	658 × 380 × 11 mm	BPP00421	BPP02421
CITO Polytop 30 BLUE	658 × 380 × 12 mm	BPP00423	BPP02423
CITO Polytop 30 BLUE	658 × 380 × 13 mm	BPP00425	BPP02425
CITO Polytop Rotation			
CITO Polytop 30 BLUE	658 × 380 × 14 mm	BPP00427	
CITO Polytop 30 BLUE	658 × 380 × 15 mm	BPP00429	
CITO Polytop 30 BLUE	658 × 380 × 16 mm	BPP00431	
CITO Polytop 30 BLUE	658 × 380 × 17 mm	BPP00433	
CITO Polytop 30 BLUE	658 × 380 × 18 mm	BPP00435	
CITO Polytop 30 BLUE	658 × 380 × 19 mm	BPP00437	
CITO Polytop 30 BLUE	658 × 380 × 20 mm	BPP00439	
CITO Polytop 35 GREEN			
CITO Polytop Flatbed			
CITO Polytop 35 GREEN	658 × 380 × 2 mm	BPP00503	BPP02503
CITO Polytop 35 GREEN	658 × 380 × 3 mm	BPP00505	BPP02505
CITO Polytop 35 GREEN	658 × 380 × 4 mm	BPP00507	BPP02507
CITO Polytop 35 GREEN	658 × 380 × 5 mm	BPP00509	BPP02509
CITO Polytop 35 GREEN	658 × 380 × 6 mm	BPP00511	BPP02511
CITO Polytop 35 GREEN	658 × 380 × 7 mm	BPP00513	BPP02513
CITO Polytop 35 GREEN	658 × 380 × 8 mm	BPP00515	BPP02515
CITO Polytop 35 GREEN	658 × 380 × 9 mm	BPP00517	BPP02517
CITO Polytop 35 GREEN	658 × 380 × 9.5 mm	BPP00518	BPP02518
CITO Polytop 35 GREEN	658 × 380 × 10 mm	BPP00519	BPP02519
CITO Polytop 35 GREEN	658 × 380 × 11 mm	BPP00521	BPP02521
CITO Polytop 35 GREEN	658 × 380 × 12 mm	BPP00523	BPP02523
CITO Polytop 35 GREEN	658 × 380 × 13 mm	BPP00525	BPP02525
CITO Polytop Rotation			
CITO Polytop 35 GREEN	658 × 380 × 14 mm	BPP00527	
CITO Polytop 35 GREEN	658 × 380 × 15 mm	BPP00529	
CITO Polytop 35 GREEN	658 × 380 × 16 mm	BPP00531	
CITO Polytop 35 GREEN	658 × 380 × 17 mm	BPP00533	
CITO Polytop 35 GREEN	658 × 380 × 18 mm	BPP00535	
CITO Polytop 35 GREEN	658 × 380 × 19 mm	BPP00537	
CITO Polytop 35 GREEN	658 × 380 × 20 mm	BPP00539	
Self-adhesive version			

Plate format (unit = 1 plate)

Discover the product diversity. Other sizes available on request.

Note: The indicated dimensions of length and width with plates can vary by $\pm 5\ \text{mm}.$





Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix
CITO Polytop 40 ORANGE	<u> </u>		,,,
CITO Polytop Flatbed			
CITO Polytop 40 ORANGE	658 × 380 × 2 mm	BPP00603	BPP02603
CITO Polytop 40 ORANGE	658 × 380 × 3 mm	BPP00605	BPP02605
CITO Polytop 40 ORANGE	658 × 380 × 4 mm	BPP00607	BPP02607
CITO Polytop 40 ORANGE	658 × 380 × 5 mm	BPP00609	BPP02609
CITO Polytop 40 ORANGE	658 × 380 × 6 mm	BPP00611	BPP02611
CITO Polytop 40 ORANGE	658 × 380 × 7 mm	BPP00613	BPP02613
CITO Polytop 40 ORANGE	658 × 380 × 8 mm	BPP00615	BPP02615
CITO Polytop 40 ORANGE	658 × 380 × 9 mm	BPP00617	BPP02617
CITO Polytop 40 ORANGE	658 × 380 × 9.5 mm	BPP00618	BPP02618
CITO Polytop 40 ORANGE	658 × 380 × 10 mm	BPP00619	BPP02619
CITO Polytop 40 ORANGE	658 × 380 × 11 mm	BPP00621	BPP02621
CITO Polytop 40 ORANGE	658 × 380 × 12 mm	BPP00623	BPP02623
CITO Polytop 40 ORANGE	658 × 380 × 13 mm	BPP00625	BPP02625
CITO Polytop Rotation			
CITO Polytop 40 ORANGE	658 × 380 × 14 mm	BPP00627	
CITO Polytop 40 ORANGE	658 × 380 × 15 mm	BPP00629	
CITO Polytop 40 ORANGE	658 × 380 × 16 mm	BPP00631	
CITO Polytop 40 ORANGE	658 × 380 × 17 mm	BPP00633	
CITO Polytop 40 ORANGE	658 × 380 × 18 mm	BPP00635	
CITO Polytop 40 ORANGE	658 × 380 × 19 mm	BPP00637	
CITO Polytop 40 ORANGE	658 × 380 × 20 mm	BPP00639	
CITO Polytop 45 VIOLET			
CITO Polytop Flatbed			
CITO Polytop 45 VIOLET	658 × 380 × 2 mm	BPP00703	BPP02703
CITO Polytop 45 VIOLET	658 × 380 × 3 mm	BPP00705	BPP02705
, ,			
CITO Polytop 45 VIOLET	658 × 380 × 4 mm	BPP00707	BPP02707
CITO Polytop 45 VIOLET	658 × 380 × 5 mm	BPP00709	BPP02709
CITO Polytop 45 VIOLET CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm	BPP00709 BPP00711	BPP02709 BPP02711
CITO Polytop 45 VIOLET CITO Polytop 45 VIOLET CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm	BPP00709 BPP00711 BPP00713	BPP02709 BPP02711 BPP02713
CITO Polytop 45 VIOLET CITO Polytop 45 VIOLET CITO Polytop 45 VIOLET CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm	BPP00709 BPP00711 BPP00713 BPP00715	BPP02709 BPP02711 BPP02713 BPP02715
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00719	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00719 BPP00721	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm 658 × 380 × 12 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00719 BPP00721 BPP00723	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721 BPP02721
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00719 BPP00721	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm 658 × 380 × 12 mm 658 × 380 × 13 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00719 BPP00721 BPP00723 BPP00725	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721 BPP02721
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm 658 × 380 × 12 mm 658 × 380 × 13 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00721 BPP00721 BPP00723 BPP00725	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721 BPP02721
CITO Polytop 45 VIOLET CITO Polytop 85 VIOLET CITO Polytop 45 VIOLET CITO Polytop 45 VIOLET CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm 658 × 380 × 12 mm 658 × 380 × 13 mm 658 × 380 × 14 mm 658 × 380 × 15 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00719 BPP00721 BPP00723 BPP00725 BPP00727	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721 BPP02721
CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 10 mm 658 × 380 × 11 mm 658 × 380 × 12 mm 658 × 380 × 13 mm 658 × 380 × 15 mm 658 × 380 × 16 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00719 BPP00721 BPP00723 BPP00725 BPP00727 BPP00727	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721 BPP02721
CITO Polytop 45 VIOLET CITO Polytop 85 VIOLET CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm 658 × 380 × 12 mm 658 × 380 × 13 mm 658 × 380 × 15 mm 658 × 380 × 16 mm 658 × 380 × 17 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00721 BPP00723 BPP00725 BPP00727 BPP00729 BPP00731 BPP00733	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721 BPP02721
CITO Polytop 45 VIOLET CITO Polytop 85 VIOLET CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm 658 × 380 × 12 mm 658 × 380 × 13 mm 658 × 380 × 15 mm 658 × 380 × 16 mm 658 × 380 × 17 mm 658 × 380 × 18 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00721 BPP00723 BPP00725 BPP00727 BPP00727 BPP00731 BPP00733 BPP00735	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721 BPP02721
CITO Polytop 45 VIOLET CITO Polytop 85 VIOLET CITO Polytop 45 VIOLET	658 × 380 × 5 mm 658 × 380 × 6 mm 658 × 380 × 7 mm 658 × 380 × 8 mm 658 × 380 × 9 mm 658 × 380 × 9.5 mm 658 × 380 × 10 mm 658 × 380 × 11 mm 658 × 380 × 12 mm 658 × 380 × 13 mm 658 × 380 × 15 mm 658 × 380 × 16 mm 658 × 380 × 17 mm	BPP00709 BPP00711 BPP00713 BPP00715 BPP00717 BPP00718 BPP00721 BPP00723 BPP00725 BPP00727 BPP00729 BPP00731 BPP00733	BPP02709 BPP02711 BPP02713 BPP02715 BPP02717 BPP02718 BPP02719 BPP02721 BPP02721


Plate format (unit = 1 plate)

 ${\sf CITO\ Polytop\ EasyFix\ available\ for\ flatbed}$

Self-adhesive version

Discover the product diversity. Other sizes available on request.

Note: The indicated dimensions of length and width with plates can vary by ± 5 mm.



Self-adhesive version CITO Polytop EasyFix available for flatbed



CITO Polytop 60 DARK RED

Discover the product diversity. Other sizes available on request.

Note: The indicated dimensions of length and width with plates can vary by ± 5 mm.

658 × 380 × 16 mm

658 × 380 × 17 mm

658 × 380 × 18 mm

658 × 380 × 19 mm

658 × 380 × 20 mm

BPP00931

BPP00933


BPP00935

BPP00937

BPP00939



Strips Flatbed




	D		0 1	
Description	Dimensions $(L \times W \times H)$	Order no.	Order no. EasyFix	Unit
CITO Polytop 10 OLIVE				
CITO Polytop 10 OLIVE	658 × 10 × 10 mm	BSP00003		100 pcs.
CITO Polytop 15 SAND				
CITO Polytop 15 SAND	658 × 7 × 7 mm	BSP00104		100 pcs.
CITO Polytop 35 GREEN				
CITO Polytop 35 GREEN	658 × 7 × 7 mm	BSP00505	BSP02505	100 pcs.
CITO Polytop 40 ORANGE				
CITO Polytop 40 ORANGE	658 × 7 × 7 mm		BSP02607	100 pcs.
CITO Polytop 50 DARKBLUE				
CITO Polytop 50 DARKBLUE	658 × 1,5 × 7 mm	BSP00801		100 pcs.
CITO Polytop 50 DARKBLUE	658 × 2 × 7 mm	BSP00802		100 pcs.
CITO Polytop 50 DARKBLUE	658 × 3 × 7 mm	BSP00803	BSP02803	100 pcs.
CITO Polytop 50 DARKBLUE	658 × 4 × 7 mm	BSP00804	BSP02804	100 pcs.
CITO Polytop 50 DARKBLUE	658 × 5 × 7 mm	BSP00805	BSP02805	100 pcs.
CITO Polytop 50 DARKBLUE	658 × 6 × 7 mm	BSP00806		100 pcs.
CITO Polytop 50 DARKBLUE	658 × 7 × 7 mm	BSP00807	BSP02807	100 pcs.
CITO Polytop 50 DARKBLUE	658 × 5 × 7,5 mm	BSP00866		100 pcs.
Self-adhesive version CITO Polytop EasyFix				

Discover the product diversity. Other sizes available on request.

Note: The indicated dimensions of length can vary by $\pm\,5$ mm.



Strips Rotation




Description	Dimensions (L × W × H)	Order no.	Unit
CITO Polytop 15 SAND			
CITO Polytop 15 SAND	658 × 14 × 14 mm	BSP00111	100 pcs.
CITO Polytop 15 SAND	658 × 20 × 15 mm	BSP00109	50 pcs.
CITO Polytop 15 SAND	658 × 15 × 16 mm	BSP00101	50 pcs.
CITO Polytop 15 SAND	658 × 16 × 16 mm	BSP00110	100 St.
CITO Polytop 25 RED			
CITO Polytop 25 RED	658 × 14 × 14 mm	BSP00302	100 pcs.
CITO Polytop 40 ORANGE			
CITO Polytop 40 ORANGE	658 × 14 × 16 mm	BSP00630	50 pcs.
CITO Polytop 50 DARKBLUE			
CITO Polytop 50 DARKBLUE	658 × 14 × 16 mm	BSP00876	50 pcs.

Discover the product diversity. Other sizes available on request.

Note: The indicated dimensions of length can vary by $\pm\,5$ mm.











Area of application:

- Flatbed / corrugated board
- Flatbed / folding carton

CITOject F


High Quality Ejection Material

The advantages:


- For long runs and constant machine performance
- Simple optical quality control through colour-coding
- Reduction of cutting pressure in the machine
- · Fewer nicks and faster sheet transfer
- UV and ageing-resistant material
- EasyFix technology for exact positioning and residue-free removal of the ejection material
- · Certified as safe for the production of folding boxes for food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials
 - ✓ Production reliability combined with product safety

Upon request, you can also order CITOject F in strips in the following geometries:

Straight cut







Plates



Unit: 1 pcs.


Discover the product diversity. Other sizes available on request.

Note: The indicated dimensions of length and width with plates can vary by $\pm\,5$ mm.



Strips





Straight cut



5	B: (1)A(1)	0.1	0 5 5
Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix
CITOject F 15 SAND			
With separator			55504445
CITOject F 15 SAND	600 × 7 × 7 mm	BPD00642	BPD01642
CITOject F 15 SAND	600 × 11 × 11 mm	BPD00641	BPD01641
Straight cut			
CITOject F 15 SAND	600 × 7 × 7 mm	BPD00602	BPD01602
CITOject F 15 SAND	600 × 11 × 11 mm	BPD00591	BPD01591
CITOject F 25 YELLOW			
With separator			
CITOject F 25 YELLOW	700 × 7 × 7 mm	BPD00660	BPD01660
CITOject F 25 YELLOW	700 × 11 × 11 mm		BPD01661
Straight cut			
CITOject F 25 YELLOW	700 × 7 × 7 mm	BPD00610	BPD01610
CITOject F 25 YELLOW	700 × 11 × 11 mm	BPD00611	BPD01611
CITOject F 35 GREEN			
With separator			
CITOject F 35 GREEN	$700 \times 7 \times 7 \text{ mm}$	BPD00671	BPD01671
CITOject F 35 GREEN	700 × 10 × 10 mm	BPD00675	BPD01675
Straight cut			
CITOject F 35 GREEN	700 × 7 × 7 mm	BPD00621	BPD01621
CITOject F 35 GREEN	700 × 10 × 10 mm	BPD00625	BPD01625
CITOject F 45 ORANGE			
With separator			
CITOject F 45 ORANGE	700 × 7 × 7 mm		BPD01682
CITOject F 45 ORANGE	700 × 11 × 11 mm		BPD01683
Straight cut			
CITOject F 45 ORANGE	700 × 7 × 7 mm	BPD00632	BPD01632
CITOject F 45 ORANGE	700 × 11 × 11 mm		BPD01634
Self-adhesive version CITOject F EasyFix			


Unit: 100 pcs.

Discover the product diversity. Other sizes available on request. Note: The indicated dimensions of length can vary by ± 5 mm.









GREY / RED



GREY / GREEN



Area of application:

- Flatbed / corrugated board
- Flatbed / folding carton

CITO BALANCE PROFILE

The new product development especially for balancing the cutting die

CITO BALANCE PROFILE was designed in close cooperation between experts in practice and the CITO specialists in applications engineering and R&D. The material properties correspond exactly to the requirements in the diecutting process.

The new type of profile prevents the cutting die from tilting over and ensures a uniform cutting result across the entire sheet. By using the CITO BALANCE PROFILE the makeready time is reduced substantially and the machine performance is increased significantly.

Another advantage: The cutting rules are handled carefully, which has a positive effect on the life of the cutting die. The product innovation is available with self-adhesive CITO EasyFix technology.

The advantages:

- Shorter set-up time by faster makeready
- · Reduced cutting pressure
- · Improved sheet run and greater machine performance
- Longer life of the cutting tool
- · Available in self-adhesive CITO EasyFix technology
- · Certified as safe for the production of food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials
 - ✓ Production reliability combined with product safety

Description	Dimensions (L × W × H)	Colour	Wood thickness	Order no.
CBP 8 mm	658 × 20 × 8 mm	GREY / RED	18 mm	BPB02608
CBP 10 mm	658 × 20 × 10 mm	GREY / BLUE	15.9 mm	BPB02610
CBP 11 mm	658 × 20 × 11 mm	GREY / BLACK	15 mm	BPB02611
CBP 13 mm	658 × 20 × 13 mm	GREY / GREEN	12 mm	BPB02613

Self-adhesive version CITO BALANCE PROFILE EasyFix



Unit: 38 strips / 25 m







CITO MASTER Rubber


Premium C-profile - for highest standards and optimum results

The advantages:


- · Especially developed for cutting dies both for diemakers and converters of solid and corrugated board
- Constant ejection force even at top machine speeds and highest runs
- Excellent resistance to abrasive surfaces
- UV and ageing-resistant material
- Available as self-adhesive EasyFix version for exact positioning and residue-free removal of the ejection material
- · Certified as safe for the production of food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials



CITO MASTER Rubber



CITO MASTER Rubber EasyFix





Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix	
Strips (Unit = 100 strips), 70 Shore A				
MASTER Rubber WHITE	700 × 5.0 × 7.3 mm	BPB00105	BPB01105	
MASTER Rubber WHITE	700 × 5.0 × 9.5 mm		BPB01129	
MASTER Rubber WHITE	700 × 8.0 × 7.3 mm	BPB00112	BPB01112	
MASTER Rubber GREY	700 × 8.5 × 7.8 mm	BPB00127	BPB01127	
MASTER Rubber WHITE	700 × 8.5 × 9.5 mm	BPB00128	BPB01128	

Self-adhesive version with Fingerlift: CITO MASTER Rubber EasyFix

Note: The indicated Shore A hardnesses can vary slightly.










CITO FAST Rubber



CITO FAST Rubber EasyFix





CITO FAST Rubber

The C-Profile stands out due to its ability to give uniformly consistent ejection results for up to more than 2 million impressions.


This economic version is also very popular for use with corrugated board to prevent fluting around the edge of the tuck-in flaps from being crushed.

Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix
Strips (Unit = 100 strips), 70	Shore A		
FAST Rubber WHITE	700 × 8.0 × 7.3 mm	BPB00212	BPB01212
FAST Rubber WHITE	700 × 5.0 × 7.3 mm	BPB00205	BPB01205
FAST Rubber WHITE	700 × 3.0 × 7.3 mm	BPB00231	
FAST Rubber WHITE	700 × 8.5 × 9.5 mm	BPB00228	BPB01228
FAST Rubber WHITE	700 × 5.0 × 9.5 mm	BPB00229	BPB01229

Self-adhesive version with Fingerlift: CITO FAST Rubber EasyFix

Note: The indicated Shore A hardnesses can vary slightly.








CITO D/5 Top



CITO D/5 Top EasyFix



CITO D/5 Top

Profile for optimum processing of corrugated board

The colour-coded profiles are used on the cutting rules to achieve clean and exact cutting edges.

The CITO D/5 Top profile is characterised by the larger contact area for optimum fixing the cutting sheet. This means that the tensile forces are minimized at the cut and colour damage at the cut edge is avoided. The result: A perfect cut.


The advantages:


- · High-quality profile for clean and exact cut edges
- Simple visual quality control through colour-coding
- Available as self-adhesive EasyFix version for exact positioning and residue-free removal of the ejection material
- Certified as safe for the production of food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials

Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix		
Strips (Unit = 100 strips), 70 Shore A					
CITO D/5 Top YELLOW	700 × 5 × 7 mm	BPB00138	BPB01138		
CITO D/5 Top VIOLET	700 × 5 × 8.5 mm		BPB01139		
CITO D/5 Top ORANGE	700 × 5 × 9 mm		BPB01162		
CITO D/5 Top FUCHSIA	700 × 5 × 10 mm	BPB00237	BPB01137		
CITO D/5 Top TURQUOISE	700 × 8 × 13 mm		BPB01161		

Self-adhesive version with Fingerlift: CITO D/5 Top EasyFix

Note: The indicated Shore A hardnesses can vary slightly.










CITO D/5 Peak EasyFix



CITO D/5 Peak

Profile for optimum processing of corrugated board

Due to the special pointed geometry, a narrow contact area is created.

The result: Perfect surface appearance due to reduced dents. For perfectly shaped perforations in the corrugated board.

The advantages:


- Simple visual quality control through colour-coding
- Especially developed for use on perforation rules, cutting rules and cutting-creasing combinations


Description	Dimensions $(L \times W \times H)$	Order no. EasyFix				
Strips (Unit = 100 strips), 70 Shore A						
CITO D/5 Peak YELLOW	700 × 5 × 7 mm	BPB01192				
CITO D/5 Peak ORANGE	700 × 8 × 9 mm	BPB01193				
CITO D/5 Peak FUCHSIA	700 × 8 × 10 mm	BPB01191				
Self-adhesive version with Fingerlift: CITO D/5 Peak EasyFix						
Note: The indicated Shore A hardnesses can vary slightly.		GIND Emplo				

Recommendation

Wood thickness	Product	Colour	Application	Overlap*
18 mm	CITO D/5 Peak	Yellow	Cutting rule	1.2 mm
15.9 mm	CITO D/5 Peak	Orange	Cutting rule	1.1 mm
15 mm	CITO D/5 Peak	Fuchsia	Cutting rule	1.2 mm

^{*} Overlap at 23.8 mm cutting rule













CITO D/5



CITO D/5 EasyFix





CITO D/5

Profile for optimum processing of corrugated board

The colour-coded profiles have been specially developed for use on perforating rules and cutting-creasing combinations.

The advantages:

- High-quality profile for clean and exact cut edges
- Prevents cracking of the upper cover liner
- Simple visual quality control through colour-coding
- Especially developed for use on perforation rules and cutting-creasing combinations
- Certified as safe for the production of food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials

Description	Dimensions (L × W × H1/H2)	Order no.	Order no. EasyFix
Strips (Unit = 100 strips)	, 70 Shore A		
CITO D/5 ROSE	700 × 5 × 6/5 mm	BPB00304	BPB01304
CITO D/5 YELLOW	700 × 5 × 7/6 mm	BPB00303	BPB01303
CITO D/5 BROWN	700 × 5 × 8/7 mm		BPB01306
CITO D/5 PURPLE	700 × 5 × 8.5/7.5 mm	BPB00307	BPB01307
CITO D/5 ORANGE	700 × 5 × 9/8 mm	BPB00300	BPB01300
CITO D/5 GREEN	700 × 5 × 9.5/8.5 mm	BPB00301	BPB01301
CITO D/5 FUCHSIA	700 × 5 × 10/9 mm	BPB00302	BPB01302
CITO D/5 SAND	700 × 5 × 11/10 mm		BPB01309
CITO D/5 BLUE	700 × 5 × 12/11 mm	BPB00305	BPB01305



Note: The indicated Shore A hardnesses can vary slightly.











CITO D/12



CITO D/12 EasyFix





CITO D/12

Profile for optimum conversion of multi-flute corrugated board

The new profile is particularly suitable for use with multi-flute corrugated board or poor material quality.

It is characterised by its defined, conical shape. As a result, when the profile plunges into the material, the tensile stress in the cover liner is reduced significantly. Double rubbering is no longer required.

The result: clean and precise cut edges, no bursting of the upper cover liner.

The advantages:


- Especially developed for cutting dies both for diemakers and corrugated board converters
- · Ideal for use with multi-flute corrugated board or poor material quality
- · Prevents tearing and bursting of the upper cover liner
- Defined conical shape of the profile prevents tensile stress on the material
- Especially developed for use on perforation rules and cutting-creasing combinations
- · Simple visual quality control through colour-coding
- Available as self-adhesive EasyFix version for exact positioning and residue-free removal of the ejection material
- · Certified as safe for the production of food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials

Description	Dimensions (L × W × H1/H2)	Order no.	Order no. EasyFix
Strips (Unit = 100 strips)	, 70 Shore A		
CITO D/12 ORANGE	700 × 12 × 9/6 mm	BPB00312	BPB01312
Self-adhesive version wit CITO D/12 EasyFix	h Fingerlift:		
Note: The indicated Shore A hardnesses can vary slightly.			CITO Emplo






CITO CREASE Rubber EasyFix



CITO CREASE Rubber Lasercrease EasyFix



Application recommendation



www.cito.de/rec/

CITO CREASE Rubber

Creasing profile for the optimal solution for creasing corrugated board with and against the flute

The profile can be used for all types of flutes and all material thicknesses, without excessively crushing the material. It supports the creasing profile, for both 90° and for 180° folding. Used directly on the creasing line, it ensures precise creasing, stops the cover liner from tearing and prevents skew gluing. The special geometry of the profile enables seamless interaction with the creasing matrix, ensuring optimum transfer of the creasing.

The advantages:

- · Perfect fit for attaching and transferring the creasing matrix
- · Ideal for creasing with and against the flute
- Precise conversion for the downstream processes on packaging machines or folder gluers – without tearing and skew gluing
- LC variant specifically available for use with round and flat top laser creases
- Especially developed for cutting dies both for diemakers and corrugated board converters
- Profile for perfect creases with creasing matrix
- Simple visual quality control through colour-coding
- Available as self-adhesive EasyFix version for exact positioning and residue-free removal of the ejection material
- · Certified as safe for the production of food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials

Description	Dimensions (L × H)	Width 8.0 mm Order no. EasyFix	Width 12.5 mm (LC) Order no. EasyFix
Strips (Unit = 100 strips), 70 Shor	e A		
CITO CREASE Rubber YELLOW	700 × 7.0 mm	BPB01376	BPB01377
CITO CREASE Rubber GREY	700 × 7.5 mm	BPB01370	BPB01371
CITO CREASE Rubber BROWN	700 × 8.0 mm	BPB01372	BPB01373
CITO CREASE Rubber VIOLET	700 × 8.5 mm	BPB01374	BPB01375

Self-adhesive version with Fingerlift: CITO CREASE Rubber EasyFix

Note: The indicated Shore A hardnesses can vary slightly.





CITO C/3


Creasing profile for optimum processing of corrugated board

The CITO C/3 creasing profile is equipped with a spacer for the distance between the rubber profile and the creasing rule. Used in combination with a CITO creasing system, it produces unbeatable creasing results.







CITO C/3



CITO C/3 EasyFix











CITO B/2



CITO B/2 EasyFix



CITO B/2

Creasing profile for processing of corrugated board

Especially for rubber lining on the creasing rule.

Description	Dimensions (L × W × H)	Order no.	Order no. EasyFix			
Strips (Unit = 100 strips), 70 Shore A						
CITO B/2 YELLOW	700 × 12.5 × 7.0 mm	BPB00240	BPB01140			
CITO B/2 GREY	700 × 12.5 × 7.5 mm	BPB00241	BPB01141			
Self-adhesive version with Fir CITO B/2 EasyFix						
Note: The indicated Shore A	hardnesses can vary slightly.		CITO Euro			



CITO Cushion Crease

Creasing profile developed for the processing of corrugated board


CITO Cushion Crease is used on the creasing rule to support compression of the corrugated board and to optimise folding behaviour, particularly along the corrugations.

The advantages:


- Especially developed for flatbed and rotary dies, for diemakers and corrugated board converters
- Simple optical quality control through colour-coding
- Extreme wear resistance
- Excellent height resistance
- Available as self-adhesive EasyFix version on user-friendly CMR reels



CITO Cushion Crease



CITO Cushion Crease EasyFix



Area of application:

- Rotation
- Flatbed / corrugated board

Colour	Dimensions (W × H)	Order no. *	Order no. EasyFix
70 Shore A			
Yellow	16.5 × 6.4 mm	BPB00142	BPB01242 (1 reel/20 m)
Green	17.0 × 7.0 mm	BPB00143	BPB01243 (1 reel/20 m)
Gold	17.5 × 7.5 mm	BPB00153	BPB01253 (1 reel/20 m)
Blue	18.0 × 8.0 mm	BPB00144	BPB01244 (1 reel/20 m)
Purple	18.5 × 8.5 mm	BPB00151	BPB01251 (1 reel/18 m)
Orange	20.0 × 9.0 mm	BPB00145	BPB01245 (1 reel/16 m)
White	20.0 × 9.7 mm	BPB00152	BPB01252 (1 reel/15 m)
Pink	20.0 × 10.0 mm	BPB00154	BPB01254 (1 reel/15 m)

Note: The indicated Shore A hardnesses can vary slightly.

*1 coil / 50 m

CITO Cushion Crease EasyFix and CITO Cushion Crease Plus EasyFix:

CITO CMR Holder for CITO rubber profiles on reels

- for the efficient storage and conversion of CMR reels





CITO Cushion Crease Plus

Creasing profile developed for the processing of corrugated board

CITO Cushion Crease Plus is mainly used for double and triple flute paper.


It is placed on the creasing rule to support compression in a larger area of the corrugated board and to optimise folding behaviour, particularly along the corrugations.

The advantages:


- Especially developed for flatbed and rotary dies, for diemakers and corrugated board converters
- Simple optical quality control through colour-coding
- Extreme wear resistance
- Excellent height resistance
- Available as self-adhesive EasyFix version on user-friendly CMR reels



CITO Cushion Crease Plus



CITO Cushion Crease Plus EasyFix



Area of application:

- Rotation
- Flatbed / corrugated board

Colour	Dimensions (W × H)	Order no. *	Order no. EasyFix
70 Shore A			
Green	21 × 7.0 mm	BPB00171	
Gold	21 × 7.5 mm	BPB00172	
Blue	21 × 8.0 mm	BPB00173	
Purple	21 × 8.5 mm	BPB00174	
Orange	21 × 9.0 mm	BPB00175	BPB01275 (Unit: 1 reel / 16 m)
White	21 × 9.5 mm	BPB00176	BPB01276 (Unit: 1 reel / 14 m)
Beige	21 × 11.0 mm	BPB00180	BPB01280 (Unit: 1 reel / 12 m)
Brown	21 × 12.0 mm	BPB00182	

Note: The indicated Shore A hardnesses can vary slightly.

*1 coil / 50 m

CITO Cushion Crease EasyFix and CITO Cushion Crease Plus EasyFix:


CITO CMR Holder for CITO rubber profiles on reels

- for the efficient storage and conversion of CMR reels









Area of application:

- Flatbed / corrugated board
- Flatbed / folding carton

CITO Slot Rubber

Profile - for the optimum rubbering of slots

Your benefits:

- Especially developed for cutting dies both for diemakers and converters of solid and corrugated board
- Ideal as a hard rubber lining for narrow distances between two cutting rules
- · Simple visual quality control through colour-coding
- UV and ageing-resistant material
- · Certified as safe for the production of folding boxes for food packaging
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials

CITO Slot Rubber is used as a hard rubber lining when the distances between two knives are narrow. This makes it ideal for rubbering slots if the existing rubber lining is too soft, damaged or no longer in place.

It is attached with super glue.

Available on a reel in a height of 7 mm for 18 mm plywood and in a height of 10 mm for 15 mm plywood.

Both heights are available in widths of 1 mm, 2 mm, 3 mm and 4 mm.

Order no.	Description	Colour	Dimensions (H × B)	Wood thickness	Unit
BPB00410	CITO Slot Rubber	Yellow	7.0 × 1.0 mm	18 mm	18 m
BPB00412	CITO Slot Rubber	Yellow	7.0 × 2.0 mm	18 mm	10 m
BPB00414	CITO Slot Rubber	Yellow	7.0 × 3.0 mm	18 mm	7 m
BPB00416	CITO Slot Rubber	Yellow	7.0 × 4.0 mm	18 mm	5 m
BPB00420	CITO Slot Rubber	Fuchsia	10.0 × 1.0 mm	15 mm	18 m
BPB00422	CITO Slot Rubber	Fuchsia	10.0 × 2.0 mm	15 mm	10 m
BPB00424	CITO Slot Rubber	Fuchsia	10.0 × 3.0 mm	15 mm	7 m
BPB00426	CITO Slot Rubber	Fuchsia	10.0 × 4.0 mm	15 mm	5 m
BPB00424	CITO Slot Rubber	Fuchsia	10.0 × 3.0 mm	15 mm	7 m
BPB00426	CITO Slot Rubber	Fuchsia	10.0 × 4.0 mm	15 mm	5 m

Further sizes upon demand.





Adhesive and Glue

Superglue for die making

Stafofix 2000

Stafofix 2000 is a superfast adhesive specially for the demands of gluing ejection materials in diemaking production.

Order no.	Description	Contents		Unit		
BPS00001	Superglue Stafofix 2000	50 g bottle		12 bottles	S	
			K 1			

Note: Keep in a cool place!!

StafoTack R

StafoTack R is a superfast adhesive with a fast reaction time especially for the demands of gluing ejection materials on rotary dies. Optimum handling is guaranteed by the screwed safety dosing tip and the quick-release cap.

Order no.	Description	Contents	Unit
BPS00021	Superglue StafoTack R	50 g bottle	20 bottles
			Note: Keep in a cool place!!

CITO Stafoleim

CITO Stafoleim is based on polyisoprene latex water-soluble cold glue for adhering rubber products to unpainted plywood.

Order no.	Description	Contents	Unit
BPS00013	CITO Stafoleim	5 kg	1 plastic canister
BPS00014	CITO Stafoleim	250 g	1 bottle
BPS00012	Discharge tap for 5 kg canisters		1 pc.
BPS00010	Glue dispensing hottle 250 g empty		1 pc





Counterboard Material



CITO Pertinax Plates

Pertinax plates to produce counters for best results



Glass fibre Laminated paper Glass fibre

CITO BROWN EXPERT

Plates for producing Pertinax counters for optimum results when machining on the milling machine and during the cutting process.

CITO BROWN EXPERT has single glass fibre reinforcement:

- Optimum flatness for more uniform creasing channels
- Uniform milled edges for consistent creasing characteristics

CITO Adhesive Tapes

Adhesive Tapes PRO



Adhesive Tapes BASIC



Adhesive tapes in two qualities for optimum use with every application. You have the choice:

Adhesive Tapes PRO

The specially developed PRO tape can be removed from the cutting plate along with the Pertinax counters without leaving any residue – that means: valuable makeready time savings and fast job changes.

Adhesive Tapes BASIC

The BASIC tape is the simple and standard solution for Pertinax self-adhesive tape. Perfectly suitable for large runs and very narrow spaces. BASIC is the right choice if the tape needs to be removed from the counter after use.



CITO BROWN EXPERT

Format: 1070 × 1070 mm; Format tolerance: -0/+5 mm; Thickness tolerance: -0.03/+0.02 mm

Thickness	Order no.	Order no. with PRO	Order no. with BASIC
0.30 mm	BHB00440	AHB04340	AHB02440
0.40 mm	BHB00442	AHB04342	AHB02442
0.50 mm	BHB00444	AHB04344	AHB02444
0.60 mm	BHB00446	AHB04346	AHB02446
0.70 mm	BHB00448	AHB04348	AHB02448
0.80 mm	BHB00450	AHB04350	AHB02450
0.90 mm	BHB00452	AHB04352	AHB02452
1.00 mm	BHB00454	AHB04354	AHB02454
1.10 mm	BHB00455	AHB04355	AHB02455
1.20 mm	BHB00458	AHB04356	AHB02456
1.30 mm	BHB00460	AHB04357	AHB02457
1.40 mm	BHB00461	AHB04358	AHB02458

Other sizes available on request.

Unit: 1 plate

Pertinax Accessories

9000

Pertinax Transfer Rings

Transfer rings made of CITOject F material and positioning pins for quick and precise transfer to the cutting die.



Positioning Pin Plastic



Pertinax Positioning Pin Removal Tool



Pertinax Milling Tools

CITO high-speed channel milling cutter

High-performance milling tools for Pertinax counters of all thicknesses

- · Diamond coated
- · Economical to use
- Service life up to 10 times longer
- Best possible milling results

Compared with standard cutting tools, our high-speed channel milling cutters have up to 10x longer service life! With our high-speed channel milling cutters, you can achieve cutting edges in the matrices that are smooth and completely free from burrs.

These tools, with their special geometry and superior quality cutting, enable a higher feed speed with adjustable rotation speed.

These high-speed channel milling cutters can be operated with the standard parameters of your milling machine.

- Total length: 40.0 mm
- Shaft diametre: 3.0 mm

CITO high-speed channel milling cutter (cylindrical)



CITO high-speed channel milling cutter (conical)



Order no.	Description	Cutting Ø	Unit
BQA51010	High-speed channel milling cutter, cylindrical	1.0 mm	1 pc.
BQA51013	High-speed channel milling cutter, cylindrical	1.3 mm	1 pc.
BQA51014	High-speed channel milling cutter, cylindrical	1.4 mm	1 pc.
BQA51015	High-speed channel milling cutter, cylindrical	1.5 mm	1 pc.
BQA51017	High-speed channel milling cutter, cylindrical	1.7 mm	1 pc.
BQA51020	High-speed channel milling cutter, cylindrical	2.0 mm	1 pc.
BQA51110	High-speed channel milling cutter, conical	1.0 mm	1 pc.
BQA51115	High-speed channel milling cutter, conical	1.5 mm	1 pc.
BQA51117	High-speed channel milling cutter, conical	1.7 mm	1 pc.
BQA51125	High-speed channel milling cutter, conical	2.5 mm	1 pc.
BQA51126	High-speed channel milling cutter, conical	2.6 mm	1 pc.

Single-edged



Double-edged



Single and double milling cutters

Order no.	Description	Cutting Ø	Unit
BQA01010	Single-edged, VHM	1.0 mm	1 pc.
BQA01011	Single-edged, VHM	1.1 mm	1 pc.
BQA01012	Single-edged, VHM	1.2 mm	1 pc.
BQA01013	Single-edged, VHM	1.3 mm	1 pc.
BQA01014	Single-edged, VHM	1.4 mm	1 pc.
BQA01015	Single-edged, VHM	1.5 mm	1 pc.
BQA01016	Single-edged, VHM	1.6 mm	1 pc.
BQA01017	Single-edged, VHM	1.7 mm	1 pc.
BQA01018	Single-edged, VHM	1.8 mm	1 pc.
BQA01019	Single-edged, VHM	1.9 mm	1 pc.
BQA01020	Single-edged, VHM	2.0 mm	1 pc.
BQA01021	Single-edged, VHM	2.1 mm	1 pc.
BQA01023	Single-edged, VHM	2.5 mm	1 pc.
BQA01110	Single-edged, VHM, conical	1.0 mm	1 pc.
BQA02010	Double-edged, VHM	1.0 mm	1 pc.
BQA02012	Double-edged, VHM	1.2 mm	1 pc.
BQA02013	Double-edged, VHM	1.3 mm	1 pc.
BQA02015	Double-edged, VHM	1.5 mm	1 pc.

Total length: 38.0 mm Shaft diametre: 3.0 mm

Chamfer tool VHM



Chamfer tool PKD



Special milling tools

Order no.	Description	Cutting Ø	Cutting L	Unit
BQA22012	Chamfer tool, VHM 120°	5.0 mm	9.0 mm	1 pc.
BQA22016	Chamfer tool, VHM 160°	9.0 mm	9.0 mm	1 pc.
BQA22017	Chamfer tool, VHM 170°	9.0 mm	9.0 mm	1 pc.
BQA01026	Chamfer tool, PKD 120°, Schaft 5.0 mm	5.0 mm	9.0 mm	1 pc.
BQA01028	Chamfer tool, PKD 120°, Schaft 3.0 mm	5.0 mm	9.0 mm	1 pc.
BQA22056	Chamfer tool, PKD 160°, Schaft 3.0 mm	9.0 mm	9.0 mm	1 pc.
BQA40003	Drill for positioning holes, VHM	5.0 mm	9.0 mm	1 pc.
BQA40004	Drill for positioning holes, VHM	5.47 mm	9.0 mm	1 pc.

PKD = poly crystalline diamond, extremely sharp, very long lifespan

Total length: 38.0 mm Shaft diametre: 3.0 mm





CITO Cutters for cut-crease plates

These solid carbide milling cutters for cut-crease plates are particularly suitable for machining CITO Cutting Plates 40+ and hard (HRC50) steel counter plates.

The milling cutters are designed for dry machining or machining with minimum quantity cooling lubrication. The use of no or minimal cooling lubrication considerably reduces the cleaning time of steel counter plates after milling.

We recommend the following milling parameters:

• Clamping length: 23 mm

• Type of entering: ramp 10°

• Penetrating speed: 480 mm/min

• Operating speed: 3 m/min

• Rotation: 27,000 rpm

• Depth adjustment per pass: 0.125 mm

Order no.	Description	Cutting Ø	Unit		
VHM channe	VHM channel milling tool for cut-crease plates (cylindrical)				
BQA03006	VHM channel milling tool, cylindrical	1.0 mm	1 pc.		
BQA03007	VHM channel milling tool, cylindrical	1.2 mm	1 pc.		
BQA03000	VHM channel milling tool, cylindrical	1.3 mm	1 pc.		
BQA03001	VHM channel milling tool, cylindrical	1.5 mm	1 pc.		
VHM channe	l milling tool for cut-crease plates (conical)				
BQA03004	VHM channel milling tool, conical 12.5°	1.0 mm	1 pc.		
BQA03005	VHM channel milling tool, conical 12.5°	1.2 mm	1 pc.		
BQA03002	VHM channel milling tool, conical 12.5°	1.3 mm	1 pc.		
BQA03003	VHM channel milling tool, conical 12.5°	1.5 mm	1 pc.		

Shaft diametre: 6 mm

Total length: 45 mm (cylindrical); 40 mm (conical)







Plotter Auxiliaries CITO Drawing Foil PRO

High-quality, suitable for all cases, also for inkjet-plotter, matt on both sides

Order no.	Description	Thickness	Width	Unit
BEA00019	CITO Drawing Foil PRO	0.07 mm	1066 mm	1 reel / 50 m
BEA00021	CITO Drawing Foil PRO	0.07 mm	1100 mm	1 reel / 50 m
BEA00022	CITO Drawing Foil PRO	0.07 mm	1220 mm	1 reel / 50 m
BEA00023	CITO Drawing Foil PRO	0.07 mm	1300 mm	1 reel / 50 m
BEA00027	CITO Drawing Foil PRO	0.09 mm	1300 mm	1 reel / 50 m
BEA00028	CITO Drawing Foil PRO	0.09 mm	1500 mm	1 reel / 50 m
BEA00040	CITO Drawing Foil PRO	0.145 mm	900 mm	1 reel / 30 m
BEA00041	CITO Drawing Foil PRO	0.145 mm	1100 mm	1 reel / 30 m
BEA00044	CITO Drawing Foil PRO	0.145 mm	1310 mm	1 reel / 30 m

Other widths available upon request.

CITO Drawing Foil BASIC

Cost-effective variant for lettering by means of a pen; matt on both sides

Order no.	Description	Thickness	Width	Unit
BEA00008	CITO Drawing Foil BASIC	0.07 mm	900 mm	1 reel / 50 m
BEA00009	CITO Drawing Foil BASIC	0.07 mm	1100 mm	1 reel / 50 m
BEA00010	CITO Drawing Foil BASIC	0.07 mm	1220 mm	1 reel / 50 m
BEA00011	CITO Drawing Foil BASIC	0.07 mm	1370 mm	1 reel / 50 m
BEA00012	CITO Drawing Foil BASIC	0.07 mm	1520 mm	1 reel / 50 m
BEA00013	CITO Drawing Foil BASIC	0.095 mm	900 mm	1 reel / 50 m
BEA00014	CITO Drawing Foil BASIC	0.095 mm	1100 mm	1 reel / 50 m
BEA00015	CITO Drawing Foil BASIC	0.095 mm	1220 mm	1 reel / 50 m
BEA00016	CITO Drawing Foil BASIC	0.095 mm	1370 mm	1 reel / 50 m
BEA00017	CITO Drawing Foil BASIC	0.095 mm	1520 mm	1 reel / 50 m
BEA00018	CITO Drawing Foil BASIC	0.140mm	1220 mm	1 reel / 50 m

Other widths available upon request.



CITO Makeready Sheet

CITO Makeready Sheet, 3-ply

The CITO Makeready Sheet comprising film laminated on both sides with paper to form a 3-layer lay-up, combines the processing and handling advantages of a paper sheet with the tear resistance of a foil:

The paper surface is ideally suited for plotting with inkjet and pen (ballpoint pen). Due to the excellent ink absorption, a good contrast between the paper and the applied layout results; pasting the patching paper with CITO TAPE is also made easier.

The middle foil layer ensures dimensional stability; this makes register-true fine makeready possible. The surface coating is retained, the print is still visible and the patching tape keeps its position. Even in this state, the makeready sheet stays absolutely tearproof due to the laminated material.

Individual intermediate sizes in formats from 100 to 140 cm are available in small quantities and short delivery times. We are therefore able to cover all machine formats.

Paper-film-paper laminate

Order no.	Description	Dimensions (L × W × H)	Unit
BJA00024	CITO Makeready Sheet, 3-ply	50 m × 106 cm × 0.10 mm	1 reel
BJA00020	CITO Makeready Sheet, 3-ply	50 m × 120 cm × 0.10 mm	1 reel
BJA00030	CITO Makeready Sheet, 3-ply	50 m × 130 cm × 0.10 mm	1 reel



Calibrated Makeready Sheet, paper

Order no.	Description	Format	Dimensions (L × W × H)
BJA00002	Calibrated Makeready Sheet, paper, yellow	102er	1030 × 735 × 0.10 mm
BJA00009	Calibrated Makeready Sheet, paper, yellow	106er	1070 × 740 × 0.10 mm
BJA00015	Calibrated Makeready Sheet, paper, yellow	142er	1410 × 1110 × 0.10 mm

Unit: 125 sheets



Calibrated Makeready Sheet, film

Order no.	Description	Dimensions (L \times W \times H)	Unit
BJA00017	Calibrated Makeready Sheet, film*	50 m × 120 cm × 0.13 mm	1 reel

^{*} dimensionally stable, tear resistant and waterproof





Protection Mats

To protect the table during the milling and cutting process: fleece material, permeable to air, for flatbed plotters

Order no.	Description	Colour
BEC00003	Protection Mat, 1500 × 3.0 mm*	Slate

^{*} Please indicate the required length in your order.




Ballpoint Pens

High drawing accuracy, long lifespan.

Order no.	Description	Colour	Unit
BED00001	Ballpoint Pen, 90 × 0.4 mm medium	Black	1 pc.
BED00002	Ballpoint Pen, 90 × 0.4 mm medium	Red	1 pc.
BED00003	Ballpoint Pen, 90 × 0.4 mm medium	Blue	1 pc.
BED00011	Ballpoint Pen, 90 × 0.5 mm bold	Black	1 pc.





Accessories for Diemaking



HS CITO FormLine

Cutting rules and creasing rules for flatbed diecutters

The use of premium rules is a pre-requisite for achieving the best cutting results. CITO offers high-class cutting and creasing rules manufactured to meet the demands of modern diemakers.

They also meet the highest standards when cutting, creasing and perforating all kinds of different materials. All rules in the CITO product range are suitable for automatic bending machines.



HS CITO Cutting Rules

THE universal cutting rule; excellent bending properties; suitable for 90 % of applications.

HS CITO cutting rules offer you excellent value for money. All cutting rules in the HS CITO series are equipped with a hardened edge for premium cutting and longer life expectancy. HS CITO cutting rules have outstanding bendability; due to the deep decarburization of the body there are no cracks during the bending process.

HS CITO SuperBend

The well-balanced hardening technology can cope with even the smallest bending angle. The hardened edges allow excellent service life.

HS CITO SwordCut

The precision-ground blade and maximum dimensional accuracy reduce the cutting pressure, prevent the formation of angel hairs and cutting dust.





HS CITO Creasing Rules

HS CITO MasterCrease Color Coded

Color Coded HS CITO MasterCrease Color Coded Creasing Rules facilitate the production and control of cutting dies. Creasing rule heights are clearly marked by a color code which allows the easiest of quality checks and avoids mistakes when inserting creasing rules into the plywood.

Excellent centricity and exact manufacturing technology for the highest demands on the perfect crease.

Special Rules

ES CITO Specials are also available.





CITO Centerline Reinforcement




For 12 mm wood thickness



For 15 mm wood thickness



For 18 mm wood thickness



Thanks to its special ribs, the new CITO Centerline Reinforcement can be fixed completely without screws

The resulting clamping forces hold the reinforcement in the die; the assembly time is reduced.

Nonetheless, appropriate notches are provided for users who prefer additional fixing by means of screws. The advantage: the centricity is higher, since it is significantly less affected by dimensional tolerances during laser cutting.

The specifically selected geometry of the screws supplied ensures that the Centerline Reinforcement is pressed extensively against the carrier plate. This prevents lateral deformation or displacement. A decisive advantage, especially when aligning the tools to the centerline, as here optimum register accuracy is crucial.

The advantages:

- Screwless assembly due to ribs
- · Centreline marking for visual control
- Impact-resistant material
- Additional screwing possible (recommendation: HPT (1))

Order no.	Description	Colour	Unit
BLC00016	Centerline Reinforcement for 12 mm wood thickness incl. screws	Yellow	100 pcs.
BLC00017	Centerline Reinforcement for 15 mm wood thickness incl. screws	Yellow	100 pcs.
BLC00019	Centerline Reinforcement for 18 mm wood thickness incl. screws	Yellow	100 pcs.



CITO LOCK FIX MAGNET incl. NUT Ø 50 mm



CITO LOCK FIX MAGNET incl. NUT Ø 33 mm



CITO LOCK FIX

Fast and secure locking of the cutting die in the chase

Thanks to the CITO LOCK FIX System, consisting of a CITO LOCK FIX Magnet and a matching CITO LOCK FIX Nut, time-consuming screwing of the cutting die to the base plate of the locking chase is a thing of the past. The cutting die can be reliably, easily and quickly locked and released with a hexagon spanner. In this way, set-up time is reduced considerably.

CITO LOCK FIX is suitable for all cutting die sizes and machines and available in sizes 33 mm and 50 mm.

The advantages at a glance:

- Universal use for all diecutter formats
- · Quick, reliable and easy clamping and releasing of the cutting die
- Acceleration of the set-up process

Description	Colour	Unit	Order no.
CITO LOCK FIX MAGNET incl. NUT Ø 50 mm 1.97 inches	Silver	4 pc.	BQF00001
CITO LOCK FIX NUT Ø 50 mm 1.97 inches	Yellow	250 pc.	BQF00002
CITO LOCK FIX MAGNET incl. NUT Ø 33 mm 1.3 inches	Silver	4 pc.	BQF00003
CITO LOCK FIX NUT Ø 33 mm 1.3 inches	Yellow	250 pc.	BQF00004





Perforating and embossing tools

CITO Spikes are metal plates equipped with needles (spikes), also called pinning tools. They are used to mark corrugated board. In the cutting process, the needles pierce the cover liner of the corrugated board and lead behind a clear, legible character.

CITO Spikes are available as Spikes with groove, as a letter height of 20 mm and as Mini Spikes with a letter height of 10 mm. The needles are arranged as letters, numbers or symbols. Specific symbols for applying, e.g. legally required markings such as recycling information are available in different sizes.

If you purchase the CITO Spike System, you receive a logical system of Spikes, Spike Strips and Packing adapted to the different corrugated boards. Easy and convenient to handle and straightforward to set up on the Spike strips.

- Simple changeover of the Spikes on the strip
- · Heights in line with European diecutting standards
- Self-adhesive packing for simple height adjustment
- Easy-to-assemble strips are self-adhesive
- · CAD templates available for easy design
- Identical in concept to Mini Spikes and Mini Embossing Tools

Symbols

Light alloy, with Resy letters, with needles, standardized size

Order no.	Description	Outer dimensions	Letter size	Needle height
BQE00017	Spike "TRIMAN"	65 × 65 mm	54 × 59 mm	
BQE00006	Spike "PAP 20"	62 × 66 mm	49 × 58 mm	
BQE00018	Spike "PAP 20" Mini, with sink holes	35 × 30 mm	25.7 × 24.5 mm	
BQE00008	Spike "PAP 21"	62 × 66 mm	49 × 58 mm	
BQE00019	Spike "PAP 21" Mini with sink holes	35 × 30 mm	25.7 × 24.5 mm	
BQE00016	Spike "PP 05"	60 × 66 mm	49 × 61 mm	
BQE00001	Resy Symbol	66 × 62 × 6.5 mm	55 × 60 mm	3.5 mm
BQE00002	Resy Symbol, mini	25 × 25 × 3.5 mm	23 × 22 mm	2.0 mm
BQE00003	Resy Symbol*	$75 \times 75 \times 5.3 \text{ mm}$	65 × 65 mm	2.8 mm
BQE00004	Resy Symbol, mini*	25 × 25 × 3.5 mm	23 × 22 mm	2.0 mm
BQE00010	Green Dot Symbols	50 × 50 × 7 mm	Ø 44 mm	3.7 mm
BQE00011	Green Dot Symbols, mini	25 × 25 × 5.7 mm	Ø 22 mm	2.0 mm


* without letters Unit: 20 pcs.





Spike "PAP 21"





Spike 0



Spike 1



Spikes with groove

Letter height 20 mm

Order no.	Description
BQE03000	Spike 0
BQE03001	Spike 1
BQE03002	Spike 2
BQE03003	Spike 3
BQE03004	Spike 4
BQE03005	Spike 5
BQE03006	Spike 6/9
BQE03007	Spike 7
BQE03008	Spike 8
BQE04010	Spike A
BQE04011	Spike B
BQE04012	Spike C
BQE04013	Spike D
BQE04014	Spike E
BQE04015	Spike F
BQE04016	Spike G
BQE04017	Spike H
BQE04018	Spike I
BQE04019	Spike J
BQE04020	Spike K
BQE04021	Spike L

Order no.	Description
BQE04022	Spike M
BQE04023	Spike N
BQE03000	Spike O
BQE04024	Spike P
BQE04025	Spike Q
BQE04026	Spike R
BQE04027	Spike S
BQE04028	Spike T
BQE04029	Spike U
BQE04030	Spike V
BQE04022	Spike W
BQE04031	Spike X
BQE04032	Spike Y
BQE04033	Spike Z
BQE04034	Spike "-"
BQE04035	Spike "/ "
BQE04036	Spike ". "
BQE04037	Spike "&"
BQE04038	Spike "rougher"
BQE04039	Spike "flag"

Unit: 25 pcs.



Stopper Mini Spike





Mini Spike 1



Mini Spikes

Letter height 10 mm

Order no.	Description
BQE02000	Mini Spike 0
BQE02001	Mini Spike 1
BQE02002	Mini Spike 2
BQE02003	Mini Spike 3
BQE02004	Mini Spike 4
BQE02005	Mini Spike 5
BQE02006	Mini Spike 6/9
BQE02007	Mini Spike 7
BQE02008	Mini Spike 8
BQE02010	Mini Spike A
BQE02011	Mini Spike B
BQE02012	Mini Spike C
BQE02013	Mini Spike D
BQE02014	Mini Spike E
BQE02015	Mini Spike F
BQE02016	Mini Spike G
BQE02017	Mini Spike H
BQE02018	Mini Spike I
BQE02019	Mini Spike J

Order no.	Description
BQE02020	Mini Spike K
BQE02021	Mini Spike L
BQE02022	Mini Spike M
BQE02023	Mini Spike N
BQE02000	Mini Spike O
BQE02024	Mini Spike P
BQE02025	Mini Spike Q
BQE02026	Mini Spike R
BQE02027	Mini Spike S
BQE02028	Mini Spike T
BQE02029	Mini Spike U
BQE02030	Mini Spike V
BQE02022	Mini Spike W
BQE02032	Mini Spike X
BQE02033	Mini Spike Y
BQE02034	Mini Spike Z
BQE02035	Mini Spike "-"
BQE02036	Mini Spike "/ "
BQE02100	Stopper Mini Spike

Unit: 25 pcs.







Mini Embossing Tools

Unlike spikes, the CITO Mini Embossing Tools do not penetrate the cover liner of the corrugated cardboard. They are used, for example, with E-flute and F-flute.

Due to their identical basic geometry, the CITO Mini Embossing Tools range is compatible with the CITO Mini Spike system.

Letter height 10 mm

Order no.	Description
BQE07000	Mini Embossing Tool 0/O
BQE07001	Mini Embossing Tool 1
BQE07002	Mini Embossing Tool 2
BQE07003	Mini Embossing Tool 3
BQE07004	Mini Embossing Tool 4
BQE07005	Mini Embossing Tool 5
BQE07006	Mini Embossing Tool 6/9
BQE07007	Mini Embossing Tool 7
BQE07008	Mini Embossing Tool 8
BQE07010	Mini Embossing Tool A
BQE07011	Mini Embossing Tool B
BQE07012	Mini Embossing Tool C
BQE07013	Mini Embossing Tool D
BQE07014	Mini Embossing Tool E
BQE07015	Mini Embossing Tool F
BQE07016	Mini Embossing Tool G
BQE07017	Mini Embossing Tool H

Order no.	Description
BQE07018	Mini Embossing Tool I
BQE07019	Mini Embossing Tool J
BQE07020	Mini Embossing Tool K
BQE07021	Mini Embossing Tool L
BQE07022	Mini Embossing Tool M/W
BQE07023	Mini Embossing Tool N
BQE07024	Mini Embossing Tool P
BQE07025	Mini Embossing Tool Q
BQE07026	Mini Embossing Tool R
BQE07027	Mini Embossing Tool S
BQE07028	Mini Embossing Tool T
BQE07029	Mini Embossing Tool U
BQE07030	Mini Embossing Tool V
BQE07032	Mini Embossing Tool X
BQE07033	Mini Embossing Tool Y
BQE07034	Mini Embossing Tool Z
BQE02100	Stopper Mini Spike

Unit: 25 pcs.

Spikes with Spike strip for Spikes with Groove and Backing for height adjustment





Accessories for Spikes, Mini Spikes and Mini Embossing Tools

Order no.	Description	Dimensions $(L \times W \times H)$	Colour	Unit
BQE04100	Spike strip for Spikes with Groove, letter height 20 mm, self-adhesive	$700 \times 29 \times 5.2 \text{ mm}$ Plate thickness: 1.9 mm	Black	1 pc.
AQE00001	Backing for height adjustment for Spike Strip, self-adhesive	700 × 28 × 0.5 mm	Pink	25 pcs.
AQE00003	Backing for height adjustment for Spike Strip, self-adhesive	700 × 28 × 0.8 mm	Yellow	25 pcs.
AQE00002	Backing for height adjustment for Spike Strip, self-adhesive	700 × 28 × 1.0 mm	Green	25 pcs.
BQE02101	Spike Strip for Mini Spikes and Mini Embossing Tools, Non self-adhesive	$1000 \times 16.4 \times 3.0 \text{ mm}$ Plate thickness: 0.8 mm	Blue	1 pc.
AQE00011	Packing for height adjustment for Mini Spikes Spike Strip and Mini Embossing Tools, self-adhesive	700 × 16 × 0.5 mm	Pink	25 pcs.
AQE00013	Packing for height adjustment for Mini Spikes Spike Strip and Mini Embossing Tools, self-adhesive	700 × 16 × 0.8 mm	Yellow	25 pcs.
AQE00012	Packing for height adjustment for Mini Spikes Spike Strip and Mini Embossing Tools, self-adhesive	700 × 16 × 1.0 mm	Green	25 pcs.





Knock-in nut without thread



Knock-in nuts with Tap




Knock-in Nuts


Order no.	Description	Unit
BLC05101	Knock-in nut without thread Ø 22 mm, sleeve Ø 9.9 mm × height 11.5 mm	100 pcs.
BLC05103	Knock-in nut with Tap M3 height 5 mm, Ø 13 mm, bore 4.35 mm	1000 pcs.
BLC05104	Knock-in nut with Tap M4 height 8 mm, ∅ 15 mm, bore 5.2 mm	500 pcs.
BLC05105	Knock-in nut with Tap M5 height 8.4 mm, Ø 17 mm, bore 6.2 mm	300 pcs.
BLC05106	Knock-in nut with Tap, M6, height 9 mm, ∅ 18 mm, bore 7.4 mm	200 pcs.
BLC05108	Knock-in nut with Tap M8 height 11 mm, Ø 22 mm, bore 9.5 mm	100 pcs.
BLC05110	Knock-in nut with Tap M10 height 12 mm, Ø 25 mm, bore 12 mm	100 pcs.

Material: steel zinc plated











CITO Rule Puller

The CITO Rule Puller makes changing cutting, creasing and special rules (2-4 pt rules) simply child's play

- Simple and efficient handling
- The vertical pulling force enable rules to be pulled straight upwards without tilting
- The interchangeable clamping jaws allow you to pull rules even when they are positioned closely together
- Magnetic foot pins enable easy and flexible positioning of the CITO Rule Puller
- Suitable for both left-handed and right-handed users
- Suitable for 2-4 pt rules
- Replacement clamping jaws (wide and narrow) are available separately
- · Narrow and wide clamping jaws are included in the kit

Order no.	Description	Unit
BQS00020	CITO Rule Puller	1 pc.
BQS00021	Jaws for CITO Rule Puller	2 pcs.
BQS00022	Jaws (narrow, for rule distances under 6 mm) for CITO Rule Puller	2 pcs.
BQS00023	Slider for clamping jaws for CITO Rule Puller	1 set
BQS00024	Pins for CITO Rule Puller	1 pc.





Hammers

Hammer SIMPLEX



CITO PU Hammer Rotary



Description	Head	Material	Unit	Order no.
SIMPLEX Hammer, with Aluminium Insert	Ø 30 × 90 mm	Aluminium	1 pc.	BQS00001
Insert SIMPLEX Hammer	Ø 30 mm	Aluminium	1 pc.	BQS00009
PU Insert SIMPLEX Hammer	Ø 30 mm	Polyurethane		BQS00066
SIMPLEX Hammer, without Insert	Ø 40 × 115 mm	Aluminium	1 pc.	BQS00002
Insert SIMPLEX Hammer	Ø 40 mm	Aluminium	1 pc.	BQS00003
PU Insert for SIMPLEX Hammer	Ø 40 mm	Polyurethane	1 pc.	BQS00067
CITO PU Hammer Rotary	Ø 70 × 115 mm		1 pc.	BQS00063
Head for CITO PU Hammer Rotary	Ø 70 × 115 mm		1 pc.	BQS00062
CITO PU Hammer Flatbed	Ø 50 × 125 mm		1 pc.	BQS00065
Head for CITO PU Hammer Flatbed	Ø 50 × 125 mm		1 pc.	BQS00064
Rawhide Hammer	Ø 50 × 89 mm		1 pc.	BQS00034
Rawhide Hammer	Ø 63 × 102 mm		1 pc.	BQS00035
Hammer Aluminium with plastic handle	Ø 25 x 170 mm	Aluminium	1 pc.	BQS00012





CITO Handle for rotary half-shells


CITO Handles for rotary half-shells are used for easy transport and smooth handling of rotary dies.

Safe transport of the half-shells is guaranteed thanks to the fourfold screw-fixing.

By milling a pocket with a milled depth of 4.00 mm, the CITO Handle can be mounted without interfering with the diecutting process.














CITO Stripping Components




CITO SECURE PRESSER 2.0



Specially designed for use in stripping tools with presser plate for the conversion of solid board and corrugated board

The CITO SECURE PRESSER 2.0 meets the highest requirements in the production process and sets new standards when it comes to safety, speed and efficiency.






By using stripping tools with presser plate, a constantly high production performance can be achieved at maximum machine speed. The CITO SECURE PRESSER 2.0 is the key component, for ensuring uniform pressure distribution over the entire surface of the central stripping board. It does not matter whether low-quality material or sheets that do not lie flat are involved.



The CITO SECURE PRESSER 2.0 in combination with presser plate reduces machine stops and machine wear.

The advantages at a glance:

- · Long service life for all types of jobs at full machine speed
- "Pick and place": for quick and reliable assembly
- Safety strap and screws are completely preassembled
- Fast and secure screwing of the presser plate due to toothed anti-rotation protection
- Uniform pressure distribution even with challenging materials
- Fault-free production without interruptions





Order no.	Description	Colour	Unit
BLA02005	CITO SECURE PRESSER 2.0	Yellow	50 pcs.
	completely preassembled with integrated screws and safety strap		





CITO LOCK bolt and nut



Safer transport and storage due to better protection of your stripping tools. Available in two sizes.

- Locking bolt made of 100 % break-proof material
- Prevents damage to your valuable stripping tools during transport
- Secure storage for tools
- Improved machine performance, less down time
- · Convenient and safe handling
- Automatic safety lock
- Patented

Order no.	Description	Colour	Length	Unit
BLC01020	CITO LOCK bolt	Yellow	43 mm	250 pcs.
BLC01021	CITO LOCK nut	Yellow		250 pcs.
BLC01022	CITO LOCK bolt	Black	50 mm	250 pcs.
BLC01023	CITO LOCK nut	Black		250 pcs.






CITO Centering Screw for Centerline I

Safer transport and storage due to better protection of your stripping tools. Available in two sizes.

- Locking bolt made of 100 % break-proof material
- · Convenient and safe handling

Order no.	Description	Colour	Length	Unit
BLC01036	Bolt for Centerline I	Grey	43 mm	250 pcs.
BLC01037	Nut for Centerline I	Grey		300 pcs.
BLC01038	Bolt for Centerline I	Red	50 mm	250 pcs.
BLC01039	Nut for Centerline I	Red		300 pcs.



PROTECTOR

CITO PROTECTOR and SOFT CORNER PROTECTOR protect the corners of the cutting die from damage during transport or when placing it into or removing it from storage. Available for three die board thicknesses.

The advantages:

- 100 % break-proof material
- No damage to corners of cutting dies
- Makeready times on the press are considerably reduced as no reworking is necessary
- · Reduced risk of injury to staff
- A mark of quality for the application of CITO technology on the cutting die






Order no.	Description	Die board thickness	Unit
BQK00001	CITO PROTECTOR	12 mm	500 pcs.
BQK00002	CITO PROTECTOR	15 mm	500 pcs.
BQK00003	CITO PROTECTOR	18 mm	500 pcs.



SOFT CORNER PROTECTOR (1)

Order no.	Description	Die board thickness	Unit
BQK00041	SOFT CORNER PROTECTOR	15 mm	200 pcs.
BQK00042	SOFT CORNER PROTECTOR	15.9 mm	200 pcs.
BQK00043	SOFT CORNER PROTECTOR	18 mm	200 pcs.





CITO SHEET RAMP

Small tool with large effect

CITO SHEET RAMP lifts the sheet before it reaches obstacles to enable faster and more reliable machine running. The CITO SHEET RAMP also supports lifting of the sheet after the cutting process, e.g. out of the creasing channel. The machine operator positions the self-adhesive CITO SHEET RAMP in the machine's running direction, in front of the interfering contour, by means of "Pick and Place".

It can be used as a problem solver on cutting plates, cut-crease plates, Pertinax counters, the middle stripping board or the lower blanking tool. The high adhesive force and easy handling make the CITO SHEET RAMP unique. A small production tolerance enables precise gluing in the cut contours if necessary.

Areas of application

Cutting plate: In front of a reverse cut or a reverse crease: The cardboard is transferred smoothly over the obstacle before the cutting process. After the cutting process, the cardboard is ejected, which helps the sheet transport. In front of a Pertinax counter or on the Pertinax counter in front of a crease or reverse cut. CITO SHEET RAMP can also be used for embossing.

Cut-crease plate: In front of a creasing channel cut across the machine's running direction to lift the sheet out of the channel after cutting. In front of a reverse cut or reverse crease to transport the sheet over the obstacle.

Middle stripping die: For sheet transport over waste holes and to avoid stoppers.

Lower blanking tool: For optimisation of the sheet transport.

User benefits:

- · Higher machine speed
- Avoidance of machine stoppers

CITO SHEET RAMP is suitable for cardboard and corrugated cardboard; two variants available.

Order no.	Description	Length	Colour	Unit
BQR00003	CITO SHEET RAMP S	11 mm 0.43"	Black	200 pcs.
BQR00004	CITO SHEET RAMP M	21 mm 0.83"	Black	200 pcs.





CITO SHEET RAMP M







CITO SHEET LIFT 3D

CITO SHEET LIFT 3D



CITO SHEET LIFT 3D ADD



Optimum solution for safe sheet transport - double-sided usability!

CITO SHEET LIFT 3D is a high-quality element for sheet lifting in the stripping die for cardboard and corrugated board.

It is fitted easily, without tools, in the corresponding laser cutouts in the lower stripping board. A sheet hold-down (stripping foam, presser or presser plate) is positioned above it.

During the stripping process, the foam presses the sheet onto the lower stripping board and against the CITO SHEET LIFT 3D, which sinks into stripping board. After stripping, the sheet is lifted by the spring force of CITO SHEET LIFT 3D and the gripper bar pulls the sheet over the stripping board without contact.

Thanks to the differently shaped sides, CITO SHEET LIFT 3D can be used on both sides for corrugated board and for cardboard. Depending on the quality and thickness of the material, CITO SHEET LIFT 3D can also be inserted deeper into the wood to ensure optimum sheet transfer.

Existing stripping dies can be retrofitted with the self-locking CITO SHEET LIFT 3D ADD clamping ring in combination with CITO SHEET LIFT 3D.

- Flexibly usable on both sides
- · Effective sheet lifting
- · Retrofittable at any time

Order no.	Description	Colour	Unit
BLA03003	CITO SHEET LIFT 3D	Yellow	1000 pcs.
BLA03005	CITO SHEET LIFT 3D ADD Self-locking clamping ring for CITO SHEET LIFT 3D	Yellow	500 pcs.
BLA03006	Milling Tool for CITO SHEET LIFT 3D ADD		1 pc.



CITO SHEET PRESSER

For uniformly flat sheets during the stripping process


CITO SHEET PRESSER is a tear-resistant spring element made of a flexible material which is mounted between the presser plate and the upper stripping die. In combination with the durable foam material, a consistently high result is achieved; the production runs smoothly with significantly fewer machine stops.

The spring element is universally applicable for all machine types and materials and perfectly suited for machine speeds of up to 7,500 sheets / hour. By using a presser plate, the sheets are pressed evenly flat during the stripping process. It is attached to the upper stripping die by simply screwing, screw sets are included in the delivery.

- Tear-resistant and flexible material
- Constant, wear-free production
- Evenly flat sheets

Order no.	Description	Colour	Unit
BLA02001	CITO SHEET PRESSER S 30 × 38 mm 1.18 × 1.50" tear-resistent spring element, incl. screws	Black	100 pcs.
BLA02002	CITO SHEET PRESSER M 40 × 38 mm 1.58 × 1.50" tear-resistent spring element, incl. screws	Black	100 pcs.





CITO CRAFT STRIP CITO CASTLE STRIP

CITO CRAFT STRIP S



CITO CRAFT STRIP M



CITO CRAFT STRIP L



CITO CASTLE STRIP



Efficient stripping of the internal waste and the side edge

CITO CRAFT STRIP and CITO CASTLE STRIP are optimally suitable for problematic waste parts or heavy, thick material grades as well as material grades with long fibres (e.g. cardboard, Kraft liner, board, E-flute and corrugated board). Thanks to its particular product properties, even extremely long runs can be produced with constantly high quality.

CITO CRAFT STRIP was specially developed for stripping internal waste. The multi-stage design reliably separates and removes the waste from the sheet in two steps.

CITO CASTLE STRIP was designed for use on the side edge and back edge. The strong nicks of the side edge and back edge are completely destroyed before the stripping.

With CITO CRAFT STRIP and CITO CASTLE STRIP there is no longer any need for the time-consuming and costly chamfering of the lower stripping board.

- Separation of waste nicks before the actual stripping process
- Thanks to the multi-stage design, the waste is separated from the sheet in two steps and is ejected reliably
- · No need to chamfer the lower stripping board
- · Significant load reduction on the diecutter and stripping tool
- · Ideal for use in standard tools and dynamic stripping dies

Order no.	Description	Colour	Unit
BLA01001	CITO CRAFT STRIP S	Silver	250 pcs.
BLA01002	CITO CRAFT STRIP M	Silver	250 pcs.
BLA01003	CITO CRAFT STRIP L	Silver	250 pcs.
BLA01004	CITO CASTLE STRIP	Silver	200 pcs.



CITO BOX RAMP S



CITO BOX RAMP M



CITO BOX RAMP L



CITO BOX RAMP H



CITO BOX RAMP

Efficient solution for the stripping of the internal waste

By using CITO BOX RAMP there is no need for conventional chamfering of the internal waste in the lower stripping board. Time-consuming setting for internal waste and hand-cut scrapers in the stripping board are no longer necessary. Outstandingly well-suited for all types of dynamic strippers (e.g. pins, claws) and all materials (e.g. cardboard, E-flute and corrugated board).

Available in four different versions:

· CITO BOX RAMP S and CITO BOX RAMP M

Supports the sheet transport. These stripping components easily and reliably prevent the flaps from bumping against the front edge of the internal waste.

CITO BOX RAMP L

Scraper for the side edge. On stripping, the waste is removed to the side; typical production faults are avoided and thus optimum and constant machine performance is ensured.


· CITO BOX RAMP H

Especially designed for the machine operator, as a functional addition to existing stripping dies. Due to a strong adhesive point subsequent fixing during production can be achieved easily. A limit stop enables precise positioning relative to the edge of the board.

- Time-consuming rework is no longer necessary for fast and efficient stripping of the waste
- · Universal use for all types of dynamic stripping
- Precise positioning of the stripping components
- Constantly high machine performance

Order no.	Description	Functional width	Colour	Unit
BLA04001	CITO BOX RAMP S	6.0 mm 0.24"	Yellow	500 pcs.
BLA04002	CITO BOX RAMP M	7.0 mm 0.28"	Yellow	500 pcs.
BLA04003	CITO BOX RAMP L	21.0 mm 0.83"	Yellow	250 pcs.
BLA04004	CITO BOX RAMP H *	21.0 mm 0.83"	Yellow	250 pcs.

^{*} self-adhesive, for subsequent use on the diecutter



CITO DYN SEPARATOR S



CITO DYN SEPARATOR M



CITO DYN SEPARATOR L



CITO DYN SEPARATOR

Reliable dynamic stripping of the side waste

The special register crosses on the top of the stripping component ensure fast and exact register control when setting up the lower stripping board relative to the sheet. No additional aids or tools are necessary.

The CITO DYN SEPARATOR can also be fixed in a stable position without screws. Due to the high counter pressure, the edge waste is safely and reliably stripped off via the wide shoulder of the side cutting knife.

- Fast, easy and efficient register control
- Assembly without additional tools
- High counter pressure for reliable stripping process

Order no.	Description	Length	Colour	Unit
BLA05003	CITO DYN SEPARATOR S	9 mm 0.35"	Silver	150 pcs.
BLA05004	CITO DYN SEPARATOR M	20 mm 0.79"	Silver	150 pcs.
BLA05005	CITO DYN SEPARATOR L	55 mm 2.17"	Silver	150 pcs.








Stripping Foam

Dual Stripping Foam

For avoiding machine stops. The upper foam layer is harder thus ideally fixing the diecutting material.

Order no.	Description	Dimensions (L × W × H)	Unit		
Strips					
BLB00001	Dual Stripping Foam, self-adhesive	1000 × 40 × 40 mm	100 strips		
BLB00002	Dual Stripping Foam, self-adhesive	1000 × 40 × 50 mm	100 strips		
Cubes					
BLB01090	Dual Stripping Foam, self-adhesive	40 × 20 × 40 mm	4116 cubes		
BLB01091	Dual Stripping Foam, self-adhesive	40 × 40 × 40 mm	2016 cubes		
BLB01092	Dual Stripping Foam, self-adhesive	40 × 80 × 40 mm	1008 cubes		



Stripping Foam RG35 / RG65

Order no.	Description	Dimensions $(L \times W \times H)$	Colour	Unit
Stripping Fo	am RG35			
Strips				
BLB01015	RG35, self-adhesive	1000 × 40 × 40 mm	Blue	72 strips
Cubes				
BLB01086	RG35, self-adhesive	40 × 20 × 40 mm	Blue	3456 cubes
BLB01019	RG35, self-adhesive	40 × 40 × 40 mm	Blue	1728 cubes
BLB01087	RG35, self-adhesive	40 × 80 × 40 mm	Blue	864 cubes
BLB01020	RG35, self-adhesive	40 × 40 × 50 mm	Blue	1728 cubes
Stripping Fo	am RG65			
Strips				
BLB01035	RG65, self-adhesive	1000 × 40 × 40 mm	Grey	72 strips
BLB01038	RG65, self-adhesive	1000 × 40 × 50 mm	Grey	60 strips
Cubes				
BLB01081	RG65, self-adhesive	40 × 20 × 40 mm	Grey	3456 cubes
BLB01080	RG65, self-adhesive	40 × 40 × 40 mm	Grey	1728 cubes
BLB01082	RG65, self-adhesive	40 × 80 × 40 mm	Grey	864 cubes





CENTERING Elements

Setline Products for quick and exactly centred makeready of the diecutter.

	Description	Area	Colour	Unit	Order no.
	Centerline Centring Block SP for BOBST chase loader	S/B	Red	100 pcs.	BLC02010
-	REGISTER BLOCK for Quicklocksystem	S/B	Yellow	250 pcs.	BLC02001
	Centerline I Centering Block for Upper Stripping Board	S	Black	50 pcs.	BLC02005
	Centerline II Centering Block for Lower Stripping Board	S	Red	50 pcs.	BLC02006
	Centring Block for BOBST chase loader	S/B	Blue	100 pcs.	BLC02007
	Setline I + II Centerling Block for Upper Stripping Board	S	Black	100 pcs.	BLC02008
-	Setline II Centering Block for Lower Stripping Board	S	White	100 pcs.	BLC02009
	Centerline Piece for Lower Blanking Board	В	Black	25 pcs.	BLC02004

S: Stripping B: Blanking





Stripping Pins and Stripping Rules

Due to the crown pins and the pointed edges at the stripping rules the waste is stripped perfectly downwards thus avoiding a twisting and bouncing of the waste.

A controlled stripping process means less machine stops and higher machine performance.

Stripping Pin, Crown Pin



Stripping Pin narrow shoulder without point



Stripping Rules with point



Stripping Pins

Order no.	Ø Head	Unit
Stripping Pin, Cr	own Pin, Height 50 mm, Bottom Ø 4 mm	
BLC03001	Ø 2 mm	200 pcs.
BLC03002	Ø 3 mm	200 pcs.
BLC03004	Ø 4 mm	200 pcs.
BLC03003	Ø 5 mm	200 pcs.
BLC03005	Ø 6 mm	200 pcs.
BLC03021	Ø 8 mm	200 pcs.
BLC03020	Ø 10 mm	200 pcs.

Stripping Pin narrow shoulder without point, Height 50 mm, Bottom Ø 4 mm				
BLC03016	Ø 2 mm	200 pcs.		
BLC03006	Ø 3 mm	200 pcs.		
BLC03009	Ø 4 mm	200 pcs.		
BLC03010	Ø 5 mm	200 pcs.		
BLC03007	Ø 6 mm	200 pcs.		
BLC03011	Ø 8 mm	200 pcs.		
BLC03015	Ø 10 mm	200 pcs.		

Stripping Rules

Order no.	Length	Unit
Stripping Rules v	with point, Thickness 3 pt, Height 50.9 mm	
BLC08001	4 mm	500 pcs.
BLC08002	6 mm	500 pcs.
BLC08003	8 mm	500 pcs.
BLC08004	10 mm	500 pcs.
BLC08005	12 mm	500 pcs.
BLC08006	15 mm	500 pcs.
BLC08007	20 mm	300 pcs.
BLC08008	30 mm	200 pcs.
BLC08009	50 mm	200 pcs.
BLC08010	70 mm	100 pcs.



Stripping Accessories

SPO Stripping Accessories

SPO clamping jaws

	Description	Colour	Unit	Order no.	
	SPO clamping jaws, plastic, without fastening screws, 88 × 15 × 55 mm (L × W × H)	Red	48 pcs.	BLC06019	
Screw set for top mounting clamping jaws BLC06019					
-	SPO countersunk screw set – for top mounting clamping jaws BLC06019 (100 screws M6 × 50 HS4 and 100 nuts)	Silver	Set	BLC06020	

Screw set for bo	ottom mounting clamping jaws BLC06019	Recom	mended varian	3
	SPO cylinder head screw set – for bottom mounting clamping jaws BLC06019 (100 screws M6 × 50 HS5)	Silver	100 pcs.	BLC06021
	Knock-in nut with Tap, M6, steel zinc plated, height 9 mm, Ø 18 mm, bore 7.4 mm	Silver	200 pcs.	BLC05106

Top mounting



Bottom mounting



SPO clamping jaws for lower stripping board

	Description	Colour	Unit	Order no.
	SPO clamping jaws for lower stripping board, plastic, without fastening screws 88 × 15 × 57 mm (L × W × H)	Black	50 pcs.	BLC06001
O COMMENT	Mounting bolt set for SPO clamping jaws (BLC06001) (with 100 bolts and nuts)	Silver	set	BLC06004

SPO strip rod knife

Description	Colour	Unit	Order no.
SPO strip rod knife, for 12 mm lower stripping board, Length: 30 mm, Height: 62 mm	Silver	100 pcs.	BLC06081
SPO strip rod knife, for 12 mm lower stripping board, Length: 70 mm, Height: 62 mm	Silver	75 pcs.	BLC06082
SPO strip rod knife, for 12 mm lower stripping board, Length: 100 mm, Height: 62 mm	Silver	50 pcs.	BLC06083
SPO strip rod knife, for 12 mm lower stripping board, Length: 255 mm, Height: 62 mm	Silver	25 pcs.	BLC06084


SP Stripping Accessories

	Description	Colour	Unit	Order no.
200	SP CLAMP BLOCK incl. thread M6, 89 × 15 × 33 mm (L × W × H)	Yellow	200 pcs.	BLC06006
[]	SP clamping jaw, plastic, for lower stripping board, $70 \times 9.5 \times 30$ mm (L × W × H)	Yellow	250 pcs.	BLC06005
	SP clamping jaw, steel, zinc plated, for lower stripping board, $70 \times 6 \times 30$ mm (L \times W \times H)	Silver	50 pcs.	BLC06017
—	SP strip rod knife, for 12 mm lower stripping board, Length: 30 mm, Height: 24 mm, 2 bores	Silver	100 pcs.	BLC06087
-	SP strip rod knife, for 12 mm lower stripping board, Length: 73 mm, Height: 24 mm, 2 bores	Silver	100 pcs.	BLC06088
	SP strip rod knife, right, for 12 mm lower stripping board, Length: 25 mm	Silver	150 pcs.	BLC06086
	SP strip rod knife, left, for 12 mm lower stripping board, Length: 25 mm	Silver	150 pcs.	BLC06085

Stripping Accessories


	Description	Colour	Unit	Order no.
	CITO Quick Lock Safety Screw M6	Black	50 pcs.	BLC06018
	Spacer, plastic, round, Total length: 46.5 mm, Distance: 23 mm	Black	500 pcs.	BLC07003
	Spacer, plastic, oval-shaped, for 50 mm machine stroke, Total length: 45 mm, Distance: 23 mm	Yellow	400 pcs.	BLC07005
Ü	CITO MOUNTING SLEEVE for wooden blocks, Total length: 30 mm, Distance: 23 mm	Yellow	400 pcs.	BLC07007
	Alu-U-Profile for central stripping board, Centerline I SPO, 80 × 25 × 50 × 3 mm, 15 mm recess left + right with 4 bores Ø 6.5 mm	Silver	50 pcs.	BLC06015
	CITO LOWER STRIPPING PINS, Body Ø 8 mm, Pin Ø 2.5 mm, Stainless steel	Silver	50 pcs.	BLC04001
	CITO LOWER STRIPPING PINS, Body Ø 8 mm, Pin Ø 4.0 mm, Stainless steel	Silver	50 pcs.	BLC04002
	CITO LOWER STRIPPING PINS, Body Ø 14.8 mm, Pin Ø 4.0 mm	White	20 pcs.	BLC04003
A STATE OF THE STA	Support Clamp for upper pull-out frame with perforated plate	Silver	6 pcs.	BLC04004
The same of the sa	Pin Holder, 45 mm	Silver	10 pcs.	BLC04005
	Pin Holder, 77 mm	Silver	10 pcs.	BLC04006






CITO Blanking Components





CITO Blanking Components

Angle-Lock[™] Frames



Angle-Lock™ Frames

Efficient blanking

The Angle-Lock™ Frames enable considerable time and cost savings, higher machine performance and have convincing material properties. Due to the low weight, even large blanking tools can be easily handled by one person. The increased rigidity allows higher machine operating speeds. Additionally, the grid material can be precisely cut to length and bent, which reduces waste significantly. Also, the exact reproducibility of repeat jobs benefits diemakers and converters alike by achieving substantial time savings.

The frames can be configured around 75 % faster thanks to the software. All in all, the user achieves around 25 % time-savings thanks to the quicker assembly and easier handling.

All these features, such as precise and rigid tooling construction, easy design and assembly, faster machine speeds and reusable components, combine to make Angle-LockTM frames a worthwhile investment in terms of time and cost savings.

- Precise, stable and robust construction
- · Reducible costs through self-assembly
- Lower weight than conventional tools
- · Less initial costs
- · Higher machine speeds
- 80 % reusable components
- Short delivery times
- Faster amortisation of the blanking tools



Angle-Lock™ QUICK SET FRAMES

Product characteristics, advantages and application:


- Ever smaller runs
- Frame remains in the machine (less weight)
- Quick tool change possible
- Tool change easily manageable by one person
- Very cost-efficient

QUICK SET Frame Kits




Description	Order no.
QUICK SET Frame Kit 102-CER / 103-ER	BFA04001
QUICK SET Frame Kit 104-ER	BFA04002
QUICK SET Frame Kit 106-PER / LER	BFA04003
QUICK SET Frame Kit 130-ER	BFA04004
QUICK SET Frame Kit 142-ER	BFA04005
QUICK SET Frame Kit 142-CER	BFA04006
QUICK SET Frame Kit 145-PER	BFA04007

QUICK SET Frame Rails



Description	Front	Rear	Left	Right
Frame Rail SP 102/103	BFB04001	BFB04007	BFB01018	BFB01026
Frame Rail SP 104	BFB04002	BFB04008	BFB01018	BFB01026
Frame Rail SP 106	BFB04003	BFB04009	BFB01019	BFB01027
Frame Rail SP 130	BFB04004	BFB04010	BFB01020	BFB01028
Frame Rail SP 142-ER	BFB04005	BFB04011	BFB01021	BFB01029
Frame Rail SP 142-CER	BFB04005	BFB04011	BFB01022	BFB01030
Frame Rail SP 145	BFB04006	BFB04012	BFB01023	BFB01031



Angle-Lock[™] STANDARD FRAMES

Product characteristics, advantages and application:

- Completely self-built tools (screwed or welded)
- With only single cut
- · With only one contour
- Moveable sides
- As a combination tool (wooden contour and steel grid)
- As a Flat Top tool

STANDARD FRAMES Frame Kits



Description	Order no.
STANDARD FRAMES Frame Kit 102-CER, 103-ER	BFA01001
STANDARD FRAMES Frame Kit 104-ER	BFA01002
STANDARD FRAMES Frame Kit 106-PER / LER	BFA01003
STANDARD FRAMES Frame Kit 130-ER	BFA01004
STANDARD FRAMES Frame Kit 142-ER	BFA01005
STANDARD FRAMES Frame Kit 142-CER	BFA01006
STANDARD FRAMES Frame Kit 145-PER	BFA01007
STANDARD FRAMES Frame Kit 162-CER	BFA01008
STANDARD FRAMES Frame Kit 1600-ER	BFA01009





STANDARD FRAMES Flat Top Tool Kits

Description	Order no.
Flat Top Tool Kit 102-CER / 103-ER	BFA02001
Flat Top Tool Kit 104-ER	BFA02002
Flat Top Tool Kit 106-PER / LER	BFA02003
Flat Top Tool Kit 130-ER	BFA02004
Flat Top Tool Kit 142-ER	BFA02005
Flat Top Tool Kit 142-CER	BFA02006
Flat Top Tool Kit 145-PER	BFA02007
Flat Top Tool Kit 162-CER	BFA02008

Unit: 1 pc.


STANDARD FRAMES Universal Tool Kits




Description	Order no.
Universal Tool Kit 102-CER / 103-ER	BFA03001
Universal Tool Kit 104-ER	BFA03002
Universal Tool Kit 106-PER / LER	BFA03003
Universal Tool Kit 130-ER	BFA03004
Universal Tool Kit 142-ER / 1420-ER	BFA03005
Universal Tool Kit 142-CER	BFA03006
Universal Tool Kit 145-PER	BFA03007
Universal Tool Kit SP-162-CER	BFA03008

Unit: 1 pc.

STANDARD FRAMES Frame Rails



Description	Front	Rear	Left	Right
Frame Rail SP 102/103	BFB01001	BFB01009	BFB01018	BFB01026
Frame Rail SP 104	BFB01002	BFB01010	BFB01018	BFB01026
Frame Rail SP 106	BFB01003	BFB01011	BFB01019	BFB01027
Frame Rail SP 130	BFB01004	BFB01012	BFB01020	BFB01028
Frame Rail SP 142-ER	BFB01005	BFB01013	BFB01021	BFB01029
Frame Rail SP 142-CER	BFB01005	BFB01014	BFB01022	BFB01030
Frame Rail SP 145	BFB01006	BFB01015	BFB01023	BFB01031
Frame Rail SP 162	BFB01007	BFB01016	BFB01024	BFB01032
Frame Rail SP 1600-ER	BFB01008	BFB01017	BFB01025	BFB01033



Angle-Lock[™] RECEIVER SYSTEM


RECEIVER SYSTEM Frame Kits



Description	Order no.
RECEIVER SYSTEM Frame Kit 102-CER, 103-ER	BFA05001
RECEIVER SYSTEM Frame Kit 104-ER	BFA05002
RECEIVER SYSTEM Frame Kit 106-PER / LER	BFA05003
RECEIVER SYSTEM Frame Kit 130-ER	BFA05004
RECEIVER SYSTEM Frame Kit 142-ER	BFA05005
RECEIVER SYSTEM Frame Kit 142-CER	BFA05006
RECEIVER SYSTEM Frame Kit 145-PER	BFA05007
RECEIVER SYSTEM Frame Kit 162-CER	BFA05008
RECEIVER SYSTEM Frame Kit 1600-ER	BFA05009



RECEIVER SYSTEM Frame Rails



Description	Front	Rear	Left	Right
Frame Rail SP 102/103	BFB01001	BFB01009	BFB06001	BFB06009
Frame Rail SP 104	BFB01002	BFB01010	BFB06001	BFB06009
Frame Rail SP 106	BFB01003	BFB01011	BFB06002	BFB06010
Frame Rail SP 130	BFB01004	BFB01012	BFB06003	BFB06011
Frame Rail SP 142-ER	BFB01005	BFB01013	BFB06004	BFB06012
Frame Rail SP 142-CER	BFB01005	BFB01014	BFB06005	BFB06013
Frame Rail SP 145	BFB01006	BFB01015	BFB06006	BFB06014
Frame Rail SP 162	BFB01007	BFB01016	BFB06007	BFB06015
Frame Rail SP 1600-ER	BFB01008	BFB01017	BFB06008	BFB06016

Unit: 1 pc.

RECEIVER SYSTEM Frame Rail Kits



	Description	Order no.
//	RECEIVER SYSTEM Frame Rail Kit 102-CER, 103-ER	BFA06001
//	RECEIVER SYSTEM Frame Rail Kit 104-ER	BFA06002
17	RECEIVER SYSTEM Frame Rail Kit 106-PER / LER	BFA06003
1/:	RECEIVER SYSTEM Frame Rail Kit 130-ER	BFA06004
//:	RECEIVER SYSTEM Frame Rail Kit 142-ER	BFA06005
//	RECEIVER SYSTEM Frame Rail Kit 142-CER	BFA06006
//:	RECEIVER SYSTEM Frame Rail Kit 145-PER	BFA06007
//:	RECEIVER SYSTEM Frame Rail Kit 162-CER	BFA06008
	RECEIVER SYSTEM Frame Rail Kit 1600-ER	BFA06009





CITO Blanking Components

Grid Material





Grid-Tape™ and Grid-Tape MAX



For perfect pile guidance in the delivery of your blank separation station

- Great time savings of up to 90 % thanks to precise assembly in a matter of seconds
- Constant pile guidance in the delivery for efficient handling on the folder-gluer
- Long service life through robust material up to 1,000,000 impressions



Grid-Tape MAX

Grid-Tape MAX is optimally suited to all double-cut layouts, where diemakers had to weld 3.00 to 6.00 mm thick steel onto the metal grid



- Metal-free material suitable for use with food packaging
- Highly-efficient adhesive also suitable for greasy steel and plastic
- Register lines for quick and accurate fitting





Order no.	Description	Dimensions (W × L)	Total thickness steel	Unit
BJC01050	Grid-Tape™	25 × 184 mm	0.6 mm	200 pcs.
BJC01063	Grid-Tape MAX 3	25 × 184 mm	3.0 mm	100 pcs.
BJC01064	Grid-Tape MAX 4	25 × 184 mm	4.0 mm	75 pcs.
BJC01065	Grid-Tape MAX 5	25 × 184 mm	5.0 mm	60 pcs.
BJC01066	Grid-Tape MAX 6	25 × 184 mm	6.0 mm	50 pcs.



Grid Material for Angle-Lock $^{\mathsf{TM}}$

Grid Material



Knife Edge



	Description	Order no.		
Grid Material				
Grid Material – 1	16 mm			
	Grid Material – 16 mm × 2 mm × 2.375 mm	BGM11621		
	Grid Material – 16 mm × 3 mm × 2.375 mm	BGM11631		
	Grid Material – 16 mm × 4 mm × 2.375 mm	BGM11641		
Grid Material – 1	18 mm			
	Grid Material – 18 mm × 5 mm × 2.375 mm	BGM11851		
Grid Material – 2	22 mm			
	Grid Material – 22 mm × 2 mm × 2.375 mm	BGM12221		
	Grid Material – 22 mm × 3 mm × 2.375 mm	BGM12231		
	Grid Material – 22 mm × 4 mm × 2.375 mm	BGM12241		
	Grid Material – 22 mm × 5 mm × 2.375 mm	BGM12251		
	Grid Material – 22 mm × 6 mm × 2.375 mm	BGM12261		
Knife Edge				
Knife Edge – 22 mm				
	Knife Edge Grid Material – 22 mm × 5 mm × 2.375 mm	BGM22251		

Unit: 1 pc.



Grid Clamps for Angle-Lock $^{\mathsf{TM}}$

Grid Clamp Lock



Grid Clamp




	Description	Unit	Order no.			
Grid Clamp Loc	Grid Clamp Lock					
	Grid Clamp Lock – 2 mm	10 pcs.	BGM04002			
	Grid Clamp Lock – 3 mm	10 pcs.	BGM04003			
1	Grid Clamp Lock – 4 mm	10 pcs.	BGM04004			
	Grid Clamp Lock – 5 mm	10 pcs.	BGM04005			
	Grid Clamp Lock – 6 mm	10 pcs.	BGM04006			
Grid Clamp						
6	Grid Clamp – Front/Rear – reusable	10 pcs.	BGM04010			
	Grid Clamp – Side – reusable	10 pcs.	BGM04013			
d	Grid Clamp – Front/Rear – dedicated weldable	25 pcs.	BGM04011			
	Grid Clamp – Side – dedicated weldable	25 pcs.	BGM04012			
	Parallel Clamp	25 pcs.	BFB07113			





CITO Blanking Components

Pressers





CITO SPIDER PRESSER

For reliable fixing of the lateral waste and waste grid for layouts with blank separation cut

CITO SPIDER PRESSER has been developed specifically for use in the upper blanking tool. Created and patented by BOBST, the approved telescopic presser now expands the CITO diemaking portfolio in a new design.

CITO SPIDER PRESSER is a complete package consisting of a CITO SPIDER PRESSER RAIL (yellow) and CITO SPIDER PRESSER SPOT (black), suitable rails and perfectly matched rubbering. The distinct colours of the product variants make handling easy and reliable for the user.

In addition, the height of the CITO SPIDER PRESSER can be adjusted individually. And a choice of high-quality components ensures maximum machine performance of up to 12,000 sheets per hour and a long tool life.



- · Reliable blanking
- Complete solution with special rubbering
- · Adjustable height
- Easy and secure handling thanks to colour-coded variants
- Robust components for long-lasting tools
- Maximum machine performance of up to 12,000 sheets per hour

Order no.	Description	Colour	Unit
BKP00004	CITO SPIDER PRESSER SPOT	Black	25 pcs.
BKP00005	CITO SPIDER PRESSER RAIL	Yellow	25 pcs.
BKP00006	CITO SPIDER PRESSER SPOT US version, plywood 15.9 mm 5/8"	Black	25 pcs.
BKP00007	CITO SPIDER PRESSER RAIL US version, plywood 15.9 mm 5/8"	Yellow	25 pcs.
BKP00008	CITO PRESSER RAIL for CITO SPIDER PRESSER Length 1,500 mm 59.06"	Silver	10 pcs.
BKP03007	PRESSER C-RAIL – BENDABLE Length 2,380 mm 93.7"	Red	1 pcs.
BKP00009	Gasket for CITO PRESSER RAIL 650 × 3 mm	Green	25 pcs



CITO SPIDER PRESSER SPOT



CITO SPIDER PRESSER RAIL



Gasket for CITO PRESSER RAIL





CITO FLAT TOP PRESSER 57 – BOARD



CITO FLAT TOP PRESSER 57 - SPOT



CITO FLAT TOP PRESSER 57 – BOARD US



CITO FLAT TOP PRESSER 57 – SPOT US



CITO FLAT TOP PRESSER 57

Fast assembly and efficient production process for reliable blanking!

The CITO FLAT TOP PRESSER 57 has been especially developed for use in blanking tools with presser plate and is designed for Open Frame and Closed Frame diecutters. It ensures maximum production performance and impresses with its speed and efficiency.

The CITO FLAT TOP PRESSER 57 holds the sheet securely in position during blanking and enables trouble-free and reliable production even at extremely high machine speeds.

It also impresses in every respect when it comes to assembly:

- The especially flattened edges enable installation in the correct position.
- Complete pre-assembly with integrated screws also makes mounting easy.
- The toothed anti-rotation protection and threadlocker coating also facilitate easy and secure screwing of the presser plate.

The advantages at a glance:

- Efficient production processes at full machine speed
- Trouble-free production without interruptions
- "Pick and place" for fast and reliable mounting
- · Correct mounting due to flattened edges
- · Threadlocker coating and premounted screws for quick assembly
- Quick and reliable screwing of the presser plate thanks to toothed anti-rotation protection

Order no.	Description	Colour	Unit		
Plywood 18.0	Plywood 18.0 mm				
BKP04001	CITO FLAT TOP PRESSER 57 – BOARD	Black	50 pcs.		
BKP04002	CITO FLAT TOP PRESSER 57 – SPOT	Black	25 pcs.		
Plywood 15.9	Plywood 15.9 5/8"				
BKP04003	CITO FLAT TOP PRESSER 57 – BOARD	Black / Yellow	50 pcs.		
BKP04004	CITO FLAT TOP PRESSER 57 – SPOT	Black / Yellow	25 pcs.		



CITO SNAP PRESSER

Reliable holding down of the edge and double-cut waste

Thanks to their fast and easy handling, CITO SNAP PRESSER and CITO SNAP PRESSER RAIL are ideally suitable for all variations / sheet designs.

They are mounted without tools and allow low and compact installation in only three steps:

- 1. Laser cut, cut or drill a 15 mm [0.59"] diameter hole in the wood.
- 2. Fit CITO SNAP PRESSER through the hole from underneath.
- 3. Clamping CITO SNAP PRESSER by means of a locking ring - no additional drilling, screwing and gluing.

Two different versions of CITO SNAP PRESSER are available:

- SPOT for selective holding down
- RAIL for extensive holding down of an area with an aluminium rail

The advantages:

- · Fast and easy handling
- · No additional drilling, screwing or gluing
- · Low and compact design

CITO PRESSER RAIL

CITO SNAP PRESSER SPOT

CITO SNAP PRESSER RAIL

PRESSER C-RAIL - BENDABLE



Order no.	Description	Unit
BKP00001	CITO SNAP PRESSER SPOT, incl. spare parts package rings	50 pcs.
BKP00002	CITO SNAP PRESSER RAIL for T-rail incl. STOPPER + pack of spare rings	50 pcs.
BKP00008	CITO PRESSER RAIL for CITO SNAP PRESSER RAIL, Length 1,500 mm 59.06"	10 pcs.
BKP03007	PRESSER C-RAIL – BENDABLE Length 2,380 mm 93.7", Red	1 pcs.
BKP00009	Gasket for CITO PRESSER RAIL 650 × 12.5 × 3 mm, Green	25 pcs.

Pressers for Angle-Lock™

FLUSH PRESSER

FLUSH PRESSER FP-1 - Standard Foot



	Description	Unit	Order no.
2	FLUSH PRESSER FP-1 — Standard Foot	15 pcs.	BKP01001
	FLUSH PRESSER FP-2 – Spot Foot	15 pcs.	BKP01002

PRESSER CL100 - C-RAIL



PRESSER CL100

	Description	Unit	Order no.
1	PRESSER CL100 – SPR	15 pcs.	BKP01003
Ť	PRESSER CL100 – SPOT	15 pcs.	BKP01004
•	PRESSER CL100 – WOOD	15 pcs.	BKP01005
Î	PRESSER CL100 – C-RAIL	15 pcs.	BKP01006
Ŷ	PRESSER CL100 with Universal Mounting Bracket	15 pcs.	BKP01007


MOUNTING CLIP



Presser Accessories

	Description	Unit	Order no.
	CITO PRESSER RAIL Length 1,500 mm 59.06"	10 pcs.	BKP00008
	PRESSER C-RAIL – BENDABLE Length 2,380 mm 93.7", Red	1 pcs.	BKP03007
	Gasket for CITO PRESSER RAIL 650 × 12.5 × 3 mm, Green	25 pcs.	BKP00009
100	STANDARD PRESSER FOOT	50 pcs.	BKP02004
f	3MM T-HANDLE WRENCH	1 St.	BFB08005
	SPOT PRESSER FOOT	50 pcs.	BKP02006
	MOUNTING CLIP with screw for PRESSER	15 pcs.	BKP02009
	PRESSER LINK CLIP	50 pcs.	BKP02005





CITO Blanking Components

Joggers



CITO EasyClick Jogger 85 mm



CITO EasyClick Jogger 145 mm





For further information visit: www.cito.de/easyclick-jogger

CITO EasyClick Jogger

The innovative jogger for efficient pile guidance during the blanking process!

Quick installation, uncomplicated use and easy removal from the blanking tool are convincing advantages for all those who opt for a reliable and flexible solution for blanking.

Perfect pile guidance

The jogger ensures that the material is perfectly stacked. The converter can rely on smooth further processing.

Quick installation

Completely pre-assembled, the jogger can be easily fitted using a PU hammer.

Easy removal

The jogger can be removed from the blanking tool in no time at all - a clear advantage for storage and transport.

The advantages at a glance:

- Completely pre-assembled for quick and uncomplicated installation
- Fast fitting without screws
- Perfect pile guidance for smooth further processing
- · Detachable body for storage and transport
- Replaceable individual parts greater flexibility in handling and use
- · Low weight for easy handling

The CITO EasyClick Jogger is available in two versions, so that it can be optimally matched to standard diecutters.

Order no.	Diecutter	Description	Unit
BKA00050	SP	CITO EasyClick Jogger 85 mm	50 pcs.
BKA00052	SPO	CITO EasyClick Jogger 145 mm	25 pcs.





CITO SLIM JOGGER

Particulary slim guide for blanks in the lower blanking tool

CITO SLIM JOGGER is characterised by its particularly narrow blank guide for the lower blanking tool. It is used for storing the blank in die cutters with blanking station.

CITO SLIM JOGGER produces its maximum performance when used in conjunction with flex'rack. Due to the extremely slender design of 7.0 mm diameter, the blank separator element fits exactly between two flex'rack stop bars. This completely eliminates the need for job-based moving of the flex'rack stop bars. It is fixed by simply screwing it into the wooden or metal plate.

CITO SLIM JOGGER is made of stainless steel and thus meets all hygiene and durability standards.

- · Perfect combination with flex'rack
- · Narrow design for precise use
- Made of stainless steel for a long life and for hygiene



Order no.	Description	Unit
BKA00040	CITO SLIM JOGGER 7 mm 0.28" with washer	25 pcs.



Jogger Support for CITO Jogger 1.65 Flex

CITO FLEX JOGGER for MASTERCUT 1.65



	Description	Unit	Order no.
	Jogger Support for CITO Jogger 1.65 Flex $48 \times 30 \times 11$ mm (H \times W \times D) Tap M5, without screws	25 pcs.	BKA16502
<u> </u>	CITO Jogger 1.65 Flex 135 × 30 × 8 mm (H × W × D)	25 pcs.	BKA16501

CITO Jogger 1.65 Flex



Stick Stopper for CITO Jogger 1.65 Flex

Additional Blanking Components for MASTERCUT 1.65



	Description	Unit	Order no.
:	Stick Stopper for CITO Jogger 1.65 Flex $48 \times 10 \times 10$ mm (H \times W \times D)	50 pcs.	BKA16503

Joggers for Angle-Lock™

Composite Jogger Assembly

Composite Jogger Assembly (Standard Slide)



	Description	Unit	Order no.
	Composite Jogger Assembly (Standard Slide) Body length 61 mm, total length 81 mm	50 pcs.	BKA07001
	Composite Jogger Assembly (Long Slide) Body length 61 mm, total length 103 mm	50 pcs.	BKA07002
i i	Composite Jogger Assembly (151 mm Slide) Body length 61 mm, total length 139 mm	25 pcs.	BKA07003
	Composite Jogger Assembly (251 mm Slide) Body length 61 mm, total length 235 mm	25 pcs.	BKA07004

Including screws with cross recess drive



Jogger – Universal

Jogger – Universal



7/16" Drop Guide W



Drop Guide Solid



10 mm Drop Guide



	Description	Unit	Order no.	
	Jogger – Universal – Front/Rear	25 pcs.	BKA00201	
;}	Jogger – Universal – Side	25 pcs.	BKA00202	
151 mm Slide				
ij.	Jogger – Universal – Front/Rear (151 mm Slide)	25 pcs.	BKA00203	
Ŋ.	Jogger – Universal – Side (151 mm Slide)	25 pcs.	BKA00204	
251 mm Slide				
	Jogger – Universal – Front/Rear (251 mm Slide)	25 pcs.	BKA00205	
1	Jogger – Universal – Side (251 mm Slide)	25 pcs.	BKA00206	
7/16" Drop Guide	W			
i	Jogger – Universal – 7/16" Drop Guide W	25 pcs.	BKA00207	
Ĭ	Jogger – Universal – 7/16" Drop Guide W (151 mm Slide)	25 pcs.	BKA00208	
n n	Jogger – Universal – 7/16" Drop Guide W (251 mm Slide)	25 pcs.	BKA00209	
Drop Guide Solid				
	Jogger – Universal – 1/4" Drop Guide Solid	25 pcs.	BKA00211	
	Jogger – Universal – 3/8" Drop Guide Solid	25 pcs.	BKA00212	
	Jogger – Universal – 5/16" Drop Guide Solid	25 pcs.	BKA00213	
10 mm Drop Guide				
	Jogger – Universal – 10 mm Drop Guide W / Slide	10 pcs.	BKA08001	
	Jogger – Universal – 10 mm Drop Guide Long Slide	10 pcs.	BKA08002	
	Jogger – Universal – 10 mm Drop Guide Narrow Slide	10 pcs.	BKA08003	

Jogger – Grid Tool



Jogger – Grid Tool

	Description	Unit	Order no.
ı	Jogger – Grid Tool – Front/Rear	25 pcs.	BKA00100
ij.	Jogger – Grid Tool – Side	25 pcs.	BKA00101
Ī	Jogger – Grid Tool – Rear with hat	25 pcs.	BKA00102
151 mm Slide			
ij	Jogger – Grid Tool – Front/Rear (151 mm Slide)	25 pcs.	BKA00103
ij.	Jogger – Grid Tool – Side (151 mm Slide)	25 pcs.	BKA00104
Î	Jogger – Grid Tool – Rear with hat (151 mm Slide)	25 pcs.	BKA00105
251 mm Slide			
Ī	Jogger – Grid Tool – Front/Rear (251 mm Slide)	25 pcs.	BKA00106
	Jogger – Grid Tool – Side (251 mm Slide)	25 pcs.	BKA00107
Ī	Jogger – Grid Tool – Rear with hat (251 mm Slide)	25 pcs.	BKA00108

Pin Jogger



Jogger – Special

	Description	Unit	Order no.
,	Side Jogger for narrow flat top Mounting Rail	25 pcs.	BKA00501
	Pin Jogger (8.0 × 3.0 mm)	25 pcs.	BKA00502
	CITO SLIM JOGGER 7 mm 0.28", with washer	25 pcs.	BKA00102

Universal




Universal – Drop Guide



Jogger – Special Long Slide 44 mm

	Description	Unit	Order no.
Universal			
-	Jogger – Universal – Front/Rear (44 mm Slide)	25 pcs.	BKA00301
	Jogger – Universal – Side (44 mm Slide)	25 pcs.	BKA00302
Universal – Drop C	Guide		
-	Jogger – Universal – Drop Guide (44 mm Slide)	25 pcs.	BKA00303
ų.	Jogger – Universal – Drop Guide V2 (44 mm Slide)	25 pcs.	BKA00304
Grid Tool			
	Jogger – Grid Tool – Rear with hat (44 mm Slide)	25 pcs.	BKA00305
	Jogger – Grid Tool – Side (44 mm Slide)	25 pcs.	BKA00306





CITO Blanking Components

Rails



Frame Rails for Angle-Lock™

Angle-Lock™ QUICK SET Frame Rails



Angle-Lock™ STANDARD Frame Rails



Angle-Lock™ RECEIVER SYSTEM Frame Rails



Unit: 1 pc.



Support Rails – Flat Top Tool



	Description	Order no.
STEED STEED	Support Rail for SP 102/103/104	BFB02001
STATE OF THE PARTY	Support Rail for SP 106	BFB02002
	Support Rail for SP 130	BFB02003
	Support Rail for SP 142-CER	BFB02004
/	Support Rail for SP 142-ER	BFB02005
	Support Rail for SP 145	BFB02006
/	Support Rail for SP 162	BFB02007
	Support Rail 2,740 mm	BFB02008
-	Support Rail – Bendable 2,740 mm	BFB02009

Unit: 1 pc.

Components



	Description	Unit	Order no.
Ŋ	Support Rail End	5 pcs.	BFB02101
	Pin Insertion Guide Tool	1 pc.	BFB02102
	Hardened Pin Ø 3.5 × 28 mm	50 pcs.	BFB02103
1.	Spring Clip (Screwless Support Rail)	25 pcs.	BFB02104



Mounting Rails

Adjustable Side Scrap Support Rail



Description		Unit	Order no.
Adjustable Side Scrap Sup	port Rail for SP 102/103	2 pcs.	BMR01001
Adjustable Side Scrap Sup	port Rail for SP 104	2 pcs.	BMR01002
Adjustable Side Scrap Sup	port Rail for SP 106	2 pcs.	BMR01003
Adjustable Side Scrap Sup	port Rail for SP 130	2 pcs.	BMR01004
Adjustable Side Scrap Sup	port Rail for SP 142	2 pcs.	BMR01005
Adjustable Side Scrap Sup	port Rail for SP 145	2 pcs.	BMR01006
Adjustable Side Scrap Sup	port Rail for SP 162	2 pcs.	BMR01007

Flat Top Mounting Rail



Description	Unit	Order no.
Flat Top Mounting Rail – Narrow for SP 102/103/104	2 pcs.	BMR02001
Flat Top Mounting Rail – Narrow for SP 106	2 pcs.	BMR02002
Flat Top Mounting Rail – Narrow for SP 130	2 pcs.	BMR02003
Flat Top Mounting Rail – Narrow for SP 142	2 pcs.	BMR02004
Flat Top Mounting Rail – Narrow for SP 162	2 pcs.	BMR02005

Universal Mounting Rail



Description	Unit	Order no.
Universal Mounting Rail for SP 102/103/104/106	2 pcs.	BMR03001
Universal Mounting Rail for SP 130	2 pcs.	BMR03002
Universal Mounting Rail for SP 142/145	2 pcs.	BMR03003
Universal Mounting Rail for SP 162	2 pcs.	BMR03004

Special Mounting Rail



	Description	Unit	Order no.
	Screwless Mounting Rail 2,740 mm	2 pcs.	BMR04001
-	Side Scrap Support – Single Knife Tool 2,740 mm	2 pcs.	BMR04002

Accessories



Description	Unit	Order no.
Parallel Clamp	25 pcs.	BFB07113





CITO Blanking Components

Components









Frame Assembly Components for Angle-LockTM


Angle-Lock™ Components



	Description	Unit	Order no.
0	Screw – flat SHCS – M3 × 8 mm	50 pcs.	BFB07001
-	Screw – flat SHCS – M3 × 25 mm	50 pcs.	BFB07002
9	Screw – flat SHCS – M4 × 25 mm	50 pcs.	BFB07003
9	Screw – low head SHCS M5 × 6 mm	50 pcs.	BFB07004
-	Screw – low head SHCS M5 × 16 mm	50 pcs.	BFB07005
9	Screw – special low head SHCS M5 × 8 mm	50 pcs.	BFB07006
0	Screw – special low head SHCS M5 × 16 mm	50 pcs.	BFB07007
9	Screw – standard SHCS M5 × 10 mm	50 pcs.	BFB07008
0	Screw – standard SHCS M5 × 20 mm	50 pcs.	BFB07009
	Screw – button SHCS – M6 × 12 mm	50 pcs.	BFB07010
900	Screw – standard SHCS M5 × 20 mm	50 pcs.	BFB07009



QUICK SET FRAMES – Components



	Description	Unit	Order no.
	QUICK SET Rear Corner Bracket – Left	5 pcs.	BFB04101
	QUICK SET Rear Corner Bracket – Right	5 pcs.	BFB04102
- Îŭ	QUICK SET Grid Support	5 pcs.	BFB04103
T ₁	QUICK SET Bushing Kit	5 pcs.	BFB04104
450	Dovetail Nut Corner – Bracket	50 pcs.	BFB04105
1	Dovetail Nut – Accessory	50 pcs.	BFB04106
	Centerline Bracket – Bottom Mount	10 pcs.	BFB04107
9	Screw – special low head SHCS M5 \times 20 mm	50 pcs.	BFB04109
-	Screw – special low head SHCS M5 × 24 mm	50 pcs.	BFB04110
0	Screw – SHCS M5 × 16 mm	50 pcs.	BFB04111
3	QUICK SET Clip	20 pcs.	BFB04113
	QUICK SET Corner Bracket – Left	5 pcs.	BFB04114
0	QUICK SET Corner Bracket – Right	5 pcs.	BFB04115
1	Grid Mounting Bracket	50 pcs.	BFB04116
	INSERT TOOL MOUNTING BRACKET – GRID	5 pcs.	BFB07027
	INSERT TOOL MOUNTING BRACKET – WOOD	5 pcs.	BFB07028
	INSERT TOOL MOUNTING BRACKET – RAIL	5 pcs.	BFB07029



STANDARD and RECEIVER SYSTEM – Components



	Description	Unit	Order no.
	Corner Bracket – Left	5 pcs.	BFB04114
D.	Corner Bracket – Right	5 pcs.	BFB04115
4500	Dovetail Nut Corner Bracket	50 pcs.	BFB04105

Frame Tools



	Description	Unit	Order no.
	Countersink Cutter – 3 mm	1 pc.	BFB08001
- Ø	Countersink Cutter – 4 mm	1 pc.	BFB08002
4	Counterbore Cutter – 5 mm	1 pc.	BFB08003
	Adjustable Counterbore / Countersink Kit	1 pc.	BFB08004
4.18	RECEIVER SYSTEM Frame Clamp	2 pcs.	BFB08006



Adhesive Runner



	Description	Unit	Order no.
/	Adhesive Runner 3.0 × 5.0 mm × 1200 mm	10 pcs.	BFB07024
/	Adhesive Runner 3.0 × 6.0 mm × 1200 mm	10 pcs.	BFB07025
	Adhesive Runner 3.0 × 8.0 mm × 1200 mm	10 pcs.	BFB07026

Machine Frame Mounting Hardware



	Description	Unit	Order no.
فالد	Quick Lock Lower Left	5 pcs.	BFB07011
6 1/2	Quick Lock Lower Right	5 pcs.	BFB07012
Find FRE	Quick Lock Kit	1 pc.	BFB07013
	Bracket – Centerline – Front Mount	10 pcs.	BFB07014
L	Overclamp	2 pcs.	BFB07015
0	Stop Bracket PER	10 pcs.	BFB07016
40	Stop Bracket Kit PER / ER	5 pcs.	BFB07017
Î	Gripper Finger Support	2 pcs.	BFB07018
8	Mounting Bracket SP 142-ER	2 pcs.	BFB07019
Mr.	Mounting Bracket Kit SP 142-ER	1 pc.	BFB07020
16	Overclamp Left SP 142-ER	5 pcs.	BFB07021
4	Overclamp Right SP 142-ER	5 pcs.	BFB07022
*	Overclamp Set SP 142-ER	1 pc.	BFB07023

Lower Board Support



	Description	Unit	Order no.
N	Lower Board Support Body	10 pcs.	BFB07111
160	Lower Board Support Assembly	10 pcs.	BFB07112







Rod Clamps



	Description	Unit	Order no.	
	Rod Clamps – Side – Ø 6.5 mm	5 pc.	BFB03101	
	Rod Clamps – Side – Ø 9.5 mm	5 pc.	BFB03102	
1	Rod Clamps − Rear − Ø 8.0 mm	5 pc.	BFB03103	
Rod Clamp Asse	mbly			
	Rod Clamp Assembly Ø 9.5 mm for SP 130	1 pc.	BFB03104	
	Rod Clamp Assembly Ø 9.5 mm for SP 142-CER	1 pc.	BFB03105	
	Rod Clamp Assembly Ø 9.5 mm for SP 102/103	1 pc.	BFB03106	
Single Knife Rod Assembly				
	Single Knife Rod Assembly Ø 8.0 mm for SP 104 $$	1 pc.	BFB03107	
	Single Knife Rod Assembly Ø 9.5 mm for SP 104	1 pc.	BFB03108	
	Single Knife Rod Assembly Ø 9.5 mm for SP 145	1 pc.	BFB03109	
	Single Knife Rod Assembly Ø 9.5 mm for SP 162	1 pc.	BFB03110	



Material for pusher blocks CITO SPACER



The CITO SPACER is used to keep a reliable distance between the upper blanking tool and the pusher blocks.

Order no.	Description	Colour	Unit
BLC07013	CITO Spacer for pusher blocks, rectangular Total length 47 mm, Spacing 30 mm	Yellow	500 pcs.

CITO MOUNTING SLEEVE



The CITO MOUNTING SLEEVE for blanking tools is optimally suited for use in combination with the CITO SPACER for pusher blocks. It fixes the pusher block by screwing. The pusher block is held in position and thus smooth production flow is ensured.

Order no.	Description	Colour	Unit
BLC07008	CITO Mounting sleeve for pusher blocks Total length 36 mm, Distance 30 mm	Black	400 pcs.




CITO Ejection Material CITOject F 25 YELLOW

The advantages:

- Reduction of cutting pressure in the machine
- · Fewer nicks and faster sheet transfer
- UV and ageing-resistant material
- EasyFix technology
- Certified as safe for the production of folding boxes for food packaging

Description	Dimensions (L \times W \times H)	Colour	Order no.	Order no. EasyFix
CITOject F 25 YELLOW	1000 × 970 × 7 mm	Yellow	BPC00610	BPC01610
Unit: 1 plate				



CITO Quick Lock Safety Screw

The clever safety screw for blanking and stripping

CITO Quick Lock Safety Screw can be used both for the upper blanking tool and for the upper stripping board.

The screw is fully-assembled and there is no assembly work. Use a hexagonal spanner size 6 mm to screw in the screw to the surface of the wood so that the head remains rotatable. The tool can be pushed in easily and does not catch

Thanks to the threadlocker coating, additional locking with a nut is not necessary. This simplifies the assembly.

Can be used for wood from 15 mm to 18 mm.


The advantages:

- · Already assembled
- · Rotatable head
- Easy pushing in of the tool
- · Threadlocker coating


Order no.	Description	Colour	Unit
BLC06018	CITO Quick Lock Safety Screw, M6	Black	50 pcs.







CITO Polytop 35 GREEN EasyFix



CITOject F 45 ORANGE EasyFix



CITO Ejection Material for presser plates

The advantages:

- Simple optical quality control through colour-coding
- Reduction of cutting pressure in the machine
- Fewer nicks and faster sheet transfer
- UV and ageing-resistant material
- EasyFix technology
- Certified as safe for the production of folding boxes for food packaging

Description	Dimensions (L × W × H)	Order no. EasyFix
CITO Polytop 35 GREEN EasyFix	658 × 380 × 3 mm	BPP02505
CITOject F 45 ORANGE EasyFix	990 × 780 × 3 mm	BPC01645

Unit: 1 plate



CITO FormLine 160





CITO PrintLine

Overview PrintLine




RSP Inline Finishing

RSP System 2.0 RSP Easy RSP Accessories




Offset Articles

RSP Offset Rules Antimarking Solutions: PrintGuardPlus®, OrangeNets, Antimarking Plate Ink Duct Foil



Flexographic Printing Articles

CITOCLYN Cleaner FDS – Mix Direct mixing stations CITOCLYN Pressure Sprayers CITOCLYN Accessories



Envelope Feeder

SUPERFEEDER (offset printing)

CITO PrintLine > Overview





RSP Inline Finishing











RSP System 2.0 Inline Finishing System

The economical and fast alternative to classic converting of your products. Creasing, diecutting, kisscutting and perforating inline: without an extra machine, without additional personnel or time-consuming processing.

Experienced applications engineers quickly and practically familiarise your employees with the RSP System 2.0.

The system is suitable for all kinds of different requirements, starting with simple perforations for reply cards, tear-off cards, coupons and vouchers to window cutting, cutting and kisscutting of adhesive labels, presentation folders and sophisticated mailings and creasing.

The advantages:

- · Reusable and archivable grid sheet and direct flexible dies
- High quality due to optional register adjustment
- Fast change in the machine for consecutive print jobs
- Optimized makeready time of inline finishing jobs in the printing press
- In addition to the grid sheet, it is also possible to mount direct fit flexible dies on the base plate 2.0





The RSP System 2.0 contains the following components:

•	
Basic system	
1 RSP Base Plate 2.0	2 reels self-adhesive CITO TAPE Patching Paper
1 RSP Grid Sheet	1 operating manual, booklet
4 RSP Protective Impression Cylinder Jackets***	1 system case
2 RSP Protective Impression Cyl. Jackets in strips	1 RSP protective impression cylinder jacket lifter
1 torque screwdriver TX20. 1.2 Nm	1 RSP safety sign
1 side cutters	1 RSP flexible die sample
1 pack of RSP supporting foam. 50 pcs.	1 RSP direct fit flexible die sample
1 pack of RSP perforating rules 16 tpi*, 6 m	1 RSP hinge unlocking tool
1 reel of adhesive tape	1 RSP torque wrench**
1 pair of safety gloves	

- * tpi = teeth per inch
- ** incl. extension 250 mm and socket
- *** 2 additional full-format jackets included with full format


Accessories can vary with some systems.

Available for sheetfed offset presses of the following machine producers:

- Heidelberg
- KOMORI
- · Koenig & Bauer
- · manroland

Our RSP 2.0 Systems were developed for the respective manufacturers' standard machines. We would be happy to check if it is possible to offer you a custom-format solution for your machine.

Machine type	Printing unit	Coating unit
Heidelberg		
GTO 46	×	
GTO 52	×	
SM 52 / SX 52	×	x* / x**
MO	×	
SO 74 / SM 72 / SORM	×	
SM 74 / SX 74	×	×
CD 74 / XL 75 / CX 75	×	X**
CS 92 / CX 92	×	×
SM 102 / SX 102	×	×
CD 102 / CX 102	×	×
CX 104	×	×
XL 105 / XL 106	×	X**
XL 106 AutoPlate Coating		×
KOMORI		
Lithrone G40	X	X
Lithrone S40	X	
Lithrone 40	X	
Koenig & Bauer		
(730 mm printing length)		
Rapida 105	X	X
Rapida 106	X	X
manroland		
700	X	




^{**} Special solutions for this coating unit

Further machine types available on request.



www.cito.de/vid/rsp_2_0





THE CONTRACT OF THE CONTRACT O





Compile your individual RSP Easy: www.cito.de/rsp-easy-config

RSP Easy Inline Finishing System

RSP Easy is the fast, economical and innovative system for inline finishing jobs. A flexible and easy solution is decisive to fulfil the steadily growing expectations of customers and thus be successful in the market.

RSP Easy is the most cost-effective and efficient solution for simple jobs, with which the maximum added value of the printing press is achieved. The system is ideally suitable for newcomers to inline finishing or customers with low runs and few printing jobs.

The advantages:

- Favourable initial price
- · Easy mounting and dismounting
- Immediate start: no training necessary



Basic set

Basic set in the formats 35 × 50 cm and 50	× 70 cm
2 base blankets with millimetre graduation	1 packet of supporting foam. 50 pcs.
2 protective impression cylinder jackets	1 packet of RSP perforating rules 16 tpi*, 6 m
2 protective impression cylinder jackets in strips	1 reel of adhesive tape
1 system case	1 operating manual, booklet
1 pair of safety gloves	1 operating manual on DVD
1 side cutters	2 reels of self-adhesive CITO TAPE patching paper
1 RSP protective impression cylinder jacket lifter	
Basic set in the format 70 × 100 cm	
2 base blankets with millimetre graduation	1 packet of supporting foam. 50 pcs.
4 protective impression cylinder jackets	1 packet of RSP perforating rules 16 tpi*, 6 m
2 protective impression cylinder jackets in strips	1 reel of adhesive tape
1 system case	1 operating manual, booklet
1 pair of safety gloves	1 operating manual on DVD
1 side cutters	2 reels of self-adhesive CITO TAPE patching paper
1 RSP protective impression cylinder jacket lifter	

^{*} tpi = teeth per inch

Available for sheetfed offset printing presses of the following machine producers:

- Heidelberg
- KOMORI
- Koenig & Bauer
- manroland
- RYOBI
- Sakurai

Machine type	Printing unit	Coating unit
Heidelberg		
QM 46	×	
GTO 52	×	
SM 52 / SX 52	×	×*
SM 72	×	
CD 74	×	
CS 92	×	×
CX 92	×	
XL 75	×	
SORM	×	
SORS	×	
CD 102 / CX 102	×	×
CX 104	×	
SM 102 / SX 102	×	×
XL 105 / XL 106	×	
Koenig & Bauer		
Rapida 74	X	
Rapida 75	×	×
Rapida 75 Pro	X	
Rapida 105	×	
Rapida 106	X	

Machine type	Printing unit	Coating unit
KOMORI		
Enthrone 29	×	
Lithrone S29	×	
Lithrone G37	×	
Lithrone G40	×	
Lithrone L40	×	
Lithrone S40	×	
manroland		
300	X	
700	X	×**
RYOBI		
RYOBI/RMGT 520	X	X
RYOBI/RMGT 750	×	
RYOBI/RMGT 920	X	
Sakurai		
Oliver 66 EZ	X	
Oliver 266 EPZ	X	
Oliver 466 SI/SIP	×	
Oliver 566 SI/SIP	X	
Oliver 666 SI/SIP	×	

Printing Coating



www.cito.de/vid/rsp_easy

- only with DryStarCoating
- only for coating units with Quick-Change Further machine types available on request.





www.cito.de/rsp-green-finishing

Breathe easy! RSP Green Finishing

Environmental protection in no time! With RSP Inline Finishing Systems!

RSP Systems are tried and tested and are popular due to their time and economic benefits for the user: inline finishing in only one operation, without additional machines or personnel, at full machine speed and with top results.


Did you know that RSP can also reduce CO₂ emissions significantly?

We calculated this using a practical order: with a print run of 250,000 sheets, we save 500 kg of CO_2 compared to off-line finishing. This corresponds to the amount of carbon dioxide that 40 beech trees can absorb per year! And this with a single order! Extrapolated for a year, a small forest of 480 trees can breathe! See for yourself, how much CO_2 you can save with RSP.

You want to achieve the highest quality when further processing, produce economically and at the same time be environmentally conscious? Then it's time for RSP Green Finishing.

For your customers and for our environment.





RSP Base Plate 2.0

Depending on the machine type, the base plate makes it possible to use grid sheets, direct fit flexible dies and register flexible dies in the printing or coating unit.

This means that the die can be prepared outside the printing machine and can be clamped on the base plate, which is on the rubber blanket or coating cylinder. In the event of a job change the base plate can remain installed, only the tool is changed. The position of the tool in the printing unit can be changed via the base plate's register system. In most coating units the position can be corrected via the control station.

Order no.	Printing machines	Printing unit	Coating unit
Heidelberg			
ARL00003	Heidelberg GTO 46 K	×	
ARL00004	Heidelberg GTO 52 K	×	
ARL00009	Heidelberg SM / PM 52 K	×	×
ARL00010	Heidelberg SM 52		×
ARL00006	Heidelberg MO K	×	
ARL00015	Heidelberg SORM / SM 72 / SO 74	×	
ARL00013	Heidelberg SM / SX / PM 74 U	×	
ARL00011	Heidelberg SM / SX / PM 74 K	×	
ARL00012	Heidelberg SM / SX 74 U		×
ARL00020	Heidelberg CD 74 / CX 75 / XL 75 U	×	
ARL00001	Heidelberg CD 74 / CX 75 / XL 75 U		×
ARL00008	Heidelberg SM / SX / CD 102 / SORS U	×	
ARL00014	Heidelberg SM / CD 102 / SORS K	×	
ARL00007	Heidelberg SM / SX / CD / CX 102 / CS 92 U		×
ARL00022	Heidelberg CS 92 / CX 92 / CX 102 (from S/N 551102) / CX 104	×	
ARL00045	Heidelberg CX 92 / 104 for Grid Sheet		×
ARL00145	Heidelberg CX 92 / 104 for Register flexible die		×
ARL00018	Heidelberg XL 105 / 106	×	
ARL00019	Heidelberg XL 105 / 106		×
ARL00021	Heidelberg XL 105 / 106 (from S/N FS001316)	×	
ARL00043	Heidelberg XL 106 AutoPlate Coating		×


Unit: 1 pc.



Order no.	Printing machines	Printing unit	Coating unit
Komori			
ARL01005	Komori Lithrone / S / G 40 U	×	
ARL01008	Komori Lithrone G 40		×
ARL01010	Komori Lithrone 40 K	×	
Koenig & Ba	uer		
ARL06001	Koenig & Bauer Rapida 105 / 106 DU 730 mm	×	
ARL06112	Koenig & Bauer 105/106 L 730 mm for Grid Sheet		×
ARL06113	O6113 Koenig & Bauer 105/106 L 730 mm x for Register flexible die		×
manroland			
ARL02001	manroland 700	×	
ARL02006	6 manroland 700 special 77 mm ×		

Unit: 1 pc.






RSP Easy Base Blanket


Packing for the tooling of the RSP inline finishing form with processing rules and/or flexible dies. Mounting of the RSP inline finishing form with positioning accuracy outside the press by the circumferentially reduced millimetre scale.


Only usable with RSP Easy!
















RSP Protective Impression Cylinder Jackets

Protective impression cylinder jackets protect the impression cylinder of the printing press reliably during diecutting and perforating; easy handling due to self-adhesive attachment. RSP Protective Impression Cylinder Jackets are also available as small and handy strips, width 65 mm, for partial protection of the impression cylinder.

Order no.	Printing machines	Dimensions $(L \times W \times H)$	Perfector	Format
Heidelberg				
ARG00031	Heidelberg QM 46	330 × 447 × 0.25 mm	without	full
ARG00011	Heidelberg GTO 46	452 × 312 × 0.25 mm	without	full
ARG00002	Heidelberg GTO 52	513 × 343 × 0.25 mm	without	full
ARG00013	Heidelberg GTO 52	513 × 343 × 0.25 mm	with	full
ARG00005	Heidelberg SM/PM 52	526 × 363 × 0.25 mm	without	full
ARG00015	Heidelberg SM/PM 52	526 × 363 × 0.25 mm	with	full
ARG00003	Heidelberg MO/SORK	650 × 474 × 0.25 mm	without	full
ARG00014	Heidelberg MO	650 × 474 × 0.25 mm	with	full
ARG00006	Heidelberg SM/PM 74	746 × 513 × 0.25 mm	without	full
ARG00016	Heidelberg SM/PM 74	746 × 513 × 0.25 mm	with	full
ARG00116	Heidelberg SM/PM 74**	746 × 513 × 0.25 mm	with	full
ARG00001	Heidelberg CD 74/XL 75	373 × 610 × 0.25 mm	without	half
ARG00026	Heidelberg CD 74/XL 75	746 × 610 × 0.25 mm	without	full
ARG00025	Heidelberg CD 74/XL 75	746 × 610 × 0.25 mm	with	full
ARG00125	Heidelberg CD 74/XL 75**	746 × 610 × 0.25 mm	with	full
ARG01004	Heidelberg SORM/SM 72/SO 74	726 × 513 × 0.25 mm	without	full
ARG00019	Heidelberg SO 74	726 × 513 × 0.25 mm	with	full
ARG00017	Heidelberg SM 102	513 × 703 × 0.25 mm	with	half
ARG00117	Heidelberg SM/SX 102**	513 × 703 × 0.25 mm	with	half
ARG00124	Heidelberg SM/SX 102**	1026 × 703 × 0.25 mm	with	full
ARG00009	Heidelberg CS/CX 92	513 × 703 × 0.25 mm	without	half
ARG00023	Heidelberg CS/CX 92	1026 × 703 × 0.25 mm	without	full
ARG00009	Heidelberg CD/CX/SM 102 / CX 104	513 × 703 × 0.25 mm	without	half
ARG00023	Heidelberg CD/CX/SM 102 / CX 104	1026 × 703 × 0.25 mm	without	full
ARG00024	Heidelberg SM 102	1026 × 703 × 0.25 mm	with	full


Unit: 1 pc. ** PerfectGlue


Order no.	Printing machines	Dimensions (L × W × H)	Perfector	Format
Heidelberg	Trincing machines	Difficultions (E ** * * * * * * * * * * * * * * * * *	1 Ci icctoi	TOTTILLE
ARG00022	Heidelberg XL 105/106	528 × 739 × 0.25 mm	without	half
ARG00030	Heidelberg XL 105/106	528 × 739 × 0.25 mm	with	half
ARG06007	Heidelberg XL 105/106**	528 × 739 × 0.25 mm	with	half
ARG00027	Heidelberg XL 105/106	1056 × 739 × 0.25 mm	without	full
ARG00028	ū .	1056 × 739 × 0.25 mm	with	full
ARG06006		1056 × 739 × 0.25 mm	with	full
Komori				
ARG01004	Komori Lithrone 28	726 × 513 × 0.25 mm	without	full
ARG00019	Komori Lithrone 28	726 × 513 × 0.25 mm	with	full
ARG00006	Komori Lithrone S 29	746 × 513 × 0.25 mm	without	full
ARG06001	Komori Lithrone SX 29	585 × 740 × 0.25 mm	without	full
ARG00023	Komori Lithrone 40	1026 × 703 × 0.25 mm	without	full
ARG00009	Komori Lithrone 40	513 × 703 × 0.25 mm	without	half
ARG00032	Komori Lithrone G40	1026 × 730 × 0.25 mm	without	full
ARG00006	Komori Enthrone 29	746 × 513 × 0.25 mm	without	full
ARG01004	Komori Sprint 28	726 × 513 × 0.25 mm	without	full
ARG00006	Komori Spica 29	746 × 513 × 0.25 mm	without	full
ARG00016	Komori Spica 29	746 × 513 × 0.25 mm	with	full
Koenig & Ba	uer			
ARG01004	Koenig & Bauer Rapida 74	726 × 513 × 0.25 mm	without	full
ARG00019	Koenig & Bauer Rapida 74	726 × 513 × 0.25 mm	with	full
ARG06001	Koenig & Bauer Rapida 75	585 × 740 × 0.25 mm	without	full
ARG00009		513 × 703 × 0.25 mm	without	half
ARG06003	Koenig & Bauer Rapida 105	515 × 720 × 0.25 mm	without	half
ARG00023	Koenig & Bauer Rapida 105	1026 × 703 × 0.25 mm	without	full
ARG00027	Koenig & Bauer Rapida 106	1056 × 739 × 0.25 mm	without	full
ARG00022	Koenig & Bauer Rapida 106	528 × 739 × 0.25 mm	without	half
ARG06006	Koenig & Bauer Rapida 105/106**	1056 × 739 × 0.25 mm	with	full
ARG06007	Koenig & Bauer Rapida 105/106**	528 × 739 × 0.25 mm	with	half
Manroland				
ARG00023	manroland 700	1026 × 703 × 0.25 mm	without	full
ARG02001	manroland 700	522 × 732 × 0.25 mm	without	half
ARG06001	manroland 500	585 × 740 × 0.25 mm	without	full
ARG06002	manroland 500	585 × 740 × 0.25 mm	with	full
RYOBI/RMG	т			
ARG03101	RYOBI/RMGT 520 DU	520 × 370 × 0.25 mm	without	full
ARG03105	RYOBI/RMGT 750 DU	586 × 750 × 0.25 mm	without	full
ARG03113	RYOBI/RMGT 920 DU	915 × 620 × 0.25 mm	without	full
Sakurai				
ARG07101	Sakurai Oliver 66	650 × 460 × 0.25 mm	without	full
Unit: 1 pc.			** Pe	rfectGlue

RSP Protective Impression Cylinder Strips

The RSP protective impression cylinder jacket is also available as a product in small and handy strips for partial protection of your protective impression cylinder.

Order no.	Version	Dimensions (L × W × H)	Contents
ARG99003	513 × 65 × 0.25 mm	without perfector	25 pcs.
ARG99004	513 × 65 × 0.25 mm	with perfector	25 pcs.
ARG99104	513 × 65 × 0.25 mm	with perfector**	25 pcs.
ARG99001	703 × 65 × 0.25 mm	without perfector	25 pcs.
ARG99002	703 × 65 × 0.25 mm	with perfector	25 pcs.
ARG99102	703 × 65 × 0.25 mm	with perfector**	25 pcs.
ARG99005	1050 × 65 × 0.25 mm	without perfector	25 pcs.
ARG99006	1050 × 65 × 0.25 mm	with perfector	25 pcs.
ARG99060	1050 × 65 × 0.25 mm	with perfector**	25 pcs.





Ink-repellent RSP Protective Impression Cylinder Jackets

Ink-repellent protective cylinder jackets for perfector presses of Heidelberg and Koenig & Bauer.

Combined with Mark 3 jackets or PerfectJacket of Heidelberger Druckmaschinen AG or silicone jackets of Koenig & Bauer AG, the inkrepellent RSP Protective Impression Cylinder Jackets with Topcoat coating (easy-to-clean effect) are the ideal solution for even more diverse possibilities of print finishing on the perfecting press.

The advantages:

- Enormous cost savings due to reduced downtimes
- Significant improvement in your product quality for perforating in fresh ink
- · Large time savings, as no cleaning is necessary
- Extremely ink-repellent surface
- Perfect for extremely large runs with millions of copies

The additional bonus: PerfectGlue is also available for the ink-repelling protective impression cylinder jackets. For maximum flexibility and top printing results.

Order no.	Printing machines	Dimensions (L × W × H)	Unit
Heidelberg			
ARG80024	Heidelberg XL 105/XL 106 for Mark 3	739 × 528 × 0.25 mm	1 pc.
ARG80004	Heidelberg XL 105/XL 106 for Mark 3	1056 × 739 × 0.25 mm	1 pc.
ARG80008	Heidelberg XL 105/XL 106 for PerfectJackets	1056 × 739 × 0.25 mm	1 pc.
ARG80005	Heidelberg SM/SX 102 for Mark 3	1026 × 703 × 0.25 mm	1 pc.
ARG80006	Heidelberg SM/CD/SX 74/XL 75 for Mark 3	746 × 513 × 0.25 mm	1 pc.
Koenig & Bau	er		
ARG80008	Koenig & Bauer Rapida 105/106 for silicon jackets	1056 × 739 × 0.25 mm	1 pc.



RSP Flexible Dies

Offset flexible dies for creasing, diecutting, kisscutting and perforating: height-adjusted and especially matched to the use of RSP, ideal for large runs and challenging applications such as figures or round forms.

RSP flexible dies for offset printing are laminated with a specially developed adhesive film. The flexible dies adhere securely and reliably on the grid sheets and base blankets; they can be removed residue-free.

RSP Direct Fit Flexible Dies, RSP Flexible Die Strips, RSP Direct Fit Flexible Dies or RSP Register Flexible Dies with rails. With RSP Flexible Dies there are no limits to inline finishing in the offset printing press.

Flexible dies are also ideally suitable for diecutting inMould labels with the RSP System 2.0.

The flexible dies are available in different varieties:



RSP Flexible Dies

RSP flexible dies for offset printing and gluing on to the RSP grid sheet, ideal for simple and small forms.

RSP flexible dies are laminated with a specially developed adhesive film. The flexible dies adhere securely and reliably on the grid sheets and base blankets; they can be removed residue-free.



RSP Direct Fit Flexible Dies


Direct fit flexible dies for direct fixing on the RSP base plate 2.0. They ensure maximum possible accuracy through register adjustment in each direction by up to 1.5 mm. Ideal for demanding jobs with larger formats.



RSP Register Flexible Die

Register flexible dies for direct mounting in the coating unit of the printing press, especially matched to the RSP System 2.0 packing sheet set.

Register flexible dies provide convincingly easy handling in the coating unit with assured accuracy of fit – the solution for complicated and demanding jobs.



RSP Flexible Dies rail-mounted

For direct mounting in the printing or coating unit of your sheet-fed offset press. For machine types without an RSP solution.


Order no.	Description
BRK00001	RSP Flexible Die
BRK00001	RSP Direct Fit Flexible Die
BRK00001	RSP Register Flexible Die
BRK00001	RSP Flexible Die, rail mounted
BRK00002	Impression dies BSR 550


Further types of flexible die available on request.

To process your order, please send a vectored PDF file of the diecutting layout to stanzbleche@cito.de.

Our specialized staff will then send you a proposal tailored to your specific requirements and an order confirmation.







RSP Flexible Die Strips

Creasing, diecutting and perforating

The advantages:

- · Long life for large runs due to excellent material hardness
- Easy and precise gluing thanks to mitre cut on both sides
- Exact attachment due to minimum centricity tolerances
- Optimum adhesion thanks to special residue-free removable adhesive tape

RSP Flexible Die Perforating Strips

Order no.	Description	Cut : pitch	Length
BRK01001	RSP Flexible Die Perforating Strips 8 tpi	2.4 : 0.8 mm	700 mm
BRK01002	RSP Flexible Die Perforating Strips 12 tpi	1.4 : 0.8 mm	700 mm
BRK01003	RSP Flexible Die Perforating Strips 16 tpi	0.8 : 0.8 mm	700 mm
Unit: 5 pc.			tpi = teeth per inch


RSP Flexible Die Creasing Strips

Order no.	Description	Application	Length
BRK01006	RSP Flexible Die Creasing Strips R1	only creasing	700 mm
Unit: 5 pc.			

RSP Flexible Die Cutting Strips


Order no.	Description	Length
BRK01008	RSP Flexible Die Cutting Strips	700 mm
Unit: 5 pc.		







Standard



Off-center



RSP Creasing Rules

Offset creasing matrices are ideally suitable for top quality creases. They can be supplied as Standard or Off-Center versions.

Various dimensions are available for different printing substrates.

RSP Offset Creasing Matrix is also perfect for use on rotary diecutters.

Order no.	Dimensions (H × W × L)	Contents	Unit	
Standard ORS				
ARE02001	0.2 × 0.8 × 700 mm	30 pcs.	1 packet	
ARE02002	0.2 × 1.0 × 700 mm	30 pcs.	1 packet	
ARE02003	0.2 × 1.2 × 700 mm	30 pcs.	1 packet	
ARE02004	0.2 × 1.3 × 700 mm	30 pcs.	1 packet	
ARE03002	0.3 × 0.7 × 700 mm	30 pcs.	1 packet	
ARE03003	0.3 × 0.8 × 700 mm	30 pcs.	1 packet	
ARE03004	0.3 × 1.0 × 700 mm	30 pcs.	1 packet	
ARE03006	0.3 × 1.2 × 700 mm	30 pcs.	1 packet	
ARE03007	0.3 × 1.3 × 700 mm	30 pcs.	1 packet	
ARE04007	$0.4 \times 1.3 \times 700 \text{ mm}$	30 pcs.	1 packet	
ARE05007	$0.5 \times 1.3 \times 700 \text{ mm}$	30 pcs.	1 packet	
Off-center OCC				
ARD03002	$0.3 \times 1.0 \times 700 \text{ mm}$	30 pcs.	1 packet	
ARE03005	$0.3 \times 1.1 \times 700 \text{ mm}$	30 pcs.	1 packet	
ARD03003	0.3 × 1.2 × 700 mm	30 pcs.	1 packet	
ARD03004	0.3 × 1.3 × 700 mm	30 pcs.	1 packet	

Other sizes available on request.



RSP Multipack ORS

Order no.	Dimensions (H × W)	Contents	Unit
ARU02001	0.2 × 1.0 / 0.2 × 1.2 / 0.3 × 1.0 / 0.3 × 1.2 mm	40 pcs.	1 packet





RSP Creasing Rubbers & Plates

The advantages:

- · Especially developed for use with RSP
- · Top quality embossing of creasing
- · Fast and easy assembly
- Different versions and styles available

RSP Creasing Rubbers

Creasing rubbers are the optimum complement to the RSP Offset Creasing Matrix.

RSP Creasing Rubbers can be placed on the impression cylinder easily and quickly. Positioning corrections are therefore easier to make. They are ideally suitable for multiple creasing, as the distance between the creases can be freely selected.

Available as a plate or strip.

The 0.60 mm RSP Creasing Rubber ensures a very good creasing result, especially for higher grammages or for creased products without cutting and perforation in the printing machine.

Order no.	Description	Dimensions	Colour	Unit
ARN00001	RSP Creasing Rubber plate	700 × 1000 × 0.46 mm	Yellow	1 plate
ARN01001	RSP Creasing Rubber strips	700 × 25 × 700 mm	Yellow	10 strips
ARN00002	RSP Creasing Rubber plate	700 × 1000 × 0.60 mm	Brown	1 plate
ARN01002	RSP Creasing Rubber strips	700 × 25 × 0.60 mm	Brown	10 strips


RSP Creasing Plates

Creasing plates are suitable for more complex creases. Whenever several creases meet, the creasing plate can be easily glued onto the impression cylinder as a plate. Thus, for example, SOS block bottom bags are simple to produce.

Order no.	Description	Dimensions	Unit
ARN02000	RSP Creasing Plate	700 × 1000 × 0.60* mm	1 plate

^{*} Please pay attention to the clearance between the cylinders of your printing press.






RSP Supporting Foam

For balance and transport of the print sheet (with direction). It is applied in the trim area of the sheet in order to safeguard the stability of the sheet transfer; self-adhesive.

Order no.	Description	Dimensions (L × W × H)	Contents
ARH00004	RSP Supporting Foam OSF 2 mm	700 × 3 × 2 mm	50 strips
ARH00014	RSP Supporting Foam OSF 1 mm	700 × 3 × 1 mm	50 strips



RSP Processing Rules

Processing Rules for creasing, diecutting, kisscutting and perforating – height–adjusted and especially developed for and matched to use with RSP.

Precise and efficient

Thanks to state-of-the-art production technology, the Processing Rules achieve convincing precision and quality. Cuts, creases and perforations are executed exactly – for faultless further processing of the printing products.

The Processing Rules are made of corrosion-resistant stainless steel. They are therefore also suitable for larger runs and the mounted grid sheets can be used more frequently. Due to the optimum adhesive power, once they are set up, the grid sheets can be used longer. Their stability makes handling easy. A particular advantage of the RSP Perforating Rules: their precision perforation teeth. As a result, less dust forms during the production process.


Flexible

The Processing Rules can be used for diverse applications and are suitable for all kinds of requirements, whether the form of perforation or specific creasing for different materials.

The advantages:

- Especially developed for use with RSP
- Lower costs due to larger runs
- Greater efficiency due to more frequent use of the grid sheets
- · Longer life for grid sheets due to optimum adhesive power
- · Greater stability in handling
- · Faultless further processing thanks to maximum accuracy and quality
- · Can be used flexibly for all kinds of requirements and materials


RSP Processing Rules – Quality made in Germany



RSP Perforating Rules


Order no.	Description	Cut : Nick ratio	Contents	Unit
BRF00011	Perforating Rule 4 tpi	6.0 : 0.7	6 m	1 packet
BRF00001	Perforating Rule 8 tpi	2.4 : 0.8	6 m	1 packet
BRF00002	Perforating Rule 12 tpi	1.4:0.8	6 m	1 packet
BRF00003	Perforating Rule 16 tpi	0.8 : 0.8	6 m	1 packet
BRF00010	Perforating Rule 18 tpi	0.7 : 0.7	6 m	1 packet
BRF00004	Perforating Rule 35 tpi	0.3 : 0.4	6 m	1 packet
BRF00005	Perforating Rule 50 tpi	0.2 : 0.3	6 m	1 packet

tpi = teeth per inch



RSP Cutting Rule

Order no.	Description	Field of application	Contents	Unit
BRF00008	Cutting Rule	only cutting	6 m	1 packet



RSP Creasing Rules


Creasing rule specially matched to the use of RSP components with different heights. The R1 creasing rule is used for only creasing, because it is the same height as a cutting or perforation rule.

However, in the case of a multiple use with creasing and/or cutting or perforating, the R2 creasing rule has to be used because this has a lower overall height.

Order no.	Description	Field of application	Contents	Unit
BRF00006	Creasing Rule/R1	only creasing	6 m	1 packet
BRF00007	Creasing Rule/R2	for combined forms	6 m	1 packet

Custom-made products on request.







RSP Grid Sheets

Grid sheets for register-true pre-makeready of the RSP forms outside of the printing press, adapted for the respective cylinder diameter; with reduced millimetre scale for archiving the form and for fast job changing or large runs.

Can only be used with the RSP System 2.0.

Order no.	RSP Grid Sheets for	Printing unit	Coating unit
Heidelberg			
ARC00004	Heidelberg GTO 46	×	
ARC00005	Heidelberg GTO 52	×	
ARC00008	Heidelberg SM / PM 52	×	
ARC00009	Heidelberg SM 52		×
ARC00040	Heidelberg SM 52 Coating unit Dry Star		×
ARC00006	Heidelberg MO / SORK	×	
ARC00012	Heidelberg SORM / SM 72 / SO 74	×	
ARC00010	Heidelberg SM / SX / PM 74	×	
ARC00011	Heidelberg SM / SX 74		×
ARC00002	Heidelberg CD 74 / XL 75	×	
ARC00003	Heidelberg CD 74 / XL 75		×
ARC00007	Heidelberg SM / SX 102 / SORS	×	
ARC00001	Heidelberg CS 92 / SM / SX 102		×
ARC00001	Heidelberg CD / CX 102	×	×
ARC00022	Heidelberg CS 92 / CX 92 / CX 102 (from S/N 551102) / CX 104	×	
ARC00045	Heidelberg CX 92 / CX 104		×
ARC00015	Heidelberg XL 105 / 106	×	
ARC00017	Heidelberg XL 105 / 106		×
ARC00021	Heidelberg XL 105 / 106 (from S/N FS001316)	×	
ARC00043	Heidelberg XL 106 AutoPlate Coating		×
Koenig & Bau	ier		
ARC06001	Koenig & Bauer Rapida 105 / 106 DU 730 mm	×	
ARC06112	Koenig & Bauer Rapida 105 / 106 L 730 mm		×
ARC06113	Koenig & Bauer Rapida 105 / 106 L 740 mm		×
Komori			
ARC01003	Komori L28 DK / DU	×	
ARC01008	Komori Lithrone G40		×
ARC01005	Komori Lithrone (S)40	×	
ARC01004	Komori Lithrone 40	×	
manroland			
ARC02003	manroland 700	×	
ARC02006	manroland 700 special 77 mm	×	
Unit: 1 pc.			

Unit: 1 pc.

RSP Accessories

For safe and comfortable work with RSP.

RSP hinge unlocking tool



Cutting to length

Order no.	Description	Unit
BRH00040	Side cutter ¹	1 pc.
BDC00001	S 80 scissors ²	1 pc.
BDC00002	S 80 replacement blade	1 pc.
BRH00038	RSP Flexible Die Strip Scissors ³	1 pc.

¹ Favourable variant for cutting the RSP Processing Rules to the required length

Torque screwdriver TX 20



Operation Base Plate

Order no.	Description	Unit
ARH00045	RSP hinge unlocking tool	1 pc.
BRH00041	Torque screwdriver TX 20, 1.2 Nm	1 pc.
BRH00045	Torque wrench set*, extension 250 mm & 17 mm socket	1 pc.

st to tighten base plate or base blanket


Grinding of RSP nicks with special adapter and diamond discs



Nicks

Order no.	Description	Unit
BRH00018	Special adapter for multigrinders, shaft \oslash 3 mm for diamond grinding disc 35 \times 7 mm	1 pc.
BID37001	Diamond grinding disc 0.3 mm	1 pc.
BID37002	Diamond grinding disc 0.4 mm	1 pc.
BID37003	Diamond grinding disc 0.5 mm	1 pc.

RSP mounting tool



Securing

Order no.	Description	Unit
BRH00008	Adhesive tape for securing, 12 mm × 66 m, for RSP 2.0 application	1 reel
BRH00062	Adhesive tape for securing, 12 mm × 66 m, for RSP Easy application	1 reel
BRH00166	SK4.2 tape for HD PerfectJacket and KBA silicon jackets red, 12 mm $ imes$ 66 m	1 reel
BRH00015	RSP mounting tool	1 pc.
BRH00032	RSP Adhesive Tape for fixing the flexible dies onto the RSP grid sheet or with the RSP Easy base blanket, $520 \text{ mm} \times 10 \text{ m}$	1 reel

RSP Protective Jackets Lifter



Flexible dies / Protective Impression Cylinder Jackets

Order no.	Description	Unit
ARH00007	Removal aid for protective impression cylinder jacket	1 pc.
BRH00020	Safety gloves	1 pair
BRH00033	RSP Protective Jackets Lifter	1 pc.

CITO TAPE





Patch up

Order no.	Description	Unit
BJC01018	CITO TAPE blue, 0.03 mm, 40 m × 6.0 mm	3 reels
BJC01019	CITO TAPE red, 0.05 mm, 30 m × 6.0 mm	3 reels

² For cutting RSP Offset Creasing Matrix and RSP Processing Rules


³ For burr-free cutting of the flexible dies; For mitre cutting






Offset Articles









RSP Perforating Rules



RSP Cutting Rule



RSP Creasing Rules



RSP Offset Rules

The classic method for perforating, diecutting and creasing in offset printing

Fixed to the impression cylinder and working with the protective blanket. Use our CITO RSP processing lines also for short runs.

We have replaced our offset rules with the higher quality RSP processing rules. Take advantage of better rule quality and the resulting cutting result.

RSP Perforating Rules

Order no.	Description	Cut : Nick ratio	Contents	Unit
BRF00011	RSP Perforating Rule 4 tpi	6.0 : 0.7	6 m	1 packet
BRF00001	RSP Perforating Rule 8 tpi	2.4 : 0.8	6 m	1 packet
BRF00002	RSP Perforating Rule 12 tpi	1.4 : 0.8	6 m	1 packet
BRF00003	RSP Perforating Rule 16 tpi	0.8 : 0.8	6 m	1 packet
BRF00010	RSP Perforating Rule 18 tpi	0.7 : 0.7	6 m	1 packet
BRF00004	RSP Perforating Rule 35 tpi	0.3 : 0.4	6 m	1 packet
BRF00005	RSP Perforating Rule 50 tpi	0.2 : 0.3	6 m	1 packet

tpi = teeth per inch

RSP Cutting Rule

Order no.	Description	Contents	Unit
BRF00008	RSP Cutting Rule	6 m	1 packet


RSP Creasing Rules

Creasing rule specially matched to the use of RSP components with different heights. The R1 creasing rule is used for only creasing, because it is the same height as a cutting or perforation rule.

However, in the case of a multiple use with creasing and/or cutting or perforating, the R2 creasing rule has to be used because this has a lower overall height.

Order no.	Description	Contents	Unit
BRF00006	RSP Creasing Rule / R1	6 m	1 packet
BRF00007	RSP Creasing Rule / R2	6 m	1 packet





SM74.T €

Antimarking solutions for transfer and delivery cylinders

PrintGuardPlus®

PrintGuardPlus® is an antimarking jacket with a special, colour-resistant coating and elastic, compressible reverse side. Available for all common Heidelberger printing presses. These antimarking jackets have been made to a very high level of manufacturing standards, thus greatly prolonging their lifespan.

The advantages:

- Constantly high printing quality: the special colour resistant silicon coating offers optimum antimarking properties.
- Longer lifespan:
 the unique elastic and compressible reverse side avoids dents in the PrintGuardPlus® antimarking jacket from harmful materials.
- Increased productivity: the quick, safe and easy selfinstallation noticeably reduces the machine downtime.


Order no.	For use on Heidelberg	Cylinder	Unit
BVA00002	GTO 52	Transfer cylinder	1 pc.
BVA00009	SM 52	Transfer cylinder	1 pc.
BVA00008	SM 52	Delivery cylinder*	1 pc.
BVA00032	SM 52	Transfer cylinder**	1 pc.
BVA00010	SM 72	Transfer cylinder	1 pc.
BVA00012	SM 74 / SX 74	Transfer cylinder	1 pc.
BVA00011	SM 74 / SX 74	Delivery cylinder*	1 pc.
BVA00022	SX 74	Transfer cylinder**	1 pc.
BVA00005	SM 102 (< 1995)	Transfer cylinder	1 pc.
BVA00006	SM 102 (> 1995)	Transfer cylinder	1 pc.
BVB00005	SM 102 (705 mm)	Delivery cylinder	1 pc.
BVA00035	SX 102	Delivery cylinder	1 pc.

^{*} with deep-pile delivery section ** with printing substrate extension / adjustable T1 cylinder

PrintGuardPlus® Sheets

PrintGuardPlus® Sheets are self-adhesive or non self-adhesive and also available for printing presses from other manufacturers.

Order no.	Description	Dimensions	Unit
AVB99037	PrintGuardPlus® Sheet F300S	1054 × 750 mm	1 pc.
AVB99034	PrintGuardPlus® Sheet F110S sk*	1054 × 750 mm	1 pc.
AVB99038	PrintGuardPlus® Sheet F300S	750 × 527 mm	1 pc.
AVB99035	PrintGuardPlus® Sheet F110S sk*	750 × 527 mm	1 pc.
AVB99036	PrintGuardPlus® Sheet F110S sk*	527 × 375 mm	1 pc.
* self-adhesive		Other formats o	n request.




OrangeNets antimarking nets

OrangeNets are antimarking nets for use on base liners of different manufacturers.

Order no.	Description	Unit
BVC99001	OrangeNet Wavy 74	6 pcs.
BVC99002	OrangeNet Wavy 102	6 pcs.







CITO Antimarking Plate

The long-running economical success in the coating tower and the coating unit.

If you print without using the coating tower or coating unit of your offset printing press, then you are sure to be familiar with the challenge of getting the printed sheet through the coating unit without markings. The CITO Antimarking Plate is used instead of the blanket mat in the coating tower of the Koenig & Bauer Rapida 105/106 or instead of a coating plate in Heidelberger printing machines and prevents markings in the printed image and ink build-up on the coating plate cylinder.


The advantages:

- · No marks in the printing process due to ink-repellent surface
- · Long service life due to stable and flexible structuring
- Proven and well-known handling by similar structure as a coating plate
- · Huge savings compared to alternative products

Order no.	Description	Dimensions	Unit
AVB99100	CITO Antimarking Plate Koenig & Bauer Rapida 105/106 Coater 730 mm	796 × 1060 mm	1 pc.
AVB99101	CITO Antimarking Plate Koenig & Bauer Rapida 105/106 Coater 740 mm	800 × 1060 mm	1 pc.
AVB99102	CITO Antimarking Plate Koenig & Bauer Rapida 105/106 Coater 770 mm	830 × 1060 mm	1 pc.
AVB99106	CITO Antimarking Plate Koenig & Bauer Rapida 106 RDC + CutPRO X 106	1050 × 770 mm	1 pc.

Order no.	Description	Dimensions	Unit
AVB99133	CITO Antimarking Plate Heidelberg CX 104 Coating unit	1030 × 780 mm	1 pc.







Ink Duct Foils

Precisely produced and stable ink duct foils for CPC ink ducts and CPC colour measuring systems for Heidelberg print presses.

Precisely produced ink duct foils with exact folding ensure fast and uniform application in the ink duct of your

printing press. Due to the high stability, the biaxially-orientated foil ensures reliable and uniform ink transport without showing any colour fluctuations or sealing prematurely.



Order no.	For use on Heidelberg	Dimensions	Unit	
190 μm for s	190 μm for standard printing inks			
BUA00007	Heidelberg SM 52 / XS 52 / Printmaster PM 52 *	545 × 197 mm	100 pcs.	
BUA00002	Heidelberg GTO 52 / Printmaster GTO 52	547 × 200 mm	100 pcs.	
BUA00018	Heidelberg SX 74 *	774 × 197 mm	100 pcs.	
BUA00009	Heidelberg SM 74 / CD 74 / CX 75 / XL 75 *	775 × 229 mm	100 pcs.	
BUA00019	Heidelberg CS 92 / CX 92 *	937 × 229 mm	100 pcs.	
BUA00005	Heidelberg SM 102	1067 × 232 mm	100 pcs.	
BUA00006	Heidelberg CD 102 / CX 102 / CX 104 / XL 105 / XL 106 *	1067 × 229 mm	100 pcs.	

$250~\mu m$ for	UV printing inks		
BUA00012	Heidelberg SM 74 / CD 74 / CX 75 / XL 75 *	775 × 229 mm	100 pcs.
BUA00014	Heidelberg CD 102 / CX 102 / CX 104 / XL 105 / XL 106 *	1067 × 229 mm	100 pcs.

^{*} sloped version




Click & Go! PrintLine product finder

Find out easily and conveniently with a click, which products CITO offers for a specific printing press!

www.cito.de/pf/





Flexographic Printing Articles



Flexographic printing cleaner CITOCLYN

Specially developed for fast and thorough cleaning of printing plates and anilox rollers.

CITOCLYN Uni Plus

- cleaner (alkaline) with particularly strong cleaning effect, not subject to mandatory hazard labelling under ${\ensuremath{\sf CLP}}$

CITOCLYN Uni Eco

- cleaner (mildly alkaline) not subject to mandatory hazard labelling under CLP

CITOCLYN Base

- economical cleaner for daily cleaning

CITOCLYN Man

- for manual cleaning


CITOCLYN Anilox

- for anilox roller cleaning

CITOCLYN UV

- for printing plate and anilox rollers in UV printing





Storage instructions

- Protect from frost, heat and direct sunlight
- Store at room temperature in the original container
- 12 month shelf life

A It t t	Printing	plate	Anilox roller		
Application matrix	automatic cleaning	manual cleaning	automatic cleaning	manual cleaning	external cleaning
CITOCLYN Uni Plus	**	**	4,4	444	^ 1
CITOCLYN Uni Eco	**	**	**	4,4	
CITOCLYN Base	**	4,4	4,4	4,4	
CITOCLYN Man		**		**	
CITOCLYN Anilox				4,4	4,4
CITOCLYN UV		۵	۵	۵	

Aqueous cleaning

♦ Water-free cleaner

¹ Ultrasound cleaning





CITOCLYN Uni Plus

CITOCLYN Uni Plus is a fast-acting and intensive washing product for manual and automatic printing plate cleaning, machine cleaning as well as for parts washing systems.

CITOCLYN Uni Plus is also suitable for daily cleaning of anilox rollers and printing plates in flexographic printing machines, even for difficult to clean printing inks. The screens are kept clean so that a uniform ink density is achieved.

Due to the alkaline pH value of the concentrate, and the fact that it is not subject to mandatory hazard labelling under CLP, it has a particularly strong cleaning effect and a low hazard potential for users.

- · Not subject to mandatory hazard labelling under CLP
- · Low foam formation
- · Residue-free cleaning
- Recommended dilution with water 1:5 up to 1:10
- Maximum temperature for automatic washing systems 50 °C
- Certified as safe for the cleaning of printing plates and anilox rollers for the printing of food packaging (food contact materials)
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials
 - ✓ Production reliability combined with product safety

Order no.	Description	Unit (Litre)
BMC06000	CITOCLYN Uni Plus	1000
BMC06001	CITOCLYN Uni Plus	1*
BMC06020	CITOCLYN Uni Plus	20
BMC06200	CITOCLYN Uni Plus	200
BMC06600	CITOCLYN Uni Plus	600

* 1 Litre container for test purposes only

CITOCLYN Uni Plus

- · Not subject to mandatory hazard labelling under CLP
- Alkaline (pH 10 11)
- · Low foam formation
- · Large cleaning effect
- Printing plate-friendly
- · Completely water-soluble
- · Residue-free cleaning
- Removes calcium deposits
- VOC × < 1.5 % (2010/75/EU)
- AOX-free
- Water hazard class 1
- Density 1.023 g/cm³







CITOCLYN Uni Eco

CITOCLYN Uni Eco is a fast acting washing product for manual and automatic printing plate cleaning, machine cleaning as well as parts washing systems.

CITOCLYN Uni Eco is suitable for daily cleaning of anilox rollers and printing plates in flexographic printing machines. The grids are kept clean to ensure a uniform ink density is achieved.

- · Not subject to mandatory hazard labelling under CLP
- · Low foam formation
- · Residue-free cleaning
- · No sticking of the printing plates after cleaning
- Can be used in heated roller washing systems
- Recommended dilution with water 1:5 up to 1:10
- Maximum temperature for automatic washing systems 50 °C
- Certified as safe for the cleaning of printing plates and anilox rollers for the printing of food packaging (food contact materials)
 - ✓ Conform with sections 3 and 17 of EC No. 1935/2004 for food contact materials
 - ✓ Production reliability combined with product safety

Order no.	Description	Unit (Litre)
BMC02000	CITOCLYN Uni Eco	1000
BMC02001	CITOCLYN Uni Eco	1*
BMC02020	CITOCLYN Uni Eco	20
BMC02200	CITOCLYN Uni Eco	200
BMC02600	CITOCLYN Uni Eco	600

* 1 Litre container for test purposes only

CITOCLYN Uni Eco

- Not subject to mandatory hazard labelling under CLP
- Mildly alkaline (pH 8 9)
- · Low foam formation
- · Large cleaning effect
- · Printing plate-friendly
- Completely water-soluble
- · Residue-free cleaning
- · Removes calcium deposits
- VOC-free (2010/75/EU)
- AOX-free
- Water hazard class 1
- Density 1.023 g/cm³



CITOCLYN Base

CITOCLYN Base is an economic and efficient detergent for daily manual and automatic printing plate and anilox roller cleaning, machine cleaning and for parts washing systems.

The flexographic cleaner is ideally suitable for difficult to clean printing inks in flexographic printing. CITOCLYN Base is also a good choice for cleaning in ink preparation.

The convincing value for money makes CITOCLYN Base the optimum product for daily use in direct corrugated board printing with water-based printing inks.

Order no.	Description	Unit (Litre)
BMC08000	CITOCLYN Base	1000
BMC08001	CITOCLYN Base	1*
BMC08020	CITOCLYN Base	20
BMC08200	CITOCLYN Base	200
BMC08600	CITOCLYN Base	600

* 1 Litre container for test purposes only

CITOCLYN Base

- Recommended dilution with water 1:5 to 1:10
- Alkaline (pH 11.3)
- · Fast cleaning effect
- · Large cleaning capacity
- · Printing plate-friendly
- Completely water-soluble
- Residue-free cleaning
- · Corrosion inhibiting
- VOC × < 1.2 % (2010/75/EU)
- AOX-free
- Water hazard class 1
- Density 1.01 g/cm³



CITOCLYN Man

CITOCLYN Man is a flexographic printing cleaner for removing dried-on printing ink from printing plates or anilox rollers by manual cleaning outside the printing machine.

- · Residue-free drying
- Pure or diluted with water up to 1:10
- Maximum temperature for automatic washing systems 50 °C

Order no.	Description	Unit (Litre)
BMC03000	CITOCLYN Man	1000
BMC03001	CITOCLYN Man	1*
BMC03020	CITOCLYN Man	20
BMC03200	CITOCLYN Man	200
BMC03600	CITOCLYN Man	600

* 1 Litre container for test purposes only

CITOCLYN Man

- Highly alkaline (pH 13 14)
- Fast cleaning effect
- · Large cleaning capacity
- · Printing plate-friendly
- · Completely water-soluble
- · Residue-free cleaning
- VOC: x < 0.25 % (2010/75/EU)
- AOX-free
- Water hazard class 1
- Density 1.077 g/cm³



CITOCLYN Anilox

CITOCLYN Anilox is an excellent washing agent for manual or automatic cleaning in external cleaning systems for anilox rollers.

- · Outstandingly deep cleaning
- · Low foam formation
- · Can be used in heated roller washing systems
- Residue-free drying
- For manual cleaning pure or diluted with water up to 1:2
- Depending on the degree of soiling, leave to act for several minutes and then rinse off with clean water
- For automatic cleaning diluted with water up to 1:5
- Maximum temperature for automatic washing system 40 °C

Order no.	Description	Unit (Litre)
BMC04000	CITOCLYN Anilox	1000
BMC04001	CITOCLYN Anilox	1*
BMC04020	CITOCLYN Anilox	20
BMC04200	CITOCLYN Anilox	200
BMC04600	CITOCLYN Anilox	600

* 1 Litre container for test purposes only

CITOCLYN Anilox

- Highly alkaline (pH 13 14)
- · Fast cleaning effect
- · Outstandingly deep cleaning
- Maximum cleaning effect
- · Low foam formation
- · Completely water-soluble
- · Residue-free cleaning
- Removes calcium deposits
- VOC: x < 3.0 % (2010/75/EU)
- AOX-free
- · Water hazard class 1
- Density 1.06 g/cm³



CITOCLYN UV

CITOCLYN UV is a cleaning agent for removing UV flexographic printing inks, dispersion inks and 2C varnishes from anilox rollers and printing plates.


- It is used pure and is suitable not only for manual cleaning but also for automatic washing systems. For manual cleaning, it can be applied on the printing plate or anilox roller using cloths or a spray can.
- For manual cleaning, depending on the degree of soiling, leave to act for several minutes and then wipe off with a lint-free cloth.
- Maximum temperature for automatic washing system 40 °C

Order no.	Description	Unit (Litre)
BMC05000	CITOCLYN UV	1000
BMC05001	CITOCLYN UV	1
BMC05020	CITOCLYN UV	20
BMC05200	CITOCLYN UV	200
BMC05600	CITOCLYN UV	600

CITOCLYN UV

- pH neutral (pH 6 − 7)
- · High cleaning effect
- · Printing plate-friendly
- · Residue-free cleaning
- Flashpoint 100 110 °C
- VOC-free (2010/75/EU)
- AOX-free
- Water hazard class 1
- Density 1.02 g/cm³





FDS - Mix Direct mixing stations

For safe and manual removal

The FDS – Mix Direct mixing stations are designed for manual removal of a CITOCLYN water mixture at various places in the company. This means that defined removal quantities can be controlled by the production management and employee safety is ensured when working with substances with high pH value.

The advantages:

- Can be used for different container sizes
- · Uniform mix ratio
- · Adjustable mix ratio
- · Operation without electrical power
- · Safe operation
- · No backflow of cleaner into the drinking water

 ${\sf FDS-Mix}$ Direct functions without electrical power and is simply connected to the water pipe. The water pressure acts as a driving force. In this way, the concentrate is drawn in, the required percentage is metered and is homogenised with the water in the mixing chamber. The quantity of injected product is always proportional to the water volume.

The mixing station is equipped with a non-return valve for environmentally friendly application; it ensures that cleaning mixture cannot flow back into the drinking water system.

Order no.	Description	Unit
BMC10001	FDS – Mix Direct mixing station for manual removal, adjustable mix ratio $\bf 1$ – $\bf 10~\%$	1 pc.
BMC10002	FDS – Mix Direct mixing station for manual removal, adjustable mix ratio 5 – $25~\%$	1 pc.
BMC10003	FDS – Mix Direct mixing station for manual removal, adjustable mix ratio $1-10\%$, for wall mounting	1 pc.
BMC10004	FDS – Mix Direct mixing station for manual removal, adjustable mix ratio 5 – 25 %, for wall mounting	1 pc.
BMC10007	FDS – Sediment filter in 5 × 2.5 inch, 10 micron	1 pc.

Can be used for different container sizes (200 litre drum, 600 litre IBC and 1,000 litre IBC)







CITOCLYN Pressure Sprayers

For efficient and effective spraying and application of cleaning agents

The CITOCLYN Pressure Sprayers are available as mobile sprayers and hand-held sprayers. These are supplied with a complete set of CITOCLYN Safety Labels, so that the contents are easy to identify.

CITOCLYN Pressure Sprayers (mobile)

Optimum for safe, economic and convenient use

The mobile pressure sprayers are made of stainless steel and are operated with compressed air. The compressed air produces uniform and efficient wetting of printing plates and anilox rolls. The mobile sprayers are equipped with an overpressure relief valve for maximum operating safety. Frequent refilling or manual pumping by hand is not necessary thanks to the container size and compressed air connection.

The result: more efficient, faster, more reliable and safer manual cleaning process.

0	rder no.	Description	CITOCLYN Cleaner					
			Uni Plus	Uni Eco	Base	Man	Anilox	UV
В	MC10101	V2A, pH-value 4 – 11 Volume 16 I	✓	✓	-	-	-	✓
В	MC10102	V2A, pH-value 4 – 11 Volume 24 I	✓	✓	-	-	-	✓
В	MC10103	V4A, pH-value 2 – 14 Volume 24 I	✓	✓	✓	✓	✓	✓
В	MC10104	V2A, pH-value 4 – 11 Volume 50 I	✓	✓	-	-	-	✓

Equipment:

- · Content display
- 5 metre spiral hose
- 600 mm stainless steel lance
- · Pressure gauge with stainless steel housing





Volume 24 I



Volume 50 I



Accessories

	Description	Colour	Unit	Order no.
	Spiral hose for CITOCLYN Pressure Sprayers • Polyamide, 6 × 8 mm Ø • 10 m stretched length • Connections on both sides • G 1/4" external thread	Red	1 рс.	BMC10114
	Spiral hose for CITOCLYN Pressure Sprayers • Polyamide, 6 × 8 mm Ø • 5 m stretched length • Connections on both sides • G 1/4" external thread	Blue	1 pc.	BMC10119
O	Hose for CITOCLYN Pressure Sprayers Polyamide, 8 × 12 mm Ø 8 m stretched length Connections on both sides G 1/4" external thread	Blue	1 pc.	BMC10124
	Nozzle Set 1 for CITOCLYN Pressure Sprayers Nozzle, bracket, filter		1 pc.	BMC10118

CITOCLYN Stainless Steel Spray Lances

For ergonomic and safe working when spraying printing plates

Stainless steel spray lances are available in different lengths. The robust lances made of stainless steel and the high-quality fluororubber seals ensure a long life

- · Highly resistant seal
- 110° discharge fan nozzle
- Nozzle filter 50 mesh
- G $\frac{1}{2}$ " inside connection reduced to G $\frac{1}{4}$ "

Order no.	Description	Length
BMC10105	Stainless steel lance	750 mm
BMC10106	Stainless steel lance	900 mm
BMC10107	Telescopic stainless steel lance	1,000 to 2,000 mm
BMC10120	Stainless steel spray gun	100 mm

CITOCLYN Hand Sprayer


Ideal for applying small quantities

By using the CITOCLYN Pump Spray Bottle, the cleaning agent is applied uniformly and is sprayed finely and reliably.

Simple function: Manual pumping generates a pressure in the container. No overpressure thanks to the safety valve.

By simultaneously pressing the release, a press of the thumb on the spray button is sufficient for reliable spraying of the CITOCLYN Cleaning Agent.

Order no.	Description	Volume	CITOCLYN	N Cleaner			
			Uni Plus	Uni Eco	Man	Anilox	UV
BMB00014	Hand Sprayer	11	✓	✓	✓	✓	✓





Stainless Steel Spray Lance 900 mm




Telescopic Stainless Steel Spray Lance









CITOCLYN Accessories CITOCLYN Pump Sets

Specially preassembled pump sets for pumping CITOCLYN Cleaning Agents

Available in 200 litre drums, 600 litre or 1,000 litre IBCs. Can be dismantled into two pieces for fast and easy cleaning.

Optional screw covers in DN 150 and DN 225, with G 2" opening for fixing the drum pump, are available for fixing in the 600 and 1,000 litre IBCs and screw covers.

Description		200 litre drum	600 litre IBC	1,000 litre IBC
Pump set	1000 mm	BMC10011	-	-
	1200 mm	-	BMC10012	BMC10012
Cover	150 mm	-	BMC10013	BMC10013
	225 mm	-	BMC10014	-

200 litre drum	600 litre IBC 1,000 litre IBC				
BMC10011 CITOCLYN Pump Set for 200 Litre drum • Drum pump collector motor,	BMC10012 CITOCLYN Pump Set for IBCs				
 230 V, 50 Hz, 500 W, IP24 with undervoltage release and speed adjustment, 5 m cable, 2-pin plug Discharge outlet: G 1 1/4 A 	 Drum pump collector 230 V, 50 Hz, 500 V IP24 with undervoltar adjustment, m cable, 2-pin plug 	V, age release and speed			
 Outside Ø: 40 mm Immersion depth: 1,000 mm 	Discharge outlet: GOutside Ø: 40 mm	1 1/4 A			
 PVC hose DN 19, 2 m long PP nozzle, EPDM seals PP drum fitting with G 2 A external thread, PP 	 Immersion depth: 1, PVC hose DN 19, 2 PP nozzle, EPDM se: PP drum fitting with thread, PP 	m long als			







Optimum for safe storage of drums or IBCs

The spill trays contain cleaning agents in the event of accidental leaks or leaks when removing/transferring the contents. Easy to transport with a forklift truck or pallet truck. The steel trays have a dimensionally stable structure and have a galvanised grid platform. The installation site must be horizontal and protected from the rain, where possible.

Order no.	Description	Size	Weight	Volume
BMC10108	Steel spill tray For 1 drum 180 – 220 litre	1000 × 850 × 300 mm	63.3 kg	0.270 m ³
BMC10109	Steel spill tray For 1 IBC 600 – 1,000 litre	1350 × 1350 × 620 mm	183 kg	1.422 m ³

CITOCLYN Cleaning Equipment


The set is the ideal addition to our Pressure sprayers.



Order no.	Description
BMC10110	CITOCLYN Printing Plate Cleaning Brush Set 280/1,250 Set consisting of: CITOCLYN Printing Plate Cleaning Brush 280 (BMC10111) CITOCLYN Printing Plate Cleaning Brush Aluminium Telescopic Rod 72 – 125 cm (BMC10112)
BMC10111	 CITOCLYN Printing Plate Cleaning Brush 280 Size 280 × 110 × 135 mm Bristle length 74 mm Weight 415 g
BMC10112	CITOCLYN Printing Plate Cleaning Brush Aluminium Telescopic Rod 72 – 125 cm • Aluminium telescopic rod is continuously adjustable from 72 to 125 cm • Tube diameter 26 mm / 20 mm • Special handle grip with stop edge to prevent slipping through • Weight 350 g

Unit: 1 pc.


CITOCLYN Cleaning Sponge





Order no.	Description	Unit
BMC10113	CITOCLYN Cleaning SpongePressed Viscose Sponge135 × 90 × 37 mm	10 pcs.





Envelope Feeder






Envelope Feeder SUPERFEEDER for offset printing

The latest generation of envelope feeders allows unimagined improvements in productivity.

The SUPERFEEDER convinces through its sturdy design as well as the uncomplicated and fast set up on all small-format printing presses.

You can process all common envelope formats at maximum machine speed with the SUPERFEEDER.



Order no.	Description	Unit
BWA00001	SUPERFEEDER Envelope Feeder	1 pc.
BWA00002	Additional front plate for single sheet printing press with photocell	1 pc.
BWA00003	Delivery belt for SUPERFEEDER 1.1 m	1 pc.
BWA00004	Delivery belt for SUPERFEEDER, extra long 1.6 m	1 pc.





www.cito.de/vid/superfeeder





CITO PrintLine 206






CITO ProcessLine

Overview ProcessLine



Crease Measuring Devices

CITO CREASY CITO CounterControl CITO CORRCHECK



Corrugated Board Measuring Devices

CITO CORRCHECK




Braille Measuring Devices

CITO BREYE











Crease Measuring Devices CITO CREASY

CITO CREASY measuring device enables you to monitor creasing characteristics and embossings. It supports you during setup on the press, resulting in superior creasing and a longer service life for your tooling and creasing matrices.

CITO CREASY is a measuring device that optically records creasing characteristics and uses software to analyse these on your PC or laptop. It graphically records the width, height and symmetry characteristics of the creasing and the two folding edges, analyses these and documents them by issuing a report. This guarantees optimised converting on the folding carton gluing machine.

Technical data:

- Measures the creasing characteristics
- Measures the folding angle
- · Checks the height of creasing
- · Checks the width of creasing
- · Checks the folding edge to the left and right
- Documents the checks in the form of a PDF quality report
- Documents the statistics in the form of a PDF quality report
- Tolerance: 0.003 mm depth measurement

Order no.	Description	Unit
BOB00040	CITO CREASY Basic	1 pc.
BOB00041	CITO CREASY Premium	1 pc.
BOB00042	CITO CREASY Upgrade from Basic to Premium	1 pc.
BOB00044	CITO CREASY Power Crease Update	1 pc.
BOB00045	CITO CREASY Power Box	1 pc.
BOB00049	CITO CREASY LaserCrease	1 pc.
BOB00050	CITO CREASY Rule Upgrade	1 pc.
BOB00062	CITO CREASY Upgrade for 6.x Software	1 pc.

CITO CREASY Extensions


CITO CREASY LaserCrease

The LaserCrease add-on displays the exact measured values of laser-creased folding cartons.



CITO CREASY Power Crease

With the Power Crease extension for the CITO CREASY Premium, you can now measure and check creases on the side of the crease line.



CITO CREASY Power Box


With our Power Box extension for the CITO CREASY Premium measuring device, you can check the angularity of score lines and finished boxes.













CITO CounterControl

CITO CounterControl is an optical, non-contact measurement system for monitoring the width and depth of the creasing channel in Pertinax and the counter plate.

Reduce costs resulting from measurement errors by using CITO CounterControl. Optimise and secure your production process.

CITO CounterControl allows you to test the wear on Pertinax from repeated operations and thus prevent machine downtime in advance.

This measuring system makes it possible to achieve consistent measuring accuracy, independent of the operator. Complaints and measurement errors are now a thing of the past.

As an option, the measuring system is available equipped with a laptop computer.


Technical data:

- · Measures the creasing channel depth
- · Measures the creasing channel width
- · Measures the radius at the floor of the creasing channel
- Measures the angle at the floor of the creasing channel
- Documents the measurements in the form of a PDF quality report
- Tolerance: 0.003 mm depth measurement
- Measuring width from 0.01 up to 8 mm
- Measuring depth from 0.001 up to 3 mm


Order no.	Description	Unit
BYG00112	CITO CounterControl	1 pc.











Corrugated Board Measuring Devices

CITO CORRCHECK

CITO CORRCHECK is an optical, non-contact measuring system to check the mechanical washboard effect, flute profiles of open flutes and the creasing process in corrugated board production.

Reduce high costs resulting from maculation with CITO CORRCHECK. CITO CORRCHECK is the technical measuring solution to the problem of washboarding.

For the first time, this measuring system makes it possible to measure the washboard effect on original sheets, without having to take into account the considerable effort and cost of preparing measurement samples. Where there are deviations from the nominal values, the appropriate remedial action can be taken immediately.

Technical data:

- · Measures the flute profile
- · Measures the washboard effect
- · Measures the creasing
- · Measures scoring
- Tolerance: 0.003 mm depth measurement
- Tolerance: 0.001 mm washboard effect

Order no.	Description	Details	Unit
BYG00111	CITO CORRCHECK	Measurement of flute, washboard, creasing	1 pc.









Technical data

- Measures the dot height
- · Measures the dot width
- Measures the dot spacing
- Conforms to DIN EN ISO 17351 former DIN EN 15823
- Documentation of the checks in the form of a PDF quality report
- Documentation of the the statistics in the form of a PDF quality report
- Tolerance: ± 0.01 mm
- · Measuring embossing dies
- Measurement of metallic surfaces (hot stamping foil)
- · Contrast adjustment
- · Adjustable depth of focus
- Data output now also in Excel or CSV in addition to PDF

Braille Measuring Devices CITO BREYE

CITO BREYE is a USB device that takes 3D images of the samples which are analysed by the user using the software. The height, base diameter and distance between the Braille dots could be measured.

CITO BREYE is a reliable, portable measuring device which checks and documents the measurement data according to DIN EN ISO 17351 former DIN EN 15823. The dots themselves are not damaged by this process.

Each measurement is statistically analysed and can be stored tamper-proof. A quality report can be saved and printed out.

One of the standout features of the CITO BREYE is its portability and versatility. Unlike large, stationary measuring tables, CITO BREYE can be easily transported and used in various locations. Whether you are in the office, on the production floor, or at a client's site, CITO BREYE is ready to deliver precise measurements wherever you need them. This flexibility makes it an invaluable tool for any operation, ensuring quality control is maintained no matter where you are, no matter if you are on the embossing press, after the folding gluer, in the QA department or at a customer visit to prevent claims.

To meet the Regulations for the US market according to FDA 21 CFR Part 11 regulation, a special software version is available.


- · Validation of the system to ensure accuracy
- Recording of measured values human and machine readable for authorities
- Protection of documents against alteration
- · Limited system access for users
- Signature manifestations

Order no.	Description	Unit
BYG00110	CITO BREYE – Measurement of braille dots	1 pc.
BYG00121	CITO BREYE Upgrade for 3.x Software	1 pc.
BYG00118	CITO BREYE Reference Target	1 pc.
BYG00117	CITO BREYE Extension for "21 CER Part 11"	1 pc.



CITO ProcessLine 214





CITO KnowHow





CITO Online Seminars

Diecutting technology and diemaking Flexoprinting Test and measuring equipment



CITO Inhouse Training and Workshops

Individual and personal training in your company

CITO KnowHow > Overview 216





www.cito.de/seminars

CITO Online Seminars

Know-how for your success!

In addition to high-quality and efficient products, you also receive sound and up-to-date knowledge for optimum application. We are pleased to pass on our know-how to you. Benefit from our experience in the development and use of the products and solutions. So that you increase the overall output of your company, create additional resources and achieve results that impress your customers.

CITO Online Seminars:

- ✓ Up-to-date knowledge and technology application-oriented, practical, comprehensive
- ✓ Detailed and clear explanations modern design with videos and animations
- ✓ Know-how 24/7 available online at anytime and anywhere

Current CITO Online Seminars:

- ✓ Diecutting technology and diemaking
- ✓ Flexoprinting
- ✓ Test and measuring equipment





www.cito.de/inhouse-training

CITO Inhouse Training and Workshops

Individual and personal training in your company

CITO offers you not only high-quality and sophisticated products, but also complete solutions for your daily work and daily challenges. To enable you, as a professional, to always be up to date with the state of the art, we offer you customised in-house training courses in the field of diecutting technology. They will enable you to improve your team's specialist knowledge and skills in the production environment.

In this respect, we place emphasis on a holistic approach, wide participation from all departments involved and, if possible, the consolidation of knowledge through coordinated repetitions. Our application engineers create the training content so that it is optimally adapted to your workflow and production processes. Thus you can be sure that the content is precisely tailored to your requirements and that the implementation and application is ensured, even in the long term.

Glossary

Order no. BOBST	Order no. CITO	Description
BSA0261242200	BLC06017	SP clamping jaws for lower stripping board steel, zinc plated L $70 \times W$ $6 \times H$ 30 mm (unit = 50 pcs.)
BSA05020000LZ	BLC04004	Support Clamp for upper pull-out frame with perforated plate - Stripping section (unit = 6 pcs.)
BSA05020000MB	BLC04005	Pin Holder, 45 mm for lower stripping pins (unit = 10 pcs.)
BSA05020000MQ	BLC04003	LOWER STRIPPING PINS WHITE, Body Ø 14.8 mm, Pin Ø 4.0 mm (unit = 20 pcs.)
BSA05020000QX	BLC06019	Clamping jaws SPO, RED, plastic $85 \times 15 \times 55$ mm (LxWxH) for lower stripping tool without fastening screws (unit = 48 pcs.)
BSA0502207900	BLC02005	Centerline I, Centering Block for Upper Stripping Board, BLACK (unit = 50 pcs.)
BSA0502209300	BLC02006	Centerline II, Centering Block for Lower Stripping Board, RED (unit = 50 pcs.)
BSA0502239700	BLC02010	Centerline Centring Block SP, RED for BOBST chase loader (unit = 100 pcs.)
BSA0502240000	BLC02004	Centerline Piece for Lower Blanking Board, plastic, BLACK (unit = 25 pcs.)
BSA0792745600	BKA16503	Stick Stopper for CITO Jogger 1.65 Flex $48 \times 10 \times 10$ mm (unit = 50 pcs.)
BSA0792764600	BKA16502	Jogger Support for CITO Jogger 1.65 Flex $48 \times 30 \times 11$ mm Tap M5, without screws (unit = 25 pcs.)
BSA1070003000	BKP02006	SPOT PRESSER FOOT (unit =50 pcs.)
BSA1070003200	BKP03007	PRESSER C-RAIL - BENDABLE Length: 2380 mm 93.7"
BSA1070003300	BFB08005	3 mm T-HANDLE WRENCH
BSA1070003500	BKP02004	STANDARD PRESSER FOOT (unit = 50 pcs.)
BSA1070003600	BKP02009	MOUNTING CLIP WITH SCREW for PRESSER (unit = 15 pcs.)
BSA1070005600	BKP01006	PRESSER CL100 - C-RAIL incl. mounting clips and screws (unit = 15 pcs.)
BSA1070005700	BKP01004	PRESSER CL100 - SPOT (unit = 15 pcs.)
BSA1070005800	BKP01001	FLUSH PRESSER FP-1 - STANDARD FOOT incl. mounting clips and screws (unit = 15 pcs.)
BSA1070006000	BKP01002	FLUSH PRESSER FP-2 - SPOT FOOT incl. mounting clips and screws (unit = 15 pcs.)
BSA1070006100	BKP00004	CITO SPIDER PRESSER SPOT BLACK (unit = 25 pcs.)
BSA1070006200	BKP00005	CITO SPIDER PRESSER RAIL YELLOW (unit = 25 pcs.)
BSA1070006300	BKP00006	CITO SPIDER PRESSER SPOT BLACK - US version (unit = 25 pcs.)
BSA1070006400	BKP00007	CITO SPIDER PRESSER RAIL YELLOW - US version (unit = 25 pcs.)
BSA1070006500	BKP00008	CITO Presser Rail Length 1500 mm 59.06" (unit = 10 pcs.)
BSA1086103000	BJA00003	Makeready Sheets - Calibrated Paper YELLOW 1030 x 720 x 0.1 mm (unit = 125 sheets)
BSA1086103100	BJA00004	Makeready Sheets - Calibrated Paper YELLOW 1090 x 770 x 0.1 mm (unit = 125 sheets)
BSA1086103200	BJA00005	Makeready Sheets - Calibrated Paper YELLOW $1310 \times 1000 \times 0.1$ mm (unit = 125 sheets)
BSA1086103300	BJA00006	Makeready Sheets - Calibrated Paper YELLOW $1440 \times 1110 \times 0.1$ mm (unit = 125 sheets)
BSA1086103400	BJA00007	Makeready Sheets - Calibrated Paper YELLOW 1500 x 1110 x 0.1 mm (unit = 125 sheets)
BSA1089002100	BFB08003	COUNTERBORE CUTTER - 5 mm
BSA1089002200	BFB08002	COUNTERSINK CUTTER - 4 mm
BSA1089002300	BFB02102	PIN INSERTION GUIDE TOOL
BSA1089002400	BFB08004	ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbore housing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 4 mm, 1pc BFB08001 - COUNTERSINK CUTTER - 3 mm
BSA1089003000	BGM04002	GRID CLAMP LOCK - 2 mm (unit = 10 pcs.)
BSA1089003100	BGM04003	GRID CLAMP LOCK - 3 mm (unit = 10 pcs.)
BSA1089003200	BGM04005	GRID CLAMP LOCK - 5 mm (unit = 10 pcs.)
BSA1089003300	BGM04006	GRID CLAMP LOCK - 6 mm (unit = 10 pcs.)
BSA1089003800	BFB04114	QUICK SET CORNER BRACKET - LEFT (unit = 5 pcs.)
BSA1089003900	BFB04115	QUICK SET CORNER BRACKET - RIGHT (unit = 5 pcs.)
BSA1089004000	BFB07113	PARALLEL CLAMP (unit = 25 pcs.)
BSA1089004100	BGM04010	GRID CLAMP FRONT/REAR - REUSABLE (unit = 10 pcs.)
BSA1089004200	BGM04013	GRID CLAMP SIDE - REUSABLE (unit = 10 pcs.)
BSA1089004300	BFB02101	SUPPORT RAIL END (unit = 5 pcs.)
BSA1089004400	BFB07011	QUICK LOCK-LOWER LEFT (unit = 5 pcs.)
BSA1089004500	BFB07012	QUICK LOCK-LOWER RIGHT (unit = 5 pcs.)
BSA1089004600	BGM04011	GRID CLAMP FRONT/REAR - DEDICATED WELDABLE (unit = 25 pcs.)
BSA1089004700	BGM04012	GRID CLAMP SIDE - DEDICATED WELDABLE (unit = 25 pcs.)
BSA1089004800	BFB07006	SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs.)
BSA1089004900	BFB04109	SCREW - SPECIAL LOW HEAD M5 x 20 (unit = 50 pcs.)
BSA1089005000	BFB04110	SCREW - SPECIAL LOW HEAD SHCS M5 × 24 mm (unit = 50 pcs.)
BSA1089005100	BFB07010	SCREW - BUTTON SHCS M6 × 12 mm (unit = 50 pcs.)
BSA1089005200	BFB04111	SCREW - SHCS M5 × 16 mm (unit = 50 pcs.)
BSA1089005400	BFB07004	SCREW - LOW HEAD SHCS M5 × 6 mm (unit = 50 pcs.)
BSA1089005500	BFB07001	SCREW - FLAT SHCS - M3 × 8 mm (unit = 50 pcs.)

Order no. BOBST	Order no. CITO	Description
BSA1089005600	BFB04105	DOVETAIL NUT CORNER - BRACKET (unit = 50 pcs.)
BSA1089005800	BFB04106	DOVETAIL NUT - ACCESSORY (unit = 50 pcs.)
BSA1089005900	BFB02103	HARDENED PIN Ø 3.5 × 28 mm (unit = 50 pcs.)
BSA1089006000	BFB07014	BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs.)
BSA1089006100	BFB04107	CENTERLINE BRACKET - BOTTOM MOUNT (unit = 10 pcs.)
BSA1089006500	BKA00401	GRID TOOL JOGGER BODY - FRONT/REAR (unit = 25 pcs.)
BSA1089006600	BKA00402	GRID TOOL JOGGER BODY - SIDE (unit = 25 pcs.)
BSA1089006700	BKA00404	UNIVERSAL JOGGER BODY - FRONT/REAR (unit = 25 pcs.)
BSA1089006800	BKA00403	UNIVERSAL JOGGER BODY - 7/16" DROP GUIDE (unit = 25 pcs.)
BSA1089007100	BKA00405	UNIVERSAL JOGGER BODY - SIDE (unit = 25 pcs.)
BSA1089007700	BKA00100	JOGGER - FRONT/REAR - GRID TOOL (unit = 25 pcs.)
BSA1089007800	BKA00101	JOGGER - SIDE - GRID TOOL (unit = 25 pcs.)
BSA1089007900	BKA00201	JOGGER - FRONT/REAR - UNIVERSAL (unit = 25 pcs.)
BSA1089008000	BKA00207	JOGGER - 7/16" DROP GUIDE W/SLIDE - UNIVERSAL (unit = 25 pcs.)
BSA1089008100	BKA00211	JOGGER - 1/4" DROP GUIDE SOLID - UNIVERSAL (unit = 25 pcs.)
BSA1089008200	BKA00212	JOGGER - 3/8" DROP GUIDE SOLID - UNIVERSAL (unit = 25 pcs.)
BSA1089008300	BKA00213	JOGGER - 5/16" DROP GUIDE SOLID - UNIVERSAL (unit = 25 pcs.)
BSA1089008400	BKA00102	JOGGER - REAR WITH HAT - GRID TOOL (unit = 25 pcs.)
BSA1089008500	BKA00202	JOGGER - SIDE - UNIVERSAL (unit = 25 pcs.)
BSA1089008600	BFB07013	QUICK LOCK KIT
BSA1089008700	BFA01001	FRAME KIT SP-102-CER / SP-103-ER
BSA1089008800	BFA01008	FRAME KIT SP-162-CER
BSA1089008900	BFA01006	FRAME KIT SP-142-CER
BSA1089009000	BFA01005	FRAME KIT SP-142-ER
BSA1089009100	BFA01004	FRAME KIT SP-130-ER
BSA1089009200	BFA01003	FRAME KIT SP-106-PER / LER
BSA1089009300	BFA01002	FRAME KIT SP-104-ER
BSA1089009400	BFB01001	FRAME RAIL FRONT SP 102/103
BSA1089009500	BFB01009	FRAME RAIL REAR SP 102/103
BSA1089009600	BFB01018	FRAME RAIL SIDE-LEFT SP 102/103/104
BSA1089009700	BFB01026	FRAME RAIL SIDE-RIGHT SP 102/103/104
BSA1089009800	BFB01002	FRAME RAIL FRONT SP 104
BSA1089009900	BFB01010	FRAME RAIL REAR SP 104
BSA1089010000	BFB01003	FRAME RAIL FRONT SP 106
BSA1089010100	BFB01011	FRAME RAIL REAR SP 106
BSA1089010200	BFB01019	FRAME RAIL SIDE-LEFT SP 106
BSA1089010300	BFB01027	FRAME RAIL SIDE-RIGHT SP 106
BSA1089010400	BFB01004	FRAME RAIL FRONT SP 130
BSA1089010500	BFB01012	FRAME RAIL REAR SP 130
BSA1089010600	BFB01020	FRAME RAIL SIDE-LEFT SP 130
BSA1089010700	BFB01028	FRAME RAIL SIDE-RIGHT SP 130
BSA1089010800	BFB01005	FRAME RAIL FRONT SP 142-ER/CER
BSA1089010900	BFB01014	FRAME RAIL REAR SP 142-CER
BSA1089011000	BFB01022	FRAME RAIL SIDE-LEFT SP 142-CER
BSA1089011100	BFB01030	FRAME RAIL SIDE-RIGHT SP 142-CER
BSA1089011200	BFB01007	FRAME RAIL FRONT SP 162
BSA1089011300	BFB01016	FRAME RAIL REAR SP 162
BSA1089011400	BFB01024	FRAME RAIL SIDE-LEFT SP 162
BSA1089011500	BFB01032	FRAME RAIL SIDE-RIGHT SP 162
BSA1089011700	BFB01013	FRAME RAIL REAR SP 142-ER
BSA1089011800	BFB01021	FRAME RAIL SIDE-LEFT SP 142-ER
BSA1089011900	BFB01029	FRAME RAIL SIDE-RIGHT SP 142-ER
BSA1089012000	BMR04002	SIDE SCRAP SUPPORT SINGLE KNIFE TOOL 2740 mm (unit = 2 pcs.)
BSA1089012100	BMR04001	SCREWLESS MOUNTING RAIL 2740 mm (unit = 2 pcs.)
BSA1089012300	BFB02001	FLAT TOP TOOL SUPPORT RAIL SP 102/103/104
BSA1089012400	BFB02003	FLAT TOP TOOL SUPPORT RAIL SP 130
BSA1089012500	BFB02004	FLAT TOP TOOL SUPPORT RAIL SP 142-CER
BSA1089012600	BFB02005	FLAT TOP TOOL SUPPORT RAIL SP 142-ER
BSA1089012700	BFB02007	FLAT TOP TOOL SUPPORT RAIL SP 162
BSA1089012800	BMR03001	UNIVERSAL MOUNTING RAIL SP 102/103/104/106 (unit = 2 pcs.)
BSA1089012900	BMR03002	UNIVERSAL MOUNTING RAIL SP 130 (unit = 2 pcs.)

Order no. BOBST	Order no. CITO	Description
BSA1089013000	BMR03003	UNIVERSAL MOUNTING RAIL SP 142/145 (unit = 2 pcs.)
BSA1089013100	BMR03004	UNIVERSAL MOUNTING RAIL SP 162 (unit = 2 pcs.)
BSA1089013200	BMR01001	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 102/103 (unit = 2 pcs.)
BSA1089013300	BMR01004	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 130 (unit = 2 pcs.)
BSA1089013400	BMR01005	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 142 (unit = 2 pcs.)
BSA1089013500	BMR01007	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 162 (unit = 2 pcs.)
BSA1089013600	BMR01002	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 104 (unit = 2 pcs.)
BSA1089013700	BMR01003	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 106 (unit = 2 pcs.)
BSA1089014300	BGM30002	SINGLE KNIFE GRID BAR BOBST SP-104-ER 22 mm x 5 mm x 742 mm
BSA1089014900	BKA00604	SLIDE -151 FRONT/REAR - GRID TOOL JOGGER / SINGLE KNIFE JOGGER (unit = 25 pcs.)
BSA1089015000	BFA03001	UNIVERSAL TOOL KIT SP-102-CER / SP-103-ER
BSA1089015100	BFA03002	UNIVERSAL TOOL KIT SP-104-ER
BSA1089015200	BFA03003	UNIVERSAL TOOL KIT SP-106-PER / LER
BSA1089015300	BFA03004	UNIVERSAL TOOL KIT SP-130-ER
BSA1089015400	BFA03005	UNIVERSAL TOOL KIT SP-142-ER / SP-1420-ER
BSA1089015500	BFA03006	UNIVERSAL TOOL KIT SP-142-CER
BSA1089015600	BFA03008	UNIVERSAL TOOL KIT SP-162-PER
BSA1089015700	BFA03007	UNIVERSAL TOOL KIT SP-145-PER
BSA1089015900	BFB07008	SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs.)
BSA1089016000	BFB07002	SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs.)
BSA1089016100	BFB07003	SCREW - FLAT SHCS - M4 × 25 mm (unit = 50 pcs.)
BSA1089016400	BFA02002	FLAT TOP TOOL KIT SP-104-ER
BSA1089016500	BFA02003	FLAT TOP TOOL KIT SP-106-PER / LER
BSA1089016600	BFA02007	FLAT TOP TOOL KIT SP-145-PER
BSA1089016700	BFA02008	FLAT TOP TOOL KIT SP-162-CER
BSA1089016800	BFB02002	FLAT TOP TOOL SUPPORT RAIL SP 106
BSA1089016900	BMR01006	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 145 (unit = 2 pcs.)
BSA1089017500	BGM30003	SINGLE KNIFE GRID BAR BOBST Sprintera 106-PER 22 mm x 5 mm x 762 mm
BSA1089017800	BGM30006	SINGLE KNIFE GRID BAR BOBST SP-145-PER 22 mm x 5 mm x 1.052 mm
BSA1089018100	BGM30007	SINGLE KNIFE GRID BAR BOBST SP-162-CER 22 mm x 5 mm x 1.122 mm
BSA1089018200	BFB02006	FLAT TOP TOOL SUPPORT RAIL SP 145
BSA1089018300	BFA01007	FRAME KIT SP-145-PER
BSA1089018400	BFB01006	FRAME RAIL FRONT SP 145
BSA1089018500	BFB01015	FRAME RAIL REAR SP 145
BSA1089018600	BFB01023	FRAME RAIL SIDE-LEFT SP 145
BSA1089018700	BFB01031	FRAME RAIL SIDE-RIGHT SP 145
BSA1089018800	BFA01009	FRAME KIT SP-1600-ER
BSA1089019100	BFA02001	FLAT TOP TOOL KIT SP-102-CER / SP-103-E
BSA1089019200	BFA02004	FLAT TOP TOOL KIT SP-130-ER
BSA1089019300	BFA02005	FLAT TOP TOOL KIT SP-142-ER
BSA1089019400	BFA02006	FLAT TOP TOOL KIT SP-142-CER
BSA1089020000	BGM30001	SINGLE KNIFE GRID BAR BOBST SP-102/103 22 mm x 5 mm x 722 mm
BSA1089020300	BGM30004	SINGLE KNIFE GRID BAR BOBST SP-130-ER 22 mm x 5 mm x 922 mm
BSA1089020600	BGM30005	SINGLE KNIFE GRID BAR BOBST SI-130-ER 22 mm x 5 mm x 1.022 mm
BSA1089020700	BFB07019	MOUNTING BRACKET SP 142-ER (unit = 2 pcs.)
BSA1089020800	BFB02008	FLAT TOP TOOL SUPPORT RAIL 2.740 mm
BSA1089020900	BFB02009	FLAT TOP TOOL SUPPORT RAIL BENDABLE 2.740 mm
BSA1089021500	BKA00501	SIDE JOGGER NARROW FLAT TOP MOUNTING RAIL (unit = 25 pcs.)
BSA1089021600	BMR02001	FLAT TOP Mounting RAIL - NARROW SP 102/103/104 (unit = 2 pcs.)
BSA1089021700	BMR02002	FLAT TOP Mounting RAIL - NARROW SP 106 (unit = 2 pcs.)
BSA1089021700 BSA1089021800	BMR02003	FLAT TOP Mounting RAIL - NARROW SP 130 (unit = 2 pcs.)
BSA1089021900	BMR02004	FLAT TOP Mounting RAIL - NARROW for SP 142 (unit = 2 pcs.)
BSA1089022000	BMR02005	FLAT TOP Mounting RAIL - NARROW SP 162 (unit = 2 pcs.)
BSA1089022100	BFB07023	OVERCLAMP SET SP-142-ER
BSA1089022100	BGM04004	GRID CLAMP LOCK - 4 mm (unit = 10 pcs.)
BSA1089022500	BFB07020	MOUNTING BRACKET KIT SP-142-ER
BSA1089022600	BFB07018	GRIPPER FINGER SUPPORT (unit = 2 pcs.)
BSA1089022700	BKA00103	OGGER - FRONT/REAR - GRID TOOL 151 mm slide (unit = 25 pcs.)
	BKA00103	JOGGER - FRONT/REAR - GRID TOOL 131 mm slide (unit = 25 pcs.) JOGGER - SIDE - GRID TOOL 151 mm slide (unit = 25 pcs.)
	ロトヘいノーレナ	1000FLV - DIDE - QUID TOOF 12 LIHII PHOE HIHL - 52 DC21
BSA1089022800 BSA1089022900	BKA00105	JOGGER - REAR WITH HAT - GRID TOOL 151 mm slide (unit = 25 pcs.)

Order no. BOBST	Order no. CITO	Description
BSA1089023100	BKA00204	JOGGER - SIDE - UNIVERSAL 151 mm slide (unit = 25 pcs.)
BSA1089023200	BKA00208	JOGGER - 7/16" DROP GUIDE W/SLIDE UNIVERSAL - 151 mm slide (unit = 25 pcs.)
BSA1089023300	BKA00106	JOGGER - FRONT/REAR - GRID TOOL 251 mm slide (unit = 25 pcs.)
BSA1089023400	BKA00107	JOGGER - SIDE - GRID TOOL 251 mm slide (unit = 25 pcs.)
BSA1089023500	BKA00108	JOGGER - REAR WITH HAT - GRID TOOL 251 mm slide (unit = 25 pcs.)
BSA1089023600	BKA00205	JOGGER - FRONT/REAR - UNIVERSAL 251 mm slide (unit = 25 pcs.)
BSA1089023700	BKA00206	JOGGER - SIDE - UNIVERSAL 251 mm slide (unit = 25 pcs.)
BSA1089023800	BKA00209	JOGGER - 7/16" DROP GUIDE W/SLIDE UNIVERSAL 251 mm slide (unit = 25 pcs.)
BSA1089023900	BFB02104	SPRING CLIP for SCREWLESS SUPPORT RAIL (unit = 25 pcs.)
BSA1089024000	BFB07015	OVERCLAMP (unit = 2 pcs.)
BSA1089024100	BFB07016	STOP BRACKET PER (unit = 10 pcs.)
BSA1089024300	BFB08001	COUNTERSINK CUTTER - 3 mm
BSA1089024500	BKP01007	PRESSER CL100 with UNIVERSAL MOUNTING BRACKET (unit = 15 pcs.)
BSA1089024600	BFB01008	FRAME RAIL FRONT SP 1600-ER
BSA1089024700	BFB01017	FRAME RAIL REAR SP 1600-ER
BSA1089024800	BFB01025	FRAME RAIL SIDE-LEFT SP 1600-ER
BSA1089024900	BFB01033	FRAME RAIL SIDE-RIGHT SP 1600-ER
BSA1089025000	BFB07021	OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.)
BSA1089025100	BFB07022	OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.)
BSA1089025200	BKA00502	PIN JOGGER 8.0 x 3.0 mm (unit = 25 pcs.)
BSA1089025300	BFB07017	STOP BRACKET KIT PER / ER (unit = 5 pcs.)
BSA1089031300	BFB08006	RECEIVER SYSTEM FRAME CLAMP (unit = 2 pcs.)
BSA1089032000	BFB07111	LOWER BOARD SUPPORT BODY (unit = 10 pcs.)
BSA1089032100	BFB07112	LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.)
BSA1089032300	BKP01003	PRESSER CL100 - SPR (unit = 15 pcs.)
BSA1089032400	BFA05001	RECEIVER SYSTEM FRAME KIT SP-102-CER / SP-103-ER
BSA1089032500	BFA05002	RECEIVER SYSTEM FRAME KIT SP-104-ER
BSA1089032600	BFA05003	RECEIVER SYSTEM FRAME KIT SP-106-PER / LER
BSA1089032700	BFA05004	RECEIVER SYSTEM FRAME KIT SP-130-ER
BSA1089032800	BFA05005	RECEIVER SYSTEM FRAME KIT SP-142-ER
BSA1089032900	BFA05006	RECEIVER SYSTEM FRAME KIT SP-142-CER
BSA1089033000	BFA05007	RECEIVER SYSTEM FRAME KIT SP-145-PER
BSA1089033100	BFA05008	RECEIVER SYSTEM FRAME KIT SP-162-CER
BSA1089033200	BFA05009	RECEIVER SYSTEM FRAME KIT SP-1600-ER
BSA1089034400	BFA06001	RECEIVER SYSTEM FRAME KIT SP-102-CER / SP-103-ER
BSA1089034500	BFA06002	RECEIVER SYSTEM FRAME KIT SP-104-ER
BSA1089034600	BFA06003	RECEIVER SYSTEM FRAME KIT SP-106-PER / LER
BSA1089034700	BFA06004	RECEIVER SYSTEM Rail KIT SP-130-ER
BSA1089034800	BFA06005	RECEIVER SYSTEM Rail KIT SP-142-ER
BSA1089034900	BFA06006	RECEIVER SYSTEM Rail KIT SP-142-CER
BSA1089035000	BFA06007	RECEIVER SYSTEM Rail KIT SP-145-PER
BSA1089035100	BFA06008	RECEIVER SYSTEM Rail KIT SP-162-CER
BSA1089035200	BFA06009	RECEIVER SYSTEM Rail KIT SP-1600-ER
BSA1089035600	BFB04116	GRID MOUNTING BRACKET (unit = 50 pcs.)
BSA1089035700	BFB04102	QUICK SET REAR CORNER BRACKET - RIGHT (unit = 5 pcs.)
BSA1089035800	BFB04101	QUICK SET REAR CORNER BRACKET - LEFT (unit = 5 pcs.)
BSA1089035900	BFB04001	QUICK SET FRAME RAIL FRONT SP 102/103
BSA1089036000	BFB04002	QUICK SET FRAME RAIL FRONT SP 104
BSA1089036100	BFB04003	QUICK SET FRAME RAIL FRONT SP 106
BSA1089036200	BFB04004	QUICK SET FRAME RAIL FRONT SP 130
BSA1089036300	BFB04005	QUICK SET FRAME RAIL FRONT SP 142-ER/CER
BSA1089036400	BFB04006	QUICK SET FRAME RAIL FRONT SP 145
BSA1089036500	BFB04007	QUICK SET FRAME RAIL REAR SP 102/103
BSA1089036600	BFB04008	QUICK SET FRAME RAIL REAR SP 104
BSA1089036700	BFB04009	QUICK SET FRAME RAIL REAR SP 106
BSA1089036800	BFB04010	QUICK SET FRAME RAIL REAR SP 130
BSA1089036900	BFB04011	QUICK SET FRAME RAIL REAR SP 142-ER/CER
BSA1089037000	BFB04012	QUICK SET FRAME RAIL REAR SP 145
BSA1089037100	BKP02005	PRESSER LINK CLIP (unit = 50 pcs.)
BSA1089037200	BFA04001	QUICK SET FRAME KIT SP-102-CER / SP-103-ER
BSA1089037300	BFA04002	QUICK SET FRAME KIT SP-104-ER

Order no. BOBST	Order no. CITO	Description
BSA1089037400	BFA04003	QUICK SET FRAME KIT BOBST SP-106-PER / LER ETERNA 1060 Elite ER
BSA1089037500	BFA04004	QUICK SET FRAME KIT SP-130-ER
BSA1089037600	BFA04005	QUICK SET FRAME KIT SP-142-ER
BSA1089037700	BFA04006	QUICK SET FRAME KIT SP-142-CER
BSA1089037800	BFA04007	QUICK SET FRAME KIT SP-145-PER
BSA1089037900	BFB04103	QUICK SET GRID SUPPORT (unit = 5 pcs.)
BSA1089038000	BKA00301	JOGGER - FRONT/REAR - UNIVERSAL 44 mm (unit = 25 pcs.)
BSA1089038100	BKA00302	JOGGER - SIDE - UNIVERSAL 44 mm (unit = 25 pcs.)
BSA1089038200	BKA00303	JOGGER - DROP GUIDE - UNIVERSAL 44 mm (unit = 25 pcs.)
BSA1089038300	BKA00305	JOGGER - REAR WITH HAT - GRID TOOL 44 mm (unit = 25 pcs.)
BSA1089038400	BKA00306	JOGGER - SIDE - GRID TOOL 44 mm (unit = 25 pcs.)
BSA1089038500	BFB04113	QUICK SET CLIP (unit = 20 pcs.)
BSA1089038600	BKA00304	DROP GUIDE JOGGER V2 44 mm (unit = 25 pcs.)
BSA1089038700	BFB07005	SCREW - LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs.)
BSA1089038800	BFB07007	SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs.)
BSA1089038900	BFB04104	QUICK SET BUSHING KIT (unit = 5 pcs.)
BSA1089039000	BKA00210	DROP GUIDE JOGGER V2 STANDARD SLIDE (unit = 25 pcs.)
BSA1089042200	BLC07010	MALE PUSHER STANDOFF 8 mm x 38 mm (unit = 50 pcs.)
BSA1089042600	BKP01005	PRESSER CL100 - WOOD (unit = 15 pcs.)
BSA1089043500	BJC01050	Grid-Tape - 25.0 mm width (unit = 200 pcs.)
BSA1089069500	BSA1089069500	Patching Tape BLUE - 6.0 mm width 0.03 mm thickness, 40 m length (unit = 25 reels)
BSA1089069600	BSA1089069600	Patching Tape BLUE - 12.0 mm width 0.03 mm thickness, 40 m length (unit = 12 reels)
BSA1089069700	BSA1089069700	Patching Tape BLUE - 20.0 mm width 0.03 mm thickness, 40 m length (unit = 7 reels)
BSA1089069800	BSA1089069800	Patching Tape BLUE - 30.0 mm width 0.03 mm thickness, 40 m length (unit = 5 reels)
BSA1089069900	BSA1089069900	Patching Tape BLUE - 3.0 mm width 0.03 mm thickness, 40 m length (unit = 40 reels)
BSA1089070000	BSA1089070000	Patching Tape YELLOW - 6.0 mm width 0.08 mm thickness, 20 m length (unit = 25 reels)
BSA1089070100	BSA1089070100	Patching Tape YELLOW - 12.0 mm width 0.08 mm thickness, 20 m length (unit = 12 reels)
BSA1089070200	BSA1089070200	Patching Tape YELLOW - 20.0 mm width 0.08 mm thickness, 20 m length (unit = 7 reels)
BSA1089070300	BSA1089070300	Patching Tape YELLOW - 30.0 mm width 0.08 mm thickness, 20 m length (unit = 5 reels)
		Patching Tape YELLOW - 3.00 min width 0.08 mm thickness, 20 m length (unit = 40 reels)
BSA1089070400	BSA1089070400	
BSA1089070500	BSA1089070500	Patching Tape RED - 6.0 mm width 0.05 mm thickness, 30 m length (unit = 25 reels)
BSA1089070600	BSA1089070600	Patching Tape RED - 12.0 mm width 0.05 mm thickness, 30 m length (unit = 12 reels)
BSA1089070700	BSA1089070700	Patching Tape RED - 20.0 mm width 0.05 mm thickness, 30 m length (unit = 7 reels)
BSA1089071900	BFB07027	INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.)
BSA1089072000	BFB07028	INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.)
BSA1089072100	BFB07029	INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.)
BSA1089072400	BKA08001	JOGGER UNIVERSAL - 10mm DROP GUIDE W/SLIDE (unit = 10 pcs.)
BSA1089072600	BKA08003	JOGGER UNIVERSAL - 10 mm DROP GUIDE NARROW SLIDE (unit = 10 pcs.)
BSA1089073700	BFA07001	INSERT FRAME KIT SP-102-CER / 103
BSA1089073701	BFA07002	INSERT FRAME KIT SP-104-ER
BSA1089073702	BFA07003	INSERT FRAME KIT SP-106-PER
BSA1089073703	BFA07004	INSERT FRAME KIT SP-130-ER
BSA1089073704	BFA07005	INSERT FRAME KIT SP-142-ER
BSA1089073705	BFA07006	INSERT FRAME KIT SP-142-CER
BSA1089073706	BFA07007	INSERT FRAME KIT SP-145-PER
BSA1089073707	BFA07008	INSERT FRAME KIT SP-162-CER
BSA1089073708	BFA07009	INSERT FRAME KIT SP-1600-ER
BSA1089073719	BGM12251	GRID MATERIAL 22 mm x 5 mm x 2.375 mm
BSA1089073720	BGM11631	GRID MATERIAL 16 mm x 3 mm x 2.375 mm
BSA1089073721	BGM11851	GRID MATERIAL 18 mm x 5 mm x 2.375 mm
BSA1089073722	BGM12261	GRID MATERIAL 22 mm × 6 mm × 2.375 mm
BSA1089073723	BGM11621	GRID MATERIAL 16 mm x 2 mm x 2.375 mm
BSA1089073724	BGM11641	GRID MATERIAL 16 mm x 4 mm x 2.375 mm
BSA1089073725	BGM12241	GRID MATERIAL 22 mm x 4 mm x 2.375 mm
BSA1089073726	BGM12231	GRID MATERIAL 22 mm x 3 mm x 2.375 mm
BSA1089073727	BGM12221	GRID MATERIAL 22 mm x 2 mm x 2.375 mm
BSA1089073728	BGM22251	KNIFE EDGE GRID MATERIAL 22 mm x 5 mm x 2.375 mm
BSA1089073729	BFB04116	KIT BRACKET CORNER RIGHT AND LEFT BFB04114 - QUICK SET CORNER BRACKET - LEFT BFB04115 - QUICK SET CORNER BRACKET – RIGHT
BSA1089073739	BPB02608	CITO BALANCE PROFILE EasyFix 8.0 mm 658 x 20.0 x 8.0 mm, GREY / RED (unit = 38 strips/25m)

Order no. BOBST	Order no. CITO	Description
BSA1089073740	BPB02610	CITO BALANCE PROFILE EasyFix 10.0 mm 658 \times 20.0 \times 10.0 mm, GREY / BLUE (unit = 38 strips/25m)
BSA1089073741	BPB02611	CITO BALANCE PROFILE EasyFix 11.0 mm 658 \times 20.0 \times 11.0 mm, GREY / BLACK (unit = 38 strips/25m)
BSA1089073742	BIA00003	Manual Nicking tool width: 0.3 mm
BSA1089073743	BIA00004	Manual Nicking tool width: 0.4 mm
BSA1089073744	BIA00005	Manual Nicking tool width: 0.5 mm
BSA1089073745	BIA00006	Manual Nicking tool width: 0.6 mm
BSA1089073746	BIA00007	Manual Nicking tool width: 0.7 mm
BSA1089073747	BIA00008	Manual Nicking tool width: 0.8 mm
BSA1089073748	BIA00009	Manual Nicking tool width: 0.9 mm
BSA1089073749	BIA00010	Manual Nicking tool width: 1.0 mm
BSA1089073750	BIA00012	Manual Nicking tool width: 1.2 mm
BSA1089073751	BIA00015	Manual Nicking tool width: 1.5 mm
BSA1089073754	BKA07003	JOGGER COMPOSITE ASSEMBLY 151 SLIDE Body length 61 mm, total length 139 mm incl. screws with cross recessed (unit = 25 pcs.)
BSA1089073755	BKA07004	JOGGER COMPOSITE ASSEMBLY 251 SLIDE Body length 61 mm, total length 235 mm incl. screws with cross recessed (unit = 25 pcs.)
BSA1089073756	BEA00062	Zonal Patching Paper 250 m x 1.100 mm x 0.03 mm
BSA1089073757	BLC06086	Strip rod knife SP, 12mm lower stripping board length: 25 mm, right (unit = 150 pcs.)
BSA1089073758	BLC06081	Strip rod knife SPO, 12mm lower stripping board length: 30 mm, height: 62 mm (unit = 100 pcs.)
BSA1089073759	BLC06081	Strip rod knife SPO, 12mm lower stripping board length: 70 mm, height: 62 mm (unit = 75 pcs.)
BSA1089073760	BLC06083	Strip rod knife SPO, 12mm lower stripping board length: 100 mm, height: 62 mm (unit = 50 pcs.)
BSA1089073761	BLC06084	Strip rod knife SPO, 12mm lower stripping board length: 750 mm, height: 62 mm (unit = 25 pcs.)
BSA1089073762	BLC06085	Strip rod knife SP, 12mm lower stripping board length: 25 mm, left (unit = 150 pcs.)
BSA1089073763	BLC01020	CITO LOCK Screw, YELLOW length: 43 mm (unit = 250 pcs.)
BSA1089073764	BLC01020	CITO LOCK Nut, YELLOW (unit = 250 pcs.)
BSA1089073765	BLC01021	CITO LOCK Screw, BLACK length: 50 mm (unit = 250 pcs.)
BSA1089073765	BLC01022	CITO LOCK Nut, BLACK (unit = 250 pcs.)
BSA1089073767	BLC01023	Crito Lock Nut, BLACK (unit = 250 pcs.) Centering Screw for CL I, GREY length: 43 mm - SP without nose for Centerline I (unit = 250 pcs.)
BSA1089073767	BLC01036	
		Nut for Centering Screw CL I, GREY without nose for Centerline I (unit = 300 pcs.)
BSA1089073769	BLC01038	Centering Screw for CL I, RED length: 50 mm - SPO without nose for Centerline I (unit = 250 pcs.)
BSA1089073770	BLC01039	Nut for Centering Screw CL I, RED without nose for Centerline I (unit = 300 pcs.)
BSA1089073771	BQK00001	CITO PROTECTOR 11.6 mm YELLOW (unit = 500 pcs.)
BSA1089073772	BQK00002	CITO PROTECTOR 14.6 mm YELLOW (unit = 500 pcs.)
BSA1089073773	BQK00003	CITO PROTECTOR 17.6 mm YELLOW (unit = 500 pcs.)
BSA1089073774	BHS00002	Positioning Pin Plastic AØ 8 x head Ø 5.5 x 21 mm (unit = 100 pcs.)
BSA1089073775	BHS00003	Positioning Pin Aluminium AØ 8 x head Ø 5.5 x 21 mm (unit = 100 pcs.)
BSA1089073776	BHS00010	Counter Locating Ring AØ 17 mm, IØ 7 mm x 7 mm (unit = 100 pcs.)
BSA1089073777	BJC01063	Grid-Tape MAX 3, 25 \times 184 mm, thickness 3 mm (unit = 100 pcs.)
BSA1089073778	BJC01064	Grid-Tape MAX 4, 25 x 184 mm, thickness 4 mm (unit = 75 pcs.)
BSA1089073779	BJC01065	Grid-Tape MAX 5, 25 \times 184 mm, thickness 5 mm (unit = 60 pcs.)
BSA1089073780	BJC01066	Grid-Tape MAX 6, 25 x 184 mm, thickness 6 mm (unit = 50 pcs.)
BSA1089073781	BFB07024	ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.)
BSA1089073782	BFB07025	ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.)
BSA1089073783 BSA1089073786	BFB07026 BKA07001	ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) JOGGER COMPOSITE ASSEMBLY STANDARD SLIDE Body length 61 mm, total length 81 mm incl.
BSA1089073787	BKA07002	screws with cross recessed (unit = 50 pcs.) JOGGER COMPOSITE ASSEMBLY LONG SLIDE Body length 61 mm, total length 103 mm incl. screw
DC 4 1000073700	DOK00042	with cross recessed (unit = 50 pcs.)
BSA1089073789	BQK00043	SOFT CORNER PROTECTOR 18 mm BLACK (unit = 200 pcs.)
BSA1089073790	BQK00041	SOFT CORNER PROTECTOR 15 mm BLACK (unit = 200 pcs.)
BSA1089073791	BQK00042	SOFT CORNER PROTECTOR 15.9 mm BLACK (unit = 200 pcs.)
BSA1089073792	BIA00020	Manual Nicking tool width: 2.0 mm
BSA1089073793	BJB00004	CITO Special Carbon Paper BLUE 720 mm x 1020 mm (unit = 100 sheets)
BSA1089073794	BKA16501	CITO Jogger 1.65 Flex, 135 x 30 x 8 mm (H x W x D) (unit = 25 pcs.)
BSA1089073797	BLC05103	Knock-in nut with Tap, M3 steel zinc plated, height 5 mm, diameter 13 mm, bore 4.35 mm (unit = 100 pcs.)
BSA1089073804	BJB00003	CITO Special Carbon Paper BLUE 700 mm x 150 m
BSA1089073806	BQR00003	CITO SHEET RAMP S BLACK 11 mm 0.43" (unit = 200 pcs.)
BSA1089073807	BQR00004	CITO SHEET RAMP M BLACK 21 mm 0.83" (unit = 200 pcs.)
BSA1089073808	BFB07033	EASYBLANKER SUPPORT - GRID - FRONT/REAR

Order no. BOBST	Order no. CITO	Description
BSA1089073809	BFB07034	EASYBLANKER SUPPORT - WOOD - FRONT/REAR
BSA1089073810	BFB07035	EASYBLANKER SUPPORT - RAIL - FRONT/REAR
BSA1089073811	BLC06018	CITO Quick Lock Safety Screw (unit = 50 pcs.)
BSA1089073813	BCD00001	CITO Register Pin (unit = 6 pcs.)
BSA1089073814	BLA02005	CITO SECURE PRESSER 2.0, YELLOW with integrated safety strap, incl. screws (unit = 50 pcs.)
BSA1089073817	BKP04001	CITO FLAT TOP PRESSER 57 - BOARD incl. screws, BLACK (unit = 50 pcs.)
BSA1089073818	BKP04002	CITO FLAT TOP PRESSER 57 - SPOT incl. screws, BLACK (unit = 25 pcs.)
BSA1089073819	BKP04003	CITO FLAT TOP PRESSER 57 - BOARD incl. screws, BLACK, 5/8" plywood (unit = 50 pcs.)
BSA1089073820	BKP04004	CITO FLAT TOP PRESSER 57 - SPOT incl. screws, BLACK, 5/8" plywood (unit = 25 pcs.)
BSA1089073821	BKA00050	CITO EasyClick ogger 85 mm (unit = 50 pcs.)
BSA1089073822	BKA00052	CITO EasyClick logger 145 mm (unit = 25 pcs.)
BSA1089073823	BJA00010	CITO Patch Sheet Tape, 19 mm x 66 m, transparent with CITO print (unit = 3 pcs.)
BSA1089073832	BLC06020	Countersunk screw set SPO - top mounting for clamping jaws BLC06019 100 screws M6x50 HS4 and 100 nuts (unit = 1 set)
BSA1089073833	BLC06021	Cylinder head screw set SPO - bottom mounting for clamping jaws BLC06019 screws M6x50 HS5 (unit = 100 pcs)
BSA1089073840	BLC06005	SP clamping jaws, YELLOW, plastic H $30 \times L$ $70 \times W$ 9,5 mm (unit = 250 pcs.)
BSA1999002300	BHS00013	PERTINAX PIN REMOVAL TOOL
BSA1999844501	BLA03001	CITO SHEET LIFT, YELLOW (unit = 1.000 pcs.)
BSA1999844514	BLA01002	CITO CRAFT STRIP M, SILVER (unit = 250 pcs.)
BSA1999844515	BLA01003	CITO CRAFT STRIP L, SILVER (unit = 250 pcs.)
BSA1999844526	BKP00001	CITO SNAP PRESSER SPOT incl. spare part set of rings (unit = 50 pcs.)
BSA1999844527	BKP00002	CITO SNAP PRESSER RAIL for T-Rail incl. STOPPER + spare part set of rings (unit = 50 pcs.)
BSA1999844530	BKA00040	CITO SLIM JOGGER 7 mm 0.28" with washer (unit = 25 pcs.)
BSA1999844531	BLC10399	CITO INSERTING TOOLS FOR MANUAL PINS included sizes: 1.8, 2.2, 3.0, 4.0, 5.0 mm
BSA1999844567	BQF00001	CITO LOCK FIX DOWNHOLDER with nut 50 mm 1.97" (unit = 4 pcs.)
BSA1999844568	BQF00003	CITO LOCK FIX DOWNHOLDER with nut 33 mm 1.3" (unit = 4 pcs.)
BSA1999844677	BLA05003	CITO DYN SEPARATOR S, SILVER Length 9 mm 0.35" (unit = 150 pcs.)
BSA1999844678	BLA05004	CITO DYN SEPARATOR M, SILVER Length 20 mm 0.79" (unit = 150 pcs.)
BSA1999844679	BLA05005	CITO DYN SEPARATOR L, SILVER Length 55 mm 2.17" (unit = 150 pcs.)
BSA1999844880	BLA01004	CITO CASTLE STRIP, SILVER (unit = 200 pcs.)
BSA1999845072	BLA01001	CITO CRAFT STRIP S, SILVER (unit = 250 pcs.)
BSA1999845078	BLA04004	CITO BOX RAMP H, YELLOW Function width 21.0 mm \mid 0.83" self-adhesive, for subsequent use at die cutter (unit = 250 pcs.)
BSA1999845079	BLA04003	CITO BOX RAMP L, YELLOW Function width 21.0 mm 0.83" (unit = 250 pcs.)
BSA1999845080	BLA04002	CITO BOX RAMP M, YELLOW Function width 7.0 mm 0.28" (unit = 500 pcs.)
BSA1999845081	BLA04001	CITO BOX RAMP S, YELLOW Function width 6.0 mm 0.24" (unit = 500 pcs.)
BSA1999845082	BQF00004	CITO LOCK FIX NUT, YELLOW 33 mm 1.3" (unit = 250 pcs.)
BSA1999845083	BQF00002	CITO LOCK FIX NUT, YELLOW 50 mm 1.97" (unit = 250 pcs.)
BSA1999845084	BLC02001	REGISTER BLOCK, YELLOW, for Quicklocksystem (unit = 250 pcs.)
BSA1999845085	BLA05002	CITO SEP KNIFE L, SILVER Length 40 mm 1.58" (unit = 300 pcs.)
BSA1999845086	BLA05001	CITO SEP KNIFE S, SILVER Length 20 mm 0.79" (unit = 500 pcs.)
BSA1999845087	BLA02004	CITO SECURE PRESSER, YELLOW with integrated safety strap, incl. screws (unit = 50 pcs.)
BSA1999845088	BLA03005	CITO SHEET LIFT 3D ADD, YELLOW self-locking clamping ring for SHEET LIFT 3D (unit = 500 pcs.)
BSA1999845089	BLA02002	CITO SHEET PRESSER M, BLACK 40 \times 38 mm 1.58 \times 1.50" tear-resistent spring element, incl. screw (unit = 100 pcs.)
BSA1999845090	BLA02001	CITO SHEET PRESSER S, BLACK 30 \times 38 mm 1.18 \times 1.50" tear-resistent spring element, incl. screws (unit = 100 pcs.)
BSA1999845091	BLC06006	CLAMP BLOCK SP, YELLOW 89 \times 15 \times 33 mm (LxWxH) incl. thread M6 (unit = 200 pcs.)
BSA1999845092	BLA03003	CITO SHEET LIFT 3D, YELLOW (unit = 1.000 pcs.)
BSA1999845119	BLC04001	CITO LOWER STRIPPING PINS stainless steel, Body \varnothing 8 mm, Pin \varnothing 2.5 mm (unit = 50 pcs.)
BSA1999845120	BLC04002	CITO LOWER STRIPPING PINS stainless steel, Body Ø 8 mm, Pin Ø 4.0 mm (unit = 50 pcs.)
BSA816005020	BFB07009	SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs.)
SAM0475P04204	BCP50102	CITO Register Pin (unit = 6 pcs.)
SAM0475P04205	BCP50103	CITO Polytop 15 SAND 40 \times 20 \times 15 mm (unit = 1 sheet = 288 cubes)
SAM0475P04206	BPP00633	CITO Polytop 40 ORANGE 658 x 380 x 17 mm
SAM0475P04207	BPP00635	CITO Polytop 40 ORANGE 658 x 380 x 18 mm
SAM0475P04208	BCP00301	CITO Polytop 25 RED $40 \times 20 \times 16$ mm (unit = 1 sheet = 288 cubes)
SAM0475P04209	BPP00123	CITO Polytop 15 SAND 658 x 380 x 12 mm
SAM0475P04210	BPP00129	CITO Polytop 15 SAND 658 x 380 x 15 mm
SAM0475P04211	BPP00331	CITO Polytop 25 RED 658 x 380 x 16 mm
		CITO Cushion Crease, 70 Shore A, 17×7.0 mm, GREEN (unit = 1 reel = 50 m)



Order no. BOBST	Order no. CITO	Description
SAM8975P03236	BPB00144	CITO Cushion Crease, 70 Shore A, 18 x 8.0 mm, BLUE (unit = 1 reel = 50 m)
SAM8975P03248	BPB00151	CITO Cushion Crease, 70 Shore A, 18.5×8.5 mm, PURPLE (unit = 1 reel = 50 m)
SAM8975P03249	BPB00145	CITO Cushion Crease, 70 Shore A, 20 x 9.0 mm, ORANGE (unit = 1 reel = 50 m)
BSA1089070800	BSA1089070800	Patching Tape RED - 30.0 mm width 0.05 mm thickness, 30 m length (unit = 5 reels)
BSA1089070900	BSA1089070900	Patching Tape RED - 3.0 mm width 0.05 mm thickness, 30 m length (unit = 40 reels)
SAM0475P04202	BSP50103	CITO Polytop 15 SAND 658 x 20 x 12 mm (unit = 1 sheet = 18 strips)
SAM0475P04203	BSP50104	CITO Polytop 15 SAND 658 x 20 x 15 mm (unit = 1 sheet = 18 strips)



Glossary

Order no. CITO	Order no. BOBST	Description
BCD00001	BSA1089073813	CITO Register Pin (unit = 6 pcs.)
BCP00301	SAM0475P04208	CITO Polytop 25 RED $40 \times 20 \times 16$ mm (unit = 1 sheet = 288 cubes)
BCP50102	SAM0475P04204	CITO Register Pin (unit = 6 pcs.)
BCP50103	SAM0475P04205	CITO Polytop 15 SAND $40 \times 20 \times 15$ mm (unit = 1 sheet = 288 cubes)
BEA00062	BSA1089073756	Zonal Patching Paper 250 m x 1.100 mm x 0.03 mm
BFA01001	BSA1089008700	FRAME KIT SP-102-CER / SP-103-ER
BFA01002	BSA1089009300	FRAME KIT SP-104-ER
BFA01003	BSA1089009200	FRAME KIT SP-106-PER / LER
BFA01004	BSA1089009100	FRAME KIT SP-130-ER
BFA01005	BSA1089009000	FRAME KIT SP-142-ER
BFA01006	BSA1089008900	FRAME KIT SP-142-CER
BFA01007	BSA1089018300	FRAME KIT SP-145-PER
BFA01008	BSA1089008800	FRAME KIT SP-162-CER
BFA01009	BSA1089018800	FRAME KIT SP-1600-ER
BFA02001	BSA1089019100	FLAT TOP TOOL KIT SP-102-CER / SP-103-E
BFA02002	BSA1089016400	FLAT TOP TOOL KIT SP-104-ER
BFA02003	BSA1089016500	FLAT TOP TOOL KIT SP-106-PER / LER
BFA02004	BSA1089019200	FLAT TOP TOOL KIT SP-130-ER
BFA02005	BSA1089019300	FLAT TOP TOOL KIT SP-142-ER
BFA02006	BSA1089019400	FLAT TOP TOOL KIT SP-142-CER
BFA02007	BSA1089016600	FLAT TOP TOOL KIT SP-145-PER
BFA02008	BSA1089016700	FLAT TOP TOOL KIT SP-162-CER
BFA03001	BSA1089015000	UNIVERSAL TOOL KIT SP-102-CER / SP-103-ER
BFA03002	BSA1089015100	UNIVERSAL TOOL KIT SP-104-ER
BFA03003	BSA1089015200	UNIVERSAL TOOL KIT SP-106-PER / LER
BFA03004	BSA1089015300	UNIVERSAL TOOL KIT SP-130-ER
BFA03005	BSA1089015400	UNIVERSAL TOOL KIT SP-142-ER / SP-1420-ER
BFA03006	BSA1089015500	UNIVERSAL TOOL KIT SP-142-CER
BFA03007	BSA1089015700	UNIVERSAL TOOL KIT SP-145-PER
BFA03008	BSA1089015600	UNIVERSAL TOOL KIT SP-162-PER
BFA04001	BSA1089037200	QUICK SET FRAME KIT SP-102-CER / SP-103-ER
BFA04002	BSA1089037300	QUICK SET FRAME KIT SP-104-ER
BFA04003	BSA1089037400	QUICK SET FRAME KIT BOBST SP-106-PER / LER ETERNA 1060 Elite ER
BFA04004	BSA1089037500	QUICK SET FRAME KIT SP-130-ER
BFA04005	BSA1089037600	QUICK SET FRAME KIT SP-142-ER
BFA04006	BSA1089037700	QUICK SET FRAME KIT SP-142-CER
BFA04007	BSA1089037800	QUICK SET FRAME KIT SP-145-PER
BFA05001	BSA1089032400	RECEIVER SYSTEM FRAME KIT SP-102-CER / SP-103-ER
BFA05002	BSA1089032500	RECEIVER SYSTEM FRAME KIT SP-104-ER
BFA05003	BSA1089032600	RECEIVER SYSTEM FRAME KIT SP-106-PER / LER
BFA05004	BSA1089032700	RECEIVER SYSTEM FRAME KIT SP-130-ER
BFA05005	BSA1089032800	RECEIVER SYSTEM FRAME KIT SP-142-ER
BFA05006	BSA1089032900	RECEIVER SYSTEM FRAME KIT SP-142-CER
BFA05007	BSA1089033000	RECEIVER SYSTEM FRAME KIT SP-145-PER
BFA05008	BSA1089033100	RECEIVER SYSTEM FRAME KIT SP-162-CER
BFA05009	BSA1089033200	RECEIVER SYSTEM FRAME KIT SP-1600-ER
BFA06001	BSA1089034400	RECEIVER SYSTEM FRAME KIT SP-102-CER / SP-103-ER
BFA06002	BSA1089034500	RECEIVER SYSTEM FRAME KIT SP-104-ER
BFA06003	BSA1089034600	RECEIVER SYSTEM FRAME KIT SP-106-PER / LER
BFA06004	BSA1089034700	RECEIVER SYSTEM Rail KIT SP-130-ER
BFA06005	BSA1089034800	RECEIVER SYSTEM Rail KIT SP-142-ER
BFA06006	BSA1089034900	RECEIVER SYSTEM Rail KIT SP-142-CER
BFA06007	BSA1089035000	RECEIVER SYSTEM Rail KIT SP-145-PER
BFA06008	BSA1089035100	RECEIVER SYSTEM Rail KIT SP-162-CER
BFA06009	BSA1089035200	RECEIVER SYSTEM Rail KIT SP-1600-ER
BFA07001	BSA1089073700	INSERT FRAME KIT SP-102-CER / 103
BFA07002	BSA1089073701	INSERT FRAME KIT SP-104-ER
BFA07003	BSA1089073702	INSERT FRAME KIT SP-106-PER

Order no. CITO	Order no. BOBST	Description
BFA07004	BSA1089073703	INSERT FRAME KIT SP-130-ER
BFA07005	BSA1089073704	INSERT FRAME KIT SP-142-ER
BFA07006	BSA1089073705	INSERT FRAME KIT SP-142-CER
BFA07007	BSA1089073706	INSERT FRAME KIT SP-145-PER
BFA07008	BSA1089073707	INSERT FRAME KIT SP-162-CER
BFA07009	BSA1089073708	INSERT FRAME KIT SP-1600-ER
BFB01001	BSA1089009400	FRAME RAIL FRONT SP 102/103
BFB01002	BSA1089009800	FRAME RAIL FRONT SP 104
BFB01003	BSA1089010000	FRAME RAIL FRONT SP 106
BFB01004	BSA1089010400	FRAME RAIL FRONT SP 130
BFB01005	BSA1089010800	FRAME RAIL FRONT SP 142-ER/CER
BFB01006	BSA1089018400	FRAME RAIL FRONT SP 145
BFB01007	BSA1089011200	FRAME RAIL FRONT SP 162
BFB01008	BSA1089024600	FRAME RAIL FRONT SP 1600-ER
BFB01009	BSA1089009500	FRAME RAIL REAR SP 102/103
BFB01010	BSA1089009900	FRAME RAIL REAR SP 104
BFB01011	BSA1089010100	FRAME RAIL REAR SP 106
BFB01012	BSA1089010500	FRAME RAIL REAR SP 130
BFB01013	BSA1089011700	FRAME RAIL REAR SP 142-ER
BFB01014	BSA1089010900	FRAME RAIL REAR SP 142-CER
BFB01015	BSA1089018500	FRAME RAIL REAR SP 145
BFB01016	BSA1089011300	FRAME RAIL REAR SP 162
BFB01017	BSA1089024700	FRAME RAIL REAR SP 1600-ER
BFB01018	BSA1089009600	FRAME RAIL SIDE-LEFT SP 102/103/104
BFB01019	BSA1089010200	FRAME RAIL SIDE-LEFT SP 106
BFB01020	BSA1089010600	FRAME RAIL SIDE-LEFT SP 130
BFB01021	BSA1089011800	FRAME RAIL SIDE-LEFT SP 142-ER
BFB01022	BSA1089011000	FRAME RAIL SIDE-LEFT SP 142-CER
BFB01023	BSA1089018600	FRAME RAIL SIDE-LEFT SP 145
BFB01024	BSA1089011400	FRAME RAIL SIDE-LEFT SP 162
BFB01025	BSA1089024800	FRAME RAIL SIDE-LEFT SP 1600-ER
BFB01026	BSA1089009700	FRAME RAIL SIDE-RIGHT SP 102/103/104
BFB01027	BSA1089010300	FRAME RAIL SIDE-RIGHT SP 106
BFB01028	BSA1089010700	FRAME RAIL SIDE-RIGHT SP 130
BFB01029	BSA1089011900	FRAME RAIL SIDE-RIGHT SP 142-ER
BFB01030	BSA1089011100	FRAME RAIL SIDE-RIGHT SP 142-CER
BFB01031	BSA1089018700	FRAME RAIL SIDE-RIGHT SP 145
BFB01032	BSA1089011500	FRAME RAIL SIDE-RIGHT SP 162
BFB01033	BSA1089024900	FRAME RAIL SIDE-RIGHT SP 1600-ER
BFB02001	BSA1089012300	FLAT TOP TOOL SUPPORT RAIL SP 102/103/104
BFB02002	BSA1089016800	FLAT TOP TOOL SUPPORT RAIL SP 106
BFB02003	BSA1089012400	FLAT TOP TOOL SUPPORT RAIL SP 130
BFB02004	BSA1089012500	FLAT TOP TOOL SUPPORT RAIL SP 142-CER
BFB02005	BSA1089012600	FLAT TOP TOOL SUPPORT RAIL SP 142-ER
BFB02006	BSA1089018200	FLAT TOP TOOL SUPPORT RAIL SP 145
BFB02007	BSA1089012700	FLAT TOP TOOL SUPPORT RAIL SP 162
BFB02008	BSA1089020800	FLAT TOP TOOL SUPPORT RAIL 2.740 mm
BFB02009	BSA1089020900	FLAT TOP TOOL SUPPORT RAIL BENDABLE 2.740 mm
BFB02101	BSA1089004300	SUPPORT RAIL END (unit = 5 pcs.)
BFB02102	BSA1089002300	PIN INSERTION GUIDE TOOL
BFB02103	BSA1089005900	HARDENED PIN \emptyset 3.5 × 28 mm (unit = 50 pcs.)
BFB02104	BSA1089023900	SPRING CLIP for SCREWLESS SUPPORT RAIL (unit = 25 pcs.)
BFB04001	BSA1089035900	QUICK SET FRAME RAIL FRONT SP 102/103
BFB04002	BSA1089036000	QUICK SET FRAME RAIL FRONT SP 104
BFB04003	BSA1089036100	QUICK SET FRAME RAIL FRONT SP 106
BFB04004	BSA1089036200	QUICK SET FRAME RAIL FRONT SP 130
BFB04005	BSA1089036300	QUICK SET FRAME RAIL FRONT SP 142-ER/CER
BFB04006	BSA1089036400	QUICK SET FRAME RAIL FRONT SP 145
BFB04007	BSA1089036500	QUICK SET FRAME RAIL REAR SP 102/103
BFB04008	BSA1089036600	QUICK SET FRAME RAIL REAR SP 104
BFB04009	BSA1089036700	QUICK SET FRAME RAIL REAR SP 106

BFB07012 BSA108901500 SCREW - FLAT SHCS - M3 × 8 mm (unit = 50 pcs) BFB07002 BSA1089016100 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07003 BSA1089016100 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07004 BSA1089005400 SCREW - LDW HAAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07005 BSA1089038700 SCREW - LDW HAAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07006 BSA1089004800 SCREW - LDW HEAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07007 BSA1089004800 SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs) BFB07008 BSA1089015900 SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs) BFB07009 BSA616005020 SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs) BFB07010 BSA1089005100 SCREW - SPECIAL LOW HEAD SHCS M5 × 10 mm (unit = 50 pcs) BFB07011 BSA108900400 QUICK LOCK+LOWER LEFT (unit = 50 pcs) BFB07012 BSA108900400 QUICK LOCK+LOWER LEFT (unit = 5 pcs) BFB07013 BSA108900400 QUICK LOCK+LOWER LEFT (unit = 5 pcs) BFB07014 BSA108900400 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs) BFB07015 BSA108902500 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs) BFB07016 BSA1089025300 STOP BRACKET FIXT PER / LR (unit = 5 pcs) BFB07017 BSA108902500 STOP BRACKET FIXT PER / LR (unit = 5 pcs) BFB07018 BSA108902500 MOUNTING BRACKET FS 142-ER (unit = 5 pcs) BFB07019 BSA108902500 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07019 BSA108902500 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07019 BSA108902500 OVERCLAMP SET SP 142-ER (unit = 5 pcs) BFB07020 BSA1089027100 OVERCLAMP SET SP 142-ER (unit = 5 pcs) BFB07020 BSA1089027100 OVERCLAMP SET SP 142-ER (unit = 5 pcs) BFB0703 BSA1089027100 OVERCLAMP SET SP 142-ER (unit = 5 pcs) BFB0703 BSA1089027100 OVERCLAMP SET SP 142-ER (unit = 5 pcs) BFB0703 BSA1089027100 OVERCLAMP SET SP 142-ER (unit = 5 pcs) BFB0703 BSA1089073782 ADHESVE RUNNER 3 × 8 × 1200 mm (unit = 10 pcs) BFB0703 BSA1089073783 ADHESVE RUNNER 3 × 8 × 1200 mm (unit = 10 pcs) BFB0703 BSA1089073800 BSA1089073800 INSERT TOOL MOUNTING BRACKET FRONT/REAR BFB0703 BSA1089073800 BSA1089073800 BSA1089073800 ESSYBLANKER SUPPORT - ROIL - FRONT/RE	Order no. CITO	Order no. BOBST	Description
BIBBO1012 BSA1089037000 QUICK SET REAM FRAIL DEAR SEY HS BEBO1101 BSA1089035700 QUICK SET REAM CORNER BRACKET - RIGHT (unit = 5 pcs.) BIBD01102 BSA1089037700 QUICK SET REAM CORNER BRACKET - RIGHT (unit = 5 pcs.) BIBD01103 BSA1089038700 QUICK SET CRID SUPPORT (unit = 5 pcs.) BIBD01105 BSA1089005000 DOWTENIL NUT CORNER - BRACKET (unit = 50 pcs.) BIBD01107 BSA1089005000 DOWTENIL NUT - ACCESSORY (unit = 50 pcs.) BIBD01107 BSA1089005000 SCREW - SECOLAL LOW HEAD BHS AD SEX. BIBD0110 BSA1089005000 SCREW - SECOLAL LOW HEAD BHS AD SEX. BIBD0111 BSA1089003800 QUICK SET CLIP (unit = 70 pcs.) BEB01114 BSA1089003800 QUICK SET CLIP (unit = 70 pcs.) BEB01114 BSA1089003800 QUICK SET CORNER REACKET - LEFT (unit = 5 pcs.) BIB0116 BSA1089003500 SCREW - REAS HS × 16 mm (unit = 50 pcs.) BIB0116 BSA1089003500 QUICK SET CORNER REACKET - RIGHT (unit = 5 pcs.) BIB0116 BSA1089003500 SCREW - REAS HS × 16 mm (unit = 50 pcs.) BIB02001 BSA1089003500 SCREW - REAS HS × 16 mm (unit = 50 pcs.) <t< td=""><td>BFB04010</td><td>BSA1089036800</td><td>QUICK SET FRAME RAIL REAR SP 130</td></t<>	BFB04010	BSA1089036800	QUICK SET FRAME RAIL REAR SP 130
BBP0H101 BSA1089033500 QUICK SET REAR CORNER BRACKET - LEFT (int = 5 pcs) BBP0H102 BSA1089037900 QUICK SET GRID SUPPORT (int = 5 pcs) BBP0H103 BSA1089037900 QUICK SET GRID SUPPORT (int = 5 pcs) BBP0H104 BSA1089005000 DOWTPAIL NUT CORNER - BRACKET (int = 50 pcs) BBP0H106 BSA1089005000 DOWTPAIL NUT CORNER - BRACKET (int = 50 pcs) BBP0H107 BSA1089005000 CENTERLIN NUT CORNER - BRACKET (int = 50 pcs) BBP0H109 BSA1089005000 SCREW - SPECIAL I COW HEAD MS X Y0 (int = 50 pcs) BBP0H111 BSA1089005000 SCREW - SPECIAL I COW HEAD MS CX Y0 (int = 50 pcs) BBP0H113 BSA1089003000 QUICK SET CLIP (int = 50 pcs) BBP0H114 BSA1089003000 QUICK SET CLIP (int = 50 pcs) BBP0H115 BSA1089035000 QUICK SET CORNER BRACKET - LEFT (int = 5 pcs) BBP0H116 BSA1089035000 QUICK SET CORNER BRACKET - BROWN (int = 50 pcs) BF00H116 BSA1089035000 QUICK SET CORNER BRACKET - LEFT (int = 5 pcs) BF00H116 BSA1089035000 GREW - FLAT SHCS - MS × S mm (int = 50 pcs) BF00H116 BSA1089035000 GREW - FLAT SHCS - MS × S mm (int = 50 pcs) <td>BFB04011</td> <td>BSA1089036900</td> <td>QUICK SET FRAME RAIL REAR SP 142-ER/CER</td>	BFB04011	BSA1089036900	QUICK SET FRAME RAIL REAR SP 142-ER/CER
BBB04102 BSA1089037900 QUICK SET REAR CORNER BRACKET - RIGHT (unit = 5 pcs.) BFB04104 BSA1089037900 QUICK SET BUSHING KIT (unit = 5 pcs.) BFB04105 BSA1089030500 DOVETNIL NUT CORNER - BRACKET (unit = 50 pcs.) BFB04107 BSA1089005000 DOVETNIL NUT - RACCESSORY (unit = 50 pcs.) BFB04110 BSA1089005000 SCREW - SPECIAL LOW HEAD MS ×20 funit = 50 pcs.) BFB04111 BSA1089005000 SCREW - SPECIAL LOW HEAD MS ×25 funit = 50 pcs.) BFB04113 BSA1089005000 SCREW - SPECIAL LOW HEAD SHCS MS × 24 mm (unit = 50 pcs.) BFB04114 BSA1089003000 QUICK SET CUP (unit = 20 pcs.) BFB04115 BSA1089003000 QUICK SET CUP (unit = 20 pcs.) BFB04116 BSA1089003500 GRIEN - SPECIAL LOW HEAD SHCS MS × 24 mm (unit = 5 pcs.) BFB04116 BSA1089003500 GRIEN - RACKET - RIGHT (unit = 5 pcs.) BFB04117 BSA1089003500 GRIEN DOUNTING BRACKET - RIGHT (unit = 5 pcs.) BFB07001 BSA1089003500 GRIEN DOUNTING BRACKET - RIGHT (unit = 5 pcs.) BFB07001 BSA1089003500 CREW - RAT SHCS - MS × 25 mm (unit = 50 pcs.) BFB07010 BSA1089003500 CREW - RAT SHCS - MS × 25 m	BFB04012	BSA1089037000	QUICK SET FRAME RAIL REAR SP 145
BBB04102 BSA1089037900 QUICK SET REAR CORNER BRACKET - RIGHT (unit = 5 pcs.) BFB04104 BSA1089037900 QUICK SET BUSHING KIT (unit = 5 pcs.) BFB04105 BSA1089030500 DOVETNIL NUT CORNER - BRACKET (unit = 50 pcs.) BFB04107 BSA1089005000 DOVETNIL NUT - RACCESSORY (unit = 50 pcs.) BFB04110 BSA1089005000 SCREW - SPECIAL LOW HEAD MS ×20 funit = 50 pcs.) BFB04111 BSA1089005000 SCREW - SPECIAL LOW HEAD MS ×25 funit = 50 pcs.) BFB04113 BSA1089005000 SCREW - SPECIAL LOW HEAD SHCS MS × 24 mm (unit = 50 pcs.) BFB04114 BSA1089003000 QUICK SET CUP (unit = 20 pcs.) BFB04115 BSA1089003000 QUICK SET CUP (unit = 20 pcs.) BFB04116 BSA1089003500 GRIEN - SPECIAL LOW HEAD SHCS MS × 24 mm (unit = 5 pcs.) BFB04116 BSA1089003500 GRIEN - RACKET - RIGHT (unit = 5 pcs.) BFB04117 BSA1089003500 GRIEN DOUNTING BRACKET - RIGHT (unit = 5 pcs.) BFB07001 BSA1089003500 GRIEN DOUNTING BRACKET - RIGHT (unit = 5 pcs.) BFB07001 BSA1089003500 CREW - RAT SHCS - MS × 25 mm (unit = 50 pcs.) BFB07010 BSA1089003500 CREW - RAT SHCS - MS × 25 m	BFB04101	BSA1089035800	OUICK SET REAR CORNER BRACKET - LEFT (unit = 5 pcs.)
## ## ## ## ## ## ## ## ## ## ## ## ##	BFB04102	BSA1089035700	- ' ' '
BRP04104			
### ### ### ### ### ### ### ### ### ##			
BERD4109 BSA1089005800 DOVETAL NUT: ACCESSORY (unit = 50 pcs) BPR04107 RSA1089006100 CCRITERLINF BRACKET - ROTTOM MOUNT (unit = 10 pcs) BPR04110 BSA1089005000 SCREW - SPECIAL LOW HEAD SHCS MS × 24 mm (unit = 50 pcs) BPR04111 BSA1089005000 SCREW - SPECIAL LOW HEAD SHCS MS × 24 mm (unit = 50 pcs) BPR04113 BSA108900300 CLICK SET CUP (unit = 20 pcs) BPR04115 BSA1089003800 QUICK SET CORNER BRACKET - LEFT (unit = 5 pcs) BPR04116 BSA1089003800 QUICK SET CORNER BRACKET - RIGHT (unit = 5 pcs) BPR04116 BSA1089003500 GRID MOLNTING BRACKET (unit = 50 pcs) BPR04116 BSA1089003500 CSCREW - RIGHT AND LETT BREATH - ACUICK SET CORNER BRACKET - LEFT BROWN BPR07001 BSA1089003500 SCREW - LAT SHCS - M3 × 25 mm (unit = 50 pcs) BPR07002 BSA1089003500 SCREW - LAT SHCS - M3 × 25 mm (unit = 50 pcs) BPR07003 BSA1089003500 SCREW - LAT SHCS - M3 × 25 mm (unit = 50 pcs) BPR07004 BSA1089003600 SCREW - LOW HEAD SHCS MS × 6 mm (unit = 50 pcs) BPR07005 BSA1089003700 SCREW - LOW HEAD SHCS MS × 16 mm (unit = 50 pcs) BPR07007 BSA1089003800			
BEBO1107 BSA1089000100 CENTERLINE BRACKET - BOTTOM MOUNT (unit = 10 pca) BFB04110 BSA1089004000 SCREW - SPECIAL LOW HEAD SHCS MS × 20 (unit = 50 pcs) BFB04111 BSA1089005000 SCREW - SPECIAL LOW HEAD SHCS MS × 24 mm (unit = 50 pcs) BFB04113 BSA108930500 QUICK SET CORNER BRACKET - LEFT (unit = 5 pcs) BFB04114 BSA1089303900 QUICK SET CORNER BRACKET - IFFT (unit = 5 pcs) BFB04115 BSA108903500 QUICK SET CORNER BRACKET - IFFT (unit = 5 pcs) BFB04116 BSA108903500 GIND MOUNTING BRACKET (unit = 50 pcs) BFB04116 BSA108903500 GIND MOUNTING BRACKET (unit = 50 pcs) BFB07001 BSA1089005900 SCREW - FLAT SHCS - MB × 8 mm (unit = 50 pcs) BFB07001 BSA1089005500 SCREW - FLAT SHCS - MB × 25 mm (unit = 50 pcs) BFB07001 BSA1089005500 SCREW - FLAT SHCS - MB × 25 mm (unit = 50 pcs) BFB07003 BSA1089005500 SCREW - FLAT SHCS - MB × 25 mm (unit = 50 pcs) BFB07004 BSA1089005400 SCREW - FLAT SHCS - MB × 25 mm (unit = 50 pcs) BFB07005 BSA1089005400 SCREW - FLAT SHCS - MB × 25 mm (unit = 50 pcs) BFB07006 BSA1089005400 SCREW - S			` ' '
BFB04110 BSA1089004900 SCREW - SPECIAL LOW HEAD MIS x 20 (unit = 50 pcs) BFB04111 BSA1089005000 SCREW - SPECIAL LOW HEAD SHCS Ms x 2 mm (unit = 50 pcs) BFB04111 BSA1089005000 SCREW - SPECIAL LOW HEAD SHCS Ms x 2 mm (unit = 50 pcs) BFB04111 BSA1089003800 QUICK SET CIP (unit = 20 pcs) BFB04115 BSA1089003900 QUICK SET CORNER BRACKET - ILETT (unit = 5 pcs) BFB04116 BSA1089003500 QUICK SET CORNER BRACKET - ILETT (unit = 5 pcs) BFB04116 BSA1089005500 CRID MOUNTINING BRACKET (unit = 50 pcs) BFB04116 BSA1089005500 KIT BRACKET CORNER RIGHT AND LETT BRB4114 - QUICK SET CORNER BRACKET - LIB BFB07001 BSA1089005500 SCREW - RAT SHCS - M3 x 25 mm (unit = 50 pcs) BFB07002 BSA1089016000 SCREW - RAT SHCS - M3 x 25 mm (unit = 50 pcs) BFB07003 BSA10890161010 SCREW - RAT SHCS - M3 x 25 mm (unit = 50 pcs) BFB07004 BSA108903800 SCREW - LOW HEAD SHCS Ms x 6 mm (unit = 50 pcs) BFB07005 BSA108903800 SCREW - LOW HEAD SHCS Ms x 6 mm (unit = 50 pcs) BFB07007 BSA108903800 SCREW - STANDARD SHCS Ms x 16 mm (unit = 50 pcs) BFB07008 BSA10890038			· · · ·
BFB04110 BSA1089005000 SCREW - SPECIAL LOWN HEAD SHCS MS × 16 mm (unit = 50 pcs) BFB04111 BSA1089005300 SCREW - SHCS MS × 16 mm (unit = 50 pcs) BFB04113 BSA1089003800 QUICK SET CORNER BRACKET - LEFT (unit = 5 pcs) BFB04115 BSA1089003800 QUICK SET CORNER BRACKET - LEFT (unit = 5 pcs) BFB04116 BSA1089003500 QUICK SET CORNER BRACKET - LEFT (unit = 50 pcs) BFB04116 BSA1089073729 KIT BRACKET CORNER BRACKET - LEFT (unit = 50 pcs) BFB04116 BSA1089073729 KIT BRACKET CORNER BRACKET - RIGHT BFB07010 BSA1089073729 KIT BRACKET CORNER BRACKET - RIGHT BFB07010 BSA1089073729 KIT BRACKET CORNER BRACKET - RIGHT BFB07000 BSA108905000 SCREW - FLAT SHCS - M3 × 3 mm (unit = 50 pcs) BFB07001 BSA108905000 SCREW - FLAT SHCS - M4 × 25 mm (unit = 50 pcs) BFB07003 BSA1089016000 SCREW - LOW HEAD SHCS MS × 16 mm (unit = 50 pcs) BFB07004 BSA1089038700 SCREW - SPECIAL LOW HEAD SHCS MS × 16 mm (unit = 50 pcs) BFB07005 BSA1089049000 SCREW - STANDARD SHCS MS × 16 mm (unit = 50 pcs) BFB07010 BSA1089005000 SCREW - STANDARD SHCS M			` ' '
BFB04111 BSA1089005200 SCRRW - SHCS MS × 16 mm (unit = 50 pcs) BFB04113 BSA1089003800 QUICK SET CORNER BRACKET - LEFT (unit = 5 pcs) BFB04115 BSA1089003900 QUICK SET CORNER BRACKET (unit = 5 pcs) BFB04116 BSA108903300 QUICK SET CORNER BRACKET (unit = 5 pcs) BFB04116 BSA1089073729 KIT BRACKET CORNER RIGHT AND LEFT BIRB0114 - QUICK SET CORNER BRACKET - LIB BFB07001 BSA1089005500 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07002 BSA1089016000 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07003 BSA1089016000 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07004 BSA108903700 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07005 BSA108903800 SCREW - LOW HEAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07006 BSA108903800 SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs) BFB07007 BSA108903800 SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs) BFB07008 BSA108900500 SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs) BFB07010 BSA108900500 SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs) BFB07012 BSA1089005			
BFB04113 BSA1089038500 QUICK SET CUP (with = 20 pcs) BFB04114 BSA108903800 QUICK SET CORNER BRACKET - LEFT (writ = 5 pcs) BFB04115 BSA108903800 QUICK SET CORNER BRACKET - INCHT (writ = 5 pcs) BFB04116 BSA1089035000 CRID MOUNTING BRACKET (writ = 50 pcs) BFB04116 BSA1089035000 CRID MACKET CORNER BRACKET (writ = 50 pcs) BFB07011 BSA108905500 CRRW REACKET CORNER BRACKET - LIEFT BRP04114 - QUICK SET CORNER BRACKET - LIEFT BRP04116 - QUICK SET CORNER BRACKET - LIEFT BRP04114 - SD pcs) BFB07003 BSA1089005400 SCREW - LOW HEAD SHCS MS × 16 mm (unit = 50 pcs) BFB07010 BSA108900800 SCREW - SPECIAL LOW HEAD SHCS MS × 16 mm (unit = 50 pcs) BFB07011 BSA108900800 SCREW - SPECIAL LOW HEAD SHCS MS × 16 mm (unit = 50 pcs) BFB07012 BSA1089008000 SCREW - SPECIAL LOW HEAD SHCS MS × 16 mm (unit =			· · · · · · · · · · · · · · · · · · ·
BFB041114 BSA1089003800 QUICK SET CORNER BRACKET - LEFT (unit = 5 pcs.) BFB04115 BSA108903900 QUICK SET CORNER BRACKET - LEFT (unit = 5 pcs.) BFB04116 BSA10890390300 QUICK SET CORNER BRACKET (unit = 5 pcs.) BFB04116 BSA1089073729 KIT BRACKET CORNER RIGHT AND LEFT BRB04114 - QUICK SET CORNER BRACKET - LEFT BFB04114 - QUICK SET CORNER BRACKET - LEFT BFB040114 - QUICK BFB04014 - QUICK LOCK BFB04014 - QUICK			\
BFB04115 BSA1089003900 QUICK SET CORNER BRACKET - RIGHT (unit = 50 pcs.) BFB04116 BSA1089073729 KIT BRACKET CORNER RIGHT AND LEFT BFB04114 - QUICK SET CORNER BRACKET - LEG BFB04115 - QUICK SET CORNER BRACKET - LEG BFB07002 BFB07001 BSA1089005500 SCREW - FLAT SHCS - M3 × 8 mm (unit = 50 pcs.) BFB07002 BSA108901600 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs.) BFB07003 BSA1089005400 SCREW - LOW HEAD SHCS MS × 6 mm (unit = 50 pcs.) BFB07005 BSA1089005400 SCREW - LOW HEAD SHCS MS × 6 mm (unit = 50 pcs.) BFB07007 BSA108900800 SCREW - LOW HEAD SHCS MS × 16 mm (unit = 50 pcs.) BFB07007 BSA108900800 SCREW - SPECIAL LOW HEAD SHCS MS × 16 mm (unit = 50 pcs.) BFB07008 BSA1089008000 SCREW - SPECIAL LOW HEAD SHCS MS × 16 mm (unit = 50 pcs.) BFB07010 BSA1089005100 SCREW - STANDARD SHCS MS × 10 mm (unit = 50 pcs.) BFB07011 BSA1089004500 SCREW - STANDARD SHCS MS × 12 mm (unit = 50 pcs.) BFB07012 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) BFB07013 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) <td></td> <td></td> <td>- ' ' '</td>			- ' ' '
BFB04116 BSA1089035600 GRID MOUNTING BRACKET (unit = 50 pcs) BFB04116 BSA1069073729 KIT BRACKET CORNER RIGHT AND LEFT BB904114 - QUICK SET CORNER BRACKET - LEFB04114 - QUICK SET CORNER BRACKET - LEFB041014 BFB07001 BSA1089005500 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07003 BSA1089016100 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07004 BSA1089016100 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07005 BSA108903800 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07006 BSA108903800 SCREW - LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs) BFB07007 BSA108903800 SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs) BFB07008 BSA10890015900 SCREW - SPECIAL LOW HEAD SHCS M5 × 10 mm (unit = 50 pcs) BFB07010 BSA10890015900 SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs) BFB07010 BSA1089004400 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07011 BSA1089004400 QUICK LOCK-LOWER RIGHT (unit = 5 pcs) BFB07012 BSA1089004400 QUICK LOCK-LOWER RIGHT (unit = 5 pcs) BFB07013 BSA1089004400 QUICK LOCK (UNIT (unit = 2 pcs) BFB07014			· · · · · · · · · · · · · · · · · · ·
BFB04116 BSA1089073729 KIT BRACKET CORNER BROTT AND LEFT BR04114 - QUICK SET CORNER BRACKET - LEB BR040115 - QUICK SET CORNER BRACKET - RIGHT BFB07001 BSA1089005500 SCREW - FLAT SHCS - M3 × 8 mm (unit = 50 pcs) BFB07002 BSA1089016000 SCREW - FLAT SHCS - M3 × 8 mm (unit = 50 pcs) BFB07003 BSA1089016100 SCREW - LAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07004 BSA1089003400 SCREW - LOW HEAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07005 BSA1089038700 SCREW - LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs) BFB07007 BSA108903800 SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs) BFB07008 BSA1089004900 SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs) BFB07010 BSA108900500 SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs) BFB07010 BSA108900400 SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs) BFB07011 BSA108900400 QUICK LOCK LOWER RIGHT LIEFT (unit = 5 pcs) BFB07012 BSA1089004500 QUICK LOCK LOWER RIGHT (unit = 5 pcs) BFB07013 BSA1089004000 QUICK LOCK LOWER RIGHT (unit = 2 pcs) BFB07014 BSA10890025300 STOP BRACKET KT FR FR (unit = 5 pcs) B			
BFB07010 BSA1089005500 SCREW - FLAT SHCS - M3 × 8 mm (unit = 50 pcs) BFB07002 BSA1089016100 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07003 BSA1089016100 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07004 BSA1089005400 SCREW - LOW HEAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07005 BSA1089038700 SCREW - LOW HEAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07006 BSA1089004800 SCREW - LOW HEAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07007 BSA1089004800 SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs) BFB07008 BSA1089015900 SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs) BFB07009 BSA1089001500 SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs) BFB070109 BSA108900110 SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs) BFB07011 BSA108900400 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07011 BSA108900400 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07012 BSA108900400 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07013 BSA108900400 BRACKET-CENTERUNE - FRONT MOUNT (unit = 10 pcs) BFB07016 BSA108900400 BRACKET-CENTERUNE - FRONT MOUNT (unit = 10 pcs) BFB07017 BSA108900500 GRIPPER FINGER SUPPORT (unit = 2 pcs) BFB07018 BSA1089025300 STOP BRACKET FER (unit = 10 pcs) BFB07019 BSA1089025300 STOP BRACKET FER (unit = 5 pcs) BFB07019 BSA1089025300 MOUNTING BRACKET SP 142-ER (unit = 5 pcs) BFB07020 BSA1089027300 MOUNTING BRACKET FER (unit = 5 pcs) BFB07020 BSA1089027300 MOUNTING BRACKET FER (unit = 5 pcs) BFB07020 BSA1089027300 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07021 BSA1089027300 MOUNTING BRACKET FER (unit = 5 pcs) BFB07022 BSA1089027300 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07023 BSA1089027300 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07024 BSA1089027300 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07025 BSA1089027300 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07026 BSA1089073782 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs) BFB07027 BSA1089073781 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs) BFB07028 BSA1089073782 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 5 pcs) BFB07029 BSA1089073780 FASTILL FRONT REAR ELEPT F			1 /
BFB07002 BSA1089016000 SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs) BFB07003 BSA1089016100 SCREW - LOW HEAD SHCM SY & 5 mm (unit = 50 pcs) BFB07005 BSA1089038700 SCREW - LOW HEAD SHCM SY & 6 mm (unit = 50 pcs) BFB07006 BSA1089038700 SCREW - LOW HEAD SHCM SY & 6 mm (unit = 50 pcs) BFB07007 BSA108903800 SCREW - SPECIAL LOW HEAD SHCM SY & 8 mm (unit = 50 pcs) BFB07008 BSA1089015900 SCREW - SPECIAL LOW HEAD SHCM SY & 8 mm (unit = 50 pcs) BFB07009 BSA816005020 SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs) BFB07010 BSA1089005100 SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs) BFB07011 BSA1089004100 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07012 BSA108900400 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07013 BSA108900600 QUICK LOCK KIT BFB07014 BSA1089002400 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs) BFB07015 BSA108902400 STOP BRACKET TEP (unit = 2 pcs) BFB07016 BSA1089025300 STOP BRACKET TEP FR (unit = 5 pcs) BFB07017 BSA1089025300 STOP BRACKET TEP FR (unit = 5 pcs)	BFB04116		KIT BRACKET CORNER RIGHT AND LEFT BFB04114 - QUICK SET CORNER BRACKET - LEFT BFB04115 - QUICK SET CORNER BRACKET — RIGHT
BFB07003 BSA1089016100 SCREW - LOW HEAD SHCS M5 x 6 mm (unit = 50 pcs.) BFB07004 BSA1089038700 SCREW - LOW HEAD SHCS M5 x 6 mm (unit = 50 pcs.) BFB07006 BSA1089038800 SCREW - LOW HEAD SHCS M5 x 16 mm (unit = 50 pcs.) BFB07007 BSA1089038800 SCREW - SPECIAL LOW HEAD SHCS M5 x 16 mm (unit = 50 pcs.) BFB07009 BSA1089015900 SCREW - STANDARD SHCS M5 x 10 mm (unit = 50 pcs.) BFB07010 BSA1089015100 SCREW - STANDARD SHCS M5 x 10 mm (unit = 50 pcs.) BFB07011 BSA108904400 QUICK LOCK-LOWER LEFT (unit = 5 pcs.) BFB07012 BSA108904400 QUICK LOCK-LOWER LEFT (unit = 5 pcs.) BFB07013 BSA1089004000 QUICK LOCK KIT BFB07014 BSA1089004000 QUICK LOCK KIT BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs.) BFB07016 BSA1089024100 STOP BRACKET FER (unit = 10 pcs.) BFB07018 BSA1089025000 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089025000 MOUNTING BRACKET ST P142-ER (unit = 5 pcs.) BFB07021 BSA1089025000 OVERCLAMP ST P142-ER (unit = 5 pcs.) BFB07022 BSA10890273	BFB07001	BSA1089005500	SCREW - FLAT SHCS - M3 × 8 mm (unit = 50 pcs.)
BFB07004 BSA1089038700 SCREW - LOW HEAD SHCS M5 × 6 mm (unit = 50 pcs) BFB07006 BSA1089038700 SCREW - SECAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs) BFB07007 BSA1089038800 SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs) BFB07008 BSA1089015900 SCREW - SPECIAL LOW HEAD SHCS M5 × 10 mm (unit = 50 pcs) BFB07010 BSA160905100 SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs) BFB07011 BSA1089004400 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07012 BSA1089004400 QUICK LOCK-LOWER RIGHT (unit = 5 pcs) BFB07013 BSA1089004000 RACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs) BFB07015 BSA108900600 QUICK LOCK-LOWER RIGHT (unit = 5 pcs) BFB07016 BSA1089002400 STOP BRACKET PER (unit = 10 pcs) BFB07017 BSA10890025300 STOP BRACKET FRE (unit = 10 pcs) BFB07018 BSA10890025300 STOP BRACKET KIT PER / IER (unit = 2 pcs) BFB07020 BSA1089002500 MOUNTING BRACKET IST 142-ER (unit = 2 pcs) BFB07021 BSA1089002500 OVERCLAMP (ERT ST 142-ER (unit = 5 pcs) BFB07022 BSA1089002500 OVERCLAMP (ERT ST 142-ER (unit = 5 pcs)	BFB07002	BSA1089016000	SCREW - FLAT SHCS - M3 × 25 mm (unit = 50 pcs.)
BFB07005 BSA1089038700 SCREW - LOW HEAD SHCS MS × 16 mm (unit = 50 pcs) BFB07006 BSA1089004800 SCREW - SPECIAL LOW HEAD SHCS MS × 8 mm (unit = 50 pcs) BFB07007 BSA108903800 SCREW - SPECIAL LOW HEAD SHCS MS × 16 mm (unit = 50 pcs) BFB07008 BSA108901500 SCREW - STANDARD SHCS MS × 20 mm (unit = 50 pcs) BFB07010 BSA1089005100 SCREW - SITATON SHCS M6 × 12 mm (unit = 50 pcs) BFB07011 BSA1089004400 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07012 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs) BFB07013 BSA108900600 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs) BFB07016 BSA1089024000 OVERCLAMP (unit = 2 pcs) BFB07017 BSA1089024000 OVERCLAMP (unit = 2 pcs) BFB07018 BSA1089022500 STOP BRACKET KIT PER / IER (unit = 5 pcs) BFB07019 BSA1089022500 GRIPPER RINGER SUPPORT (unit = 2 pcs) BFB07019 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089023000 OVERCLAMP RIGHT SP-142-ER (unit = 5 pcs) BFB07022 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1200 mm (unit = 10 pcs) <	BFB07003	BSA1089016100	SCREW - FLAT SHCS - M4 × 25 mm (unit = 50 pcs.)
BFB07006 BSA1089004800 SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs.) BFB07007 BSA1089038800 SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs.) BFB07009 BSA1689015900 SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs.) BFB07010 BSA1089005100 SCREW - BUTTON SHCS M6 × 12 mm (unit = 50 pcs.) BFB07011 BSA1089004400 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) BFB07012 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) BFB07013 BSA1089006000 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs.) BFB07014 BSA1089024000 QVERCLAMP (unit = 2 pcs.) BFB07015 BSA1089024100 STOP BRACKET PER (unit = 10 pcs.) BFB07016 BSA1089024100 STOP BRACKET PER (unit = 10 pcs.) BFB07017 BSA1089025300 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089025000 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07019 BSA1089025000 OVERCLAMP (set FT SP 142-ER (unit = 5 pcs.) BFB07021 BSA1089025000 OVERCLAMP (set FT SP 142-ER (unit = 5 pcs.) BFB07022 BSA10890737361 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.)	BFB07004	BSA1089005400	SCREW - LOW HEAD SHCS M5 \times 6 mm (unit = 50 pcs.)
BFB07007 BSA1089038800 SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs.) BFB07009 BSA1089015900 SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs.) BFB07010 BSA1089005100 SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs.) BFB07011 BSA1089004400 QUICK LOCK-LOWER LEFT (unit = 5 pcs.) BFB07012 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) BFB07013 BSA1089006000 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs.) BFB07014 BSA1089024000 OVERCLAMP (unit = 2 pcs.) BFB07015 BSA1089024100 STOP BRACKET PER (unit = 10 pcs.) BFB07016 BSA1089022500 OVERCLAMP (unit = 2 pcs.) BFB07017 BSA1089022500 STOP BRACKET KIT PER (znit = 2 pcs.) BFB07018 BSA1089022500 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089022500 MOUNTING BRACKET KIT PER (znit = 2 pcs.) BFB07021 BSA1089025100 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089073781 ADHESINE RUNINER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB070	BFB07005	BSA1089038700	SCREW - LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs.)
BFB07008 BSA1089015900 SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs) BFB07010 BSA108005100 SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs) BFB07011 BSA1089005100 SCREW - BUTTON SHCS M6 × 12 mm (unit = 50 pcs) BFB07012 BSA1089004500 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07013 BSA1089006000 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs) BFB07014 BSA1089024000 OVERCLAMP (unit = 2 pcs) BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs) BFB07016 BSA1089024100 STOP BRACKET PER (unit = 10 pcs) BFB07017 BSA108902500 STOP BRACKET PER (unit = 2 pcs) BFB07018 BSA108902500 GRIPPER FINGER SUPPORT (unit = 2 pcs) BFB07019 BSA108902500 MOUNTING BRACKET SP 142-ER (unit = 2 pcs) BFB07020 BSA108902500 MOUNTING BRACKET SP 142-ER (unit = 5 pcs) BFB07021 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07023 BSA1089073781 ADHESINE RUNNER 3 × 5 × 1200 mm (unit = 10 pcs) BFB07025 BSA108907	BFB07006	BSA1089004800	SCREW - SPECIAL LOW HEAD SHCS M5 × 8 mm (unit = 50 pcs.)
BFB07009 BSA816005020 SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs) BFB07010 BSA1089005100 SCREW - BUTTON SHCS M6 × 12 mm (unit = 50 pcs) BFB07011 BSA1089004400 QUICK LOCK-LOWER LEFT (unit = 5 pcs) BFB07012 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs) BFB07013 BSA108900600 QUICK LOCK-LOWER RIGHT (unit = 5 pcs) BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs) BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs) BFB07016 BSA1089024100 STOP BRACKET PER (unit = 10 pcs) BFB07017 BSA1089022500 STOP BRACKET KIT PER / ER (unit = 5 pcs) BFB07018 BSA1089022600 GRIPPER FINGER SUPPORT (unit = 2 pcs) BFB07019 BSA1089022500 MOUNTING BRACKET SP 142-ER (unit = 2 pcs) BFB07020 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089025100 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs) BFB07022 BSA1089025100 OVERCLAMP SET SP-142-ER (unit = 5 pcs) BFB07023 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs) BFB07024 BSA1089073782	BFB07007	BSA1089038800	SCREW - SPECIAL LOW HEAD SHCS M5 × 16 mm (unit = 50 pcs.)
BFB07010 BSA1089005100 SCREW - BUTTON SHCS M6 × 12 mm (unit = 50 pcs.) BFB07012 BSA1089004400 QUICK LOCK-LOWER LEFT (unit = 5 pcs.) BFB07013 BSA1089008600 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) BFB07014 BSA1089006000 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs.) BFB07015 BSA1089024100 STOP BRACKET PER (unit = 10 pcs.) BFB07016 BSA1089024100 STOP BRACKET KIT PER / LER (unit = 5 pcs.) BFB07017 BSA1089025300 STOP BRACKET KIT PER / LER (unit = 5 pcs.) BFB07018 BSA1089022600 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089022500 MOUNTING BRACKET ST 142-ER (unit = 2 pcs.) BFB07020 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089025000 OVERCLAMP ILEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP SET SP-142-ER BFB07023 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07024 BSA1089073782 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB0	BFB07008	BSA1089015900	SCREW - STANDARD SHCS M5 × 10 mm (unit = 50 pcs.)
BFB07010 BSA1089005100 SCREW - BUTTON SHCS M6 × 12 mm (unit = 50 pcs.) BFB07012 BSA1089004400 QUICK LOCK-LOWER LEFT (unit = 5 pcs.) BFB07013 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) BFB07014 BSA1089006000 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs.) BFB07015 BSA1089024100 STOP BRACKET PER (unit = 10 pcs.) BFB07016 BSA1089024100 STOP BRACKET KIT PER / LER (unit = 5 pcs.) BFB07017 BSA1089025300 STOP BRACKET KIT PER / LER (unit = 5 pcs.) BFB07018 BSA1089022600 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089022500 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07020 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089025000 OVERCLAMP ILEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP SET SP-142-ER BFB07023 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07024 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB	BFB07009	BSA816005020	SCREW - STANDARD SHCS M5 × 20 mm (unit = 50 pcs.)
BFB07011 BSA1089004400 QUICK LOCK-LOWER LEFT (unit = 5 pcs.) BFB07012 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) BFB07013 BSA1089008600 QUICK LOCK KIT BFB07014 BSA1089006000 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs.) BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs.) BFB07016 BSA1089025300 STOP BRACKET PER (unit = 10 pcs.) BFB07017 BSA1089022500 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07018 BSA1089022500 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER (unit = 2 pcs.) BFB07020 BSA1089025100 OVERCLAMP LEFT SP 142-ER (unit = 2 pcs.) BFB07021 BSA1089025100 OVERCLAMP SET SP-142-ER (unit = 5 pcs.) BFB07022 BSA1089027300 OVERCLAMP SET SP-142-ER BFB07023 BSA1089073782 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072300	BFB07010	BSA1089005100	
BFB07012 BSA1089004500 QUICK LOCK-LOWER RIGHT (unit = 5 pcs.) BFB07013 BSA1089008600 QUICK LOCK KIT BFB07014 BSA1089004000 DRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs.) BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs.) BFB07017 BSA1089025300 STOP BRACKET FER (unit = 10 pcs.) BFB07018 BSA1089022500 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089022500 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07020 BSA1089022500 MOUNTING BRACKET SP 142-ER (unit = 5 pcs.) BFB07021 BSA1089025000 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP SET SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089023100 OVERCLAMP SET SP-142-ER BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089073800 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA108			
BFB07013 BSA1089008600 QUICK LOCK KIT BFB07014 BSA1089006000 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs) BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs) BFB07016 BSA1089024100 STOP BRACKET PER (unit = 10 pcs) BFB07017 BSA1089025300 STOP BRACKET KIT PER / ER (unit = 5 pcs) BFB07018 BSA1089022000 GRIPPER FINGER SUPPORT (unit = 2 pcs) BFB07019 BSA1089022000 MOUNTING BRACKET KIT SP-142-ER (unit = 2 pcs) BFB07020 BSA1089025000 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089025100 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs) BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs) BFB07023 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs) BFB07024 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs) BFB07025 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs) BFB07026 BSA1089073700 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs) BFB07027 BSA1089073803 BSA10889073100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs)			
BFB07014 BSA1089006000 BRACKET-CENTERLINE - FRONT MOUNT (unit = 10 pcs) BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs.) BFB07016 BSA1089024100 STOP BRACKET PER (unit = 10 pcs.) BFB07017 BSA1089025300 STOP BRACKET KIT PER / ER (unit = 5 pcs.) BFB07018 BSA1089022600 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089020700 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07020 BSA108902500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA108902500 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07024 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089073780 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07030 BSA1089073809 EASYBLANKER SUPPORT - GRID - FRONT/REAR B			
BFB07015 BSA1089024000 OVERCLAMP (unit = 2 pcs.) BFB07016 BSA1089024100 STOP BRACKET PER (unit = 10 pcs.) BFB07017 BSA1089025300 STOP BRACKET KIT PER / ER (unit = 5 pcs.) BFB07018 BSA1089022600 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089022700 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07020 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089022100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07024 BSA1089073782 ADHESIVE RUNNER 3 × 6 * 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089072000 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07027 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07028 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073809 EASYBLANKER SUPPORT - GRID - FRONT/REAR			
BFB07016 BSA1089024100 STOP BRACKET PER (unit = 10 pcs) BFB07017 BSA1089025300 STOP BRACKET KIT PER / FR (unit = 5 pcs) BFB07018 BSA1089022500 GRIPPER FINGER SUPPORT (unit = 2 pcs) BFB07019 BSA1089022700 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07020 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089025000 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP SET SP-142-ER (unit = 5 pcs.) BFB07023 BSA108902100 OVERCLAMP SET SP-142-ER BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089072000 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA108907380 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073810 EASYBLANKER SUPPORT BODY (unit = 10 pcs.) BFB			· · · · · · · · · · · · · · · · · · ·
BFB07017 BSA1089025300 STOP BRACKET KIT PER / ER (unit = 5 pcs.) BFB07018 BSA1089022600 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089022700 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07020 BSA108902500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA108902500 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP SET SP-142-ER (unit = 5 pcs.) BFB07023 BSA1089022100 OVERCLAMP SET SP-142-ER BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07027 BSA108907100 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07028 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07031 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07032 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07111 BSA1089032100 LOWER BOARD SUPPORT BODY (unit = 10 pcs.)			
BFB07018 BSA1089022600 GRIPPER FINGER SUPPORT (unit = 2 pcs.) BFB07019 BSA1089020700 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07020 BSA108902500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA108902500 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07039 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073810 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.)			1 /
BFB07019 BSA1089020700 MOUNTING BRACKET SP 142-ER (unit = 2 pcs.) BFB07020 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089025000 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089025100 OVERCLAMP SET SP-142-ER BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073800 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07011 BSA1089073810 EASYBLANKER SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07113 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) <			· · ·
BFB07020 BSA1089022500 MOUNTING BRACKET KIT SP-142-ER BFB07021 BSA1089025000 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089022100 OVERCLAMP SET SP-142-ER BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07029 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07033 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07034 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089002100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB08001 BSA10890024300 COUNTERSINK CUTTER - 3 mm B			1 /
BFB07021 BSA1089025000 OVERCLAMP LEFT SP 142-ER (unit = 5 pcs.) BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089022100 OVERCLAMP SET SP-142-ER BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07029 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07033 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07034 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB08001 BSA1089002400 PARALLEL CLAMP (unit = 25 pcs.) BFB08002 BSA1089002200 COUNTERSINK CUTTER - 3 mm B			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
BFB07022 BSA1089025100 OVERCLAMP RIGHT SP 142-ER (unit = 5 pcs.) BFB07023 BSA1089022100 OVERCLAMP SET SP-142-ER BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072100 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07039 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA108903200 LOWER BOARD SUPPORT - RAIL - FRONT/REAR BFB07111 BSA108903200 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB08001 BSA1089002400 PARALLEL CLAMP (unit = 25 pcs.) BFB08002 BSA1089002200 COUNTERSINK CUTTER - 3 mm BFB08003 BSA1089002100 COUNTERSINK CUTTER - 5 mm BFB08004			
BFB07023 BSA1089022100 OVERCLAMP SET SP-142-ER BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07029 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07113 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Countershousing. 1pc BFB08001 - COUNTERSINK CUTTER - 3 mm			
BFB07024 BSA1089073781 ADHESIVE RUNNER 3 × 5 × 1.200 mm (unit = 10 pcs.) BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07029 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002400 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002400 COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSOR CUTTER - 5 mm, 1pc BFB08002 - COUNTERSOR CUTTER - 3 mm			
BFB07025 BSA1089073782 ADHESIVE RUNNER 3 × 6 × 1.200 mm (unit = 10 pcs.) BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07029 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB08001 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08002 BSA10890024300 COUNTERSINK CUTTER - 3 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbousing. 1pc BFB08003 - COUNTERSINK CUTTER - 3 mm			
BFB07026 BSA1089073783 ADHESIVE RUNNER 3 × 8 × 1.200 mm (unit = 10 pcs.) BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07029 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB08001 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08002 BSA10890024300 COUNTERSINK CUTTER - 3 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbhousing. 1pc BFB08003 - COUNTERSINK CUTTER - 5 mm, 1pc BFB08002 - COUNTERS			` ' '
BFB07027 BSA1089071900 INSERT TOOL MOUNTING BRACKET - GRID (unit = 5 pcs.) BFB07028 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07029 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB08001 BSA108904000 PARALLEL CLAMP (unit = 25 pcs.) BFB08002 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbousing. 1pc BFB08003 - COUNTERS OR CUTTER - 5 mm, 1pc BFB08002 - COUNTERS OR CUTTER - 3 mm			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
BFB07028 BSA1089072000 INSERT TOOL MOUNTING BRACKET - WOOD (unit = 5 pcs.) BFB07029 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB07113 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002400 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterblousing. 1pc BFB08003 - COUNTERSINK CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm			` ' '
BFB07029 BSA1089072100 INSERT TOOL MOUNTING BRACKET - RAIL (unit = 5 pcs.) BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB07113 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbousing. 1pc BFB08003 - COUNTERS OUTTER - 5 mm, 1pc BFB08002 - COUNTERS CUTTER - 4 mm, 1pc BFB08001 - COUNTERSINK CUTTER - 3 mm			` ' '
BFB07033 BSA1089073808 EASYBLANKER SUPPORT - GRID - FRONT/REAR BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB07113 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterblousing. 1pc BFB08003 - COUNTERSINK CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm			\ 1 /
BFB07034 BSA1089073809 EASYBLANKER SUPPORT - WOOD - FRONT/REAR BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB07113 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbousing. 1pc BFB08003 - COUNTERSORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSORE CUTTER - 3 mm			· 1 /
BFB07035 BSA1089073810 EASYBLANKER SUPPORT - RAIL - FRONT/REAR BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB07113 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterb housing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm			
BFB07111 BSA1089032000 LOWER BOARD SUPPORT BODY (unit = 10 pcs.) BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB07113 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbousing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm	BFB07034		EASYBLANKER SUPPORT - WOOD - FRONT/REAR
BFB07112 BSA1089032100 LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.) BFB07113 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counters housing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm	BFB07035	BSA1089073810	
BFB08001 BSA1089004000 PARALLEL CLAMP (unit = 25 pcs.) BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbhousing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm	BFB07111	BSA1089032000	· · ·
BFB08001 BSA1089024300 COUNTERSINK CUTTER - 3 mm BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbhousing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm	BFB07112	BSA1089032100	LOWER BOARD SUPPORT ASSEMBLY (unit = 10 pcs.)
BFB08002 BSA1089002200 COUNTERSINK CUTTER - 4 mm BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbhousing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm	BFB07113	BSA1089004000	PARALLEL CLAMP (unit = 25 pcs.)
BFB08003 BSA1089002100 COUNTERBORE CUTTER - 5 mm ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Countershousing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm	BFB08001	BSA1089024300	COUNTERSINK CUTTER - 3 mm
BFB08004 BSA1089002400 ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbound housing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 3 mm	BFB08002	BSA1089002200	COUNTERSINK CUTTER - 4 mm
housing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERS CUTTER - 4 mm, 1pc BFB08001 - COUNTERSINK CUTTER - 3 mm	BFB08003	BSA1089002100	COUNTERBORE CUTTER - 5 mm
	BFB08004	BSA1089002400	ADJUSTABLE COUNTERBORE/COUNTERSINK KIT: 1pc Adjustable Countersink / Counterbore housing. 1pc BFB08003 - COUNTERBORE CUTTER - 5 mm, 1pc BFB08002 - COUNTERSINK CUTTER - 4 mm, 1pc BFB08001 - COUNTERSINK CUTTER - 3 mm
BSA10/0003300 3 mm T-HANDLE WRENCH	BFB08005	BSA1070003300	3 mm T-HANDLE WRENCH

Order no. CITO	Order no. BOBST	Description
BFB08006	BSA1089031300	RECEIVER SYSTEM FRAME CLAMP (unit = 2 pcs.)
BGM04002	BSA1089003000	GRID CLAMP LOCK - 2 mm (unit = 10 pcs.)
BGM04003	BSA1089003100	GRID CLAMP LOCK - 3 mm (unit = 10 pcs.)
BGM04004	BSA1089022200	GRID CLAMP LOCK - 4 mm (unit = 10 pcs.)
BGM04005	BSA1089003200	GRID CLAMP LOCK - 5 mm (unit = 10 pcs.)
BGM04006	BSA1089003300	GRID CLAMP LOCK - 6 mm (unit = 10 pcs.)
BGM04010	BSA1089004100	GRID CLAMP FRONT/REAR - REUSABLE (unit = 10 pcs.)
BGM04011	BSA1089004600	GRID CLAMP FRONT/REAR - DEDICATED WELDABLE (unit = 25 pcs.)
BGM04012	BSA1089004700	GRID CLAMP SIDE - DEDICATED WELDABLE (unit = 25 pcs.)
BGM04013	BSA1089004200	GRID CLAMP SIDE - REUSABLE (unit = 10 pcs.)
BGM11621	BSA1089073723	GRID MATERIAL 16 mm x 2 mm x 2.375 mm
BGM11631	BSA1089073720	GRID MATERIAL 16 mm x 3 mm x 2.375 mm
BGM11641	BSA1089073724	GRID MATERIAL 16 mm x 4 mm x 2.375 mm
BGM11851	BSA1089073721	GRID MATERIAL 18 mm x 5 mm x 2.375 mm
BGM12221	BSA1089073727	GRID MATERIAL 22 mm x 2 mm x 2.375 mm
BGM12231	BSA1089073726	GRID MATERIAL 22 mm x 3 mm x 2.375 mm
BGM12241	BSA1089073725	GRID MATERIAL 22 mm x 4 mm x 2.375 mm
BGM12251	BSA1089073719	GRID MATERIAL 22 mm x 5 mm x 2.375 mm
BGM12261	BSA1089073722	GRID MATERIAL 22 mm x 6 mm x 2.375 mm
BGM22251	BSA1089073728	KNIFE EDGE GRID MATERIAL 22 mm x 5 mm x 2.375 mm
BGM30001	BSA1089020000	SINGLE KNIFE GRID BAR BOBST SP-102/103 22 mm x 5 mm x 722 mm
BGM30002	BSA1089014300	SINGLE KNIFE GRID BAR BOBST SP-104-ER 22 mm x 5 mm x 742 mm
BGM30003	BSA1089017500	SINGLE KNIFE GRID BAR BOBST Sprintera 106-PER 22 mm x 5 mm x 762 mm
BGM30004	BSA1089020300	SINGLE KNIFE GRID BAR BOBST SP-130-ER 22 mm x 5 mm x 922 mm
BGM30005	BSA1089020600	SINGLE KNIFE GRID BAR BOBST SP-142-CER 22 mm x 5 mm x 1.022 mm
BGM30006	BSA1089017800	SINGLE KNIFE GRID BAR BOBST SP-145-PER 22 mm x 5 mm x 1.052 mm
BGM30007	BSA1089018100	SINGLE KNIFE GRID BAR BOBST SP-162-CER 22 mm x 5 mm x 1.122 mm
BHS00002	BSA1089073774	Positioning Pin Plastic AØ 8 \times head Ø 5.5 \times 21 mm (unit = 100 pcs.)
BHS00003	BSA1089073775	Positioning Pin Aluminium AØ 8 \times head Ø 5.5 \times 21 mm (unit = 100 pcs.)
BHS00010	BSA1089073776	Counter Locating Ring AØ 17 mm, IØ 7 mm \times 7 mm (unit = 100 pcs.)
BHS00013	BSA1999002300	PERTINAX PIN REMOVAL TOOL
BIA00003	BSA1089073742	Manual Nicking tool width: 0.3 mm
BIA00004	BSA1089073743	Manual Nicking tool width: 0.4 mm
BIA00005	BSA1089073744	Manual Nicking tool width: 0.5 mm
BIA00006	BSA1089073745	Manual Nicking tool width: 0.6 mm
BIA00007	BSA1089073746	Manual Nicking tool width: 0.7 mm
BIA00008	BSA1089073747	Manual Nicking tool width: 0.8 mm
BIA00009	BSA1089073748	Manual Nicking tool width: 0.9 mm
BIA00010	BSA1089073749	Manual Nicking tool width: 1.0 mm
BIA00012	BSA1089073750	Manual Nicking tool width: 1.2 mm
BIA00015	BSA1089073751	Manual Nicking tool width: 1.5 mm
BIA00020	BSA1089073792	Manual Nicking tool width: 2.0 mm
BJA00003	BSA1086103000	Makeready Sheets - Calibrated Paper YELLOW 1030 x 720 x 0.1 mm (unit = 125 sheets)
BJA00004	BSA1086103100	Makeready Sheets - Calibrated Paper YELLOW 1090 x 770 x 0.1 mm (unit = 125 sheets)
BJA00005	BSA1086103200	Makeready Sheets - Calibrated Paper YELLOW 1310 x 1000 x 0.1 mm (unit = 125 sheets)
BJA00006	BSA1086103300	Makeready Sheets - Calibrated Paper YELLOW 1440 x 1110 x 0.1 mm (unit = 125 sheets)
BJA00007	BSA1086103400	Makeready Sheets - Calibrated Paper YELLOW 1500 x 1110 x 0.1 mm (unit = 125 sheets)
BJA00010	BSA1089073823	CITO Patch Sheet Tape, 19 mm x 66 m, transparent with CITO print (unit = 3 pcs.)
BJB00003	BSA1089073804	CITO Special Carbon Paper BLUE 700 mm x 150 m
BJB00004	BSA1089073793	CITO Special Carbon Paper BLUE 720 mm x 1020 mm (unit = 100 sheets)
BJC01050	BSA1089043500	Grid-Tape - 25.0 mm width (unit = 200 pcs.)
BJC01063	BSA1089073777	Grid-Tape MAX 3, 25 x 184 mm, thickness 3 mm (unit = 100 pcs.)
BJC01064	BSA1089073778	Grid-Tape MAX 4, 25 x 184 mm, thickness 4 mm (unit = 75 pcs.)
BJC01065	BSA1089073779	Grid-Tape MAX 5, 25 x 184 mm, thickness 5 mm (unit = 60 pcs.)
BJC01066	BSA1089073780	Grid-Tape MAX 6, 25 x 184 mm, thickness 6 mm (unit = 50 pcs.)
BKA00040	BSA1999844530	CITO SLIM JOGGER 7 mm 0.28" with washer (unit = 25 pcs.)
BKA00050	BSA1089073821	CITO EasyClick Jogger 85 mm (unit = 50 pcs.)
BKA00052	BSA1089073822	CITO EasyClick Jogger 145 mm (unit = 25 pcs.)
BKA00100	BSA1089007700	JOGGER - FRONT/REAR - GRID TOOL (unit = 25 pcs.)
BKA00101	BSA1089007800	JOGGER - SIDE - GRID TOOL (unit = 25 pcs.)
BKA00102	BSA1089008400	JOGGER - REAR WITH HAT - GRID TOOL (unit = 25 pcs.)

Order no. CITO	Order no. BOBST	Description
BKA00103	BSA1089022700	JOGGER - FRONT/REAR - GRID TOOL 151 mm slide (unit = 25 pcs.)
BKA00104	BSA1089022800	JOGGER - SIDE - GRID TOOL 151 mm slide (unit = 25 pcs.)
BKA00105	BSA1089022900	JOGGER - REAR WITH HAT - GRID TOOL 151 mm slide (unit = 25 pcs.)
BKA00106	BSA1089023300	JOGGER - FRONT/REAR - GRID TOOL 251 mm slide (unit = 25 pcs.)
BKA00107	BSA1089023400	JOGGER - SIDE - GRID TOOL 251 mm slide (unit = 25 pcs.)
BKA00108	BSA1089023500	JOGGER - REAR WITH HAT - GRID TOOL 251 mm slide (unit = 25 pcs.)
BKA00201	BSA1089007900	JOGGER - FRONT/REAR - UNIVERSAL (unit = 25 pcs.)
BKA00202	BSA1089008500	JOGGER - SIDE - UNIVERSAL (unit = 25 pcs.)
BKA00203	BSA1089023000	JOGGER - FRONT/REAR - UNIVERSAL 151 mm slide (unit = 25 pcs.)
BKA00204	BSA1089023100	JOGGER - SIDE - UNIVERSAL 151 mm slide (unit = 25 pcs.)
BKA00205	BSA1089023600	JOGGER - FRONT/REAR - UNIVERSAL 251 mm slide (unit = 25 pcs.)
BKA00206	BSA1089023700	JOGGER - SIDE - UNIVERSAL 251 mm slide (unit = 25 pcs.)
BKA00207	BSA1089008000	JOGGER - 7/16" DROP GUIDE W/SLIDE - UNIVERSAL (unit = 25 pcs.)
BKA00208	BSA1089023200	JOGGER - 7/16" DROP GUIDE W/SLIDE UNIVERSAL - 151 mm slide (unit = 25 pcs.)
BKA00209	BSA1089023800	JOGGER - 7/16" DROP GUIDE W/SLIDE UNIVERSAL 251 mm slide (unit = 25 pcs.)
BKA00210	BSA1089039000	DROP GUIDE JOGGER V2 STANDARD SLIDE (unit = 25 pcs.)
BKA00211	BSA1089008100	JOGGER - 1/4" DROP GUIDE SOLID - UNIVERSAL (unit = 25 pcs.)
BKA00212	BSA1089008200	JOGGER - 3/8" DROP GUIDE SOLID - UNIVERSAL (unit = 25 pcs.)
BKA00213	BSA1089008300	JOGGER - 5/16" DROP GUIDE SOLID - UNIVERSAL (unit = 25 pcs.)
BKA00301	BSA1089038000	JOGGER - FRONT/REAR - UNIVERSAL 44 mm (unit = 25 pcs.)
BKA00302	BSA1089038100	OGGER - SIDE - UNIVERSAL 44 mm (unit = 25 pcs.)
BKA00302	BSA1089038200	JOGGER - DROP GUIDE - UNIVERSAL 44 mm (unit = 25 pcs.)
BKA00304	BSA1089038600	DROP GUIDE OGGER V2 44 mm (unit = 25 pcs.)
BKA00305	BSA1089038300	JOGGER - REAR WITH HAT - GRID TOOL 44 mm (unit = 25 pcs.)
BKA00306	BSA1089038400	,
BKA00308	BSA1089006500	JOGGER - SIDE - GRID TOOL 44 mm (unit = 25 pcs.)
BKA00401		GRID TOOL JOGGER BODY - FRONT/REAR (unit = 25 pcs.)
	BSA1089006600	GRID TOOL JOGGER BODY - SIDE (unit = 25 pcs.)
BKA00403	BSA1089006800	UNIVERSAL JOGGER BODY - 7/16" DROP GUIDE (unit = 25 pcs.)
BKA00404	BSA1089006700	UNIVERSAL JOGGER BODY - FRONT/REAR (unit = 25 pcs.)
BKA00405	BSA1089007100	UNIVERSAL JOGGER BODY - SIDE (unit = 25 pcs.)
BKA00501	BSA1089021500	SIDE JOGGER NARROW FLAT TOP MOUNTING RAIL (unit = 25 pcs.)
BKA00502	BSA1089025200	PIN JOGGER 8.0 x 3.0 mm (unit = 25 pcs.)
BKA00604	BSA1089014900	SLIDE -151 FRONT/REAR - GRID TOOL JOGGER / SINGLE KNIFE JOGGER (unit = 25 pcs.)
BKA07001	BSA1089073786	JOGGER COMPOSITE ASSEMBLY STANDARD SLIDE Body length 61 mm, total length 81 mm incl. screws with cross recessed (unit = 50 pcs.)
BKA07002	BSA1089073787	JOGGER COMPOSITE ASSEMBLY LONG SLIDE Body length 61 mm, total length 103 mm incl. screw with cross recessed (unit = 50 pcs.)
BKA07003	BSA1089073754	JOGGER COMPOSITE ASSEMBLY 151 SLIDE Body length 61 mm, total length 139 mm incl. screws with cross recessed (unit = 25 pcs.)
BKA07004	BSA1089073755	JOGGER COMPOSITE ASSEMBLY 251 SLIDE Body length 61 mm, total length 235 mm incl. screws with cross recessed (unit = 25 pcs.)
BKA08001	BSA1089072400	JOGGER UNIVERSAL - 10mm DROP GUIDE W/SLIDE (unit = 10 pcs.)
BKA08003	BSA1089072600	JOGGER UNIVERSAL - 10 mm DROP GUIDE NARROW SLIDE (unit = 10 pcs.)
BKA16501	BSA1089073794	CITO Jogger 1.65 Flex, 135 x 30 x 8 mm (H x W x D) (unit = 25 pcs.)
BKA16502	BSA0792764600	Jogger Support for CITO Jogger 1.65 Flex 48 x 30 x 11 mm Tap M5, without screws (unit = 25 pcs.)
BKA16503	BSA0792745600	Stick Stopper for CITO Jogger 1.65 Flex 48 × 10 × 10 mm (unit = 50 pcs.)
BKP00001	BSA1999844526	CITO SNAP PRESSER SPOT incl. spare part set of rings (unit = 50 pcs.)
BKP00002	BSA1999844527	CITO SNAP PRESSER RAIL for T-Rail incl. STOPPER + spare part set of rings (unit = 50 pcs.)
BKP00004	BSA1070006100	CITO SPIDER PRESSER SPOT BLACK (unit = 25 pcs.)
BKP00005	BSA1070006200	CITO SPIDER PRESSER RAIL YELLOW (unit = 25 pcs.)
BKP00006	BSA1070006300	CITO SPIDER PRESSER SPOT BLACK - US version (unit = 25 pcs.)
BKP00007	BSA1070006400	CITO SPIDER PRESSER RAIL YELLOW - US version (unit = 25 pcs.)
BKP00008	BSA1070006500	CITO Presser Rail Length 1500 mm 59.06" (unit = 10 pcs.)
BKP01001	BSA1070005800	FLUSH PRESSER FP-1 - STANDARD FOOT incl. mounting clips and screws (unit = 15 pcs.)
BKP01002	BSA1070006000	FLUSH PRESSER FP-2 - SPOT FOOT incl. mounting clips and screws (unit = 15 pcs.)
BKP01003	BSA1089032300	PRESSER CL100 - SPR (unit = 15 pcs.)
BKP01004	BSA1070005700	PRESSER CL100 - SPOT (unit = 15 pcs.)
BKP01005	BSA1070003700	PRESSER CL100 - WOOD (unit = 15 pcs.)
BKP01005	BSA1070005600	PRESSER CL100 - VVOOD (unit = 13 pcs.) PRESSER CL100 - C-RAIL incl. mounting clips and screws (unit = 15 pcs.)
BKP01006	BSA1070003600	PRESSER CL100 - C-RAIL Incl. Mounting clips and screws (unit – 13 pcs.) PRESSER CL100 with UNIVERSAL MOUNTING BRACKET (unit = 15 pcs.)
DIXI UTUU/	D3/100/024300	Theosen de tou with dividende l'outring bracket (uille 15 pcs.)

Order no. CITO	Order no. BOBST	Description
BKP02005	BSA1089037100	PRESSER LINK CLIP (unit = 50 pcs.)
BKP02006	BSA1070003000	SPOT PRESSER FOOT (unit =50 pcs.)
BKP02009	BSA1070003600	MOUNTING CLIP WITH SCREW for PRESSER (unit = 15 pcs.)
BKP03007	BSA1070003200	PRESSER C-RAIL - BENDABLE Length: 2380 mm 93.7"
BKP04001	BSA1089073817	CITO FLAT TOP PRESSER 57 - BOARD incl. screws, BLACK (unit = 50 pcs.)
BKP04002	BSA1089073818	CITO FLAT TOP PRESSER 57 - SPOT incl. screws, BLACK (unit = 25 pcs.)
BKP04003	BSA1089073819	CITO FLAT TOP PRESSER 57 - BOARD incl. screws, BLACK, 5/8" plywood (unit = 50 pcs.)
BKP04004	BSA1089073820	CITO FLAT TOP PRESSER 57 - SPOT incl. screws, BLACK, 5/8" plywood (unit = 25 pcs.)
BLA01001	BSA1999845072	CITO CRAFT STRIP S, SILVER (unit = 250 pcs.)
BLA01002	BSA1999844514	CITO CRAFT STRIP M, SILVER (unit = 250 pcs.)
BLA01003	BSA1999844515	CITO CRAFT STRIP L, SILVER (unit = 250 pcs.)
BLA01004	BSA1999844880	CITO CASTLE STRIP, SILVER (unit = 200 pcs.)
BLA02001	BSA1999845090	CITO SHEET PRESSER S, BLACK 30×38 mm 1.18×1.50 " tear-resistent spring element, incl. screws (unit = 100 pcs.)
BLA02002	BSA1999845089	CITO SHEET PRESSER M, BLACK 40 \times 38 mm 1.58 \times 1.50" tear-resistent spring element, incl. screws (unit = 100 pcs.)
BLA02004	BSA1999845087	CITO SECURE PRESSER, YELLOW with integrated safety strap, incl. screws (unit = 50 pcs.)
BLA02005	BSA1089073814	CITO SECURE PRESSER 2.0, YELLOW with integrated safety strap, incl. screws (unit = 50 pcs.)
BLA03001	BSA1999844501	CITO SHEET LIFT, YELLOW (unit = 1.000 pcs.)
BLA03003	BSA1999845092	CITO SHEET LIFT 3D, YELLOW (unit = 1.000 pcs.)
BLA03005	BSA1999845088	CITO SHEET LIFT 3D ADD, YELLOW self-locking clamping ring for SHEET LIFT 3D (unit = 500 pcs.)
BLA04001	BSA1999845081	CITO BOX RAMP S, YELLOW Function width 6.0 mm 0.24" (unit = 500 pcs.)
BLA04002	BSA1999845080	CITO BOX RAMP M, YELLOW Function width 7.0 mm 0.28" (unit = 500 pcs.)
BLA04003	BSA1999845079	CITO BOX RAMP L, YELLOW Function width 21.0 mm 0.83" (unit = 250 pcs.)
BLA04004	BSA1999845078	CITO BOX RAMP H, YELLOW Function width 21.0 mm 0.83" self-adhesive, for subsequent use at die cutter (unit = 250 pcs.)
BLA05001	BSA1999845086	CITO SEP KNIFE S, SILVER Length 20 mm 0.79" (unit = 500 pcs.)
BLA05002	BSA1999845085	CITO SEP KNIFE L, SILVER Length 40 mm 1.58" (unit = 300 pcs.)
BLA05003	BSA1999844677	CITO DYN SEPARATOR S, SILVER Length 9 mm 0.35" (unit = 150 pcs.)
BLA05004	BSA1999844678	CITO DYN SEPARATOR M, SILVER Length 20 mm 0.79" (unit = 150 pcs.)
BLA05005	BSA1999844679	CITO DYN SEPARATOR L, SILVER Length 55 mm 2.17" (unit = 150 pcs.)
BLC01020	BSA1089073763	CITO LOCK Screw, YELLOW length: 43 mm (unit = 250 pcs.)
BLC01021	BSA1089073764	CITO LOCK Nut, YELLOW (unit = 250 pcs.)
BLC01022	BSA1089073765	CITO LOCK Screw, BLACK length: 50 mm (unit = 250 pcs.)
BLC01023	BSA1089073766	CITO LOCK Nut, BLACK (unit = 250 pcs.)
BLC01036	BSA1089073767	Centering Screw for CL I, GREY length: 43 mm - SP without nose for Centerline I (unit = 250 pcs.)
BLC01037	BSA1089073768	Nut for Centering Screw CL I, GREY without nose for Centerline I (unit = 300 pcs.)
BLC01038	BSA1089073769	Centering Screw for CL I, RED length: 50 mm - SPO without nose for Centerline I (unit = 250 pcs.)
BLC01039	BSA1089073770	Nut for Centering Screw CL I, RED without nose for Centerline I (unit = 300 pcs.)
BLC02001	BSA1999845084	REGISTER BLOCK, YELLOW, for Quicklocksystem (unit = 250 pcs.)
BLC02004	BSA0502240000	Centerline Piece for Lower Blanking Board, plastic, BLACK (unit = 25 pcs.)
BLC02005	BSA0502207900	Centerline I, Centering Block for Upper Stripping Board, BLACK (unit = 50 pcs.)
BLC02006	BSA0502209300	Centerline II, Centering Block for Lower Stripping Board, RED (unit = 50 pcs.)
BLC02010	BSA0502239700	Centerline Centring Block SP, RED for BOBST chase loader (unit = 100 pcs.)
BLC04001	BSA1999845119	CITO LOWER STRIPPING PINS stainless steel, Body Ø 8 mm, Pin Ø 2.5 mm (unit = 50 pcs.)
BLC04002	BSA1999845120	CITO LOWER STRIPPING PINS stainless steel, Body Ø 8 mm, Pin Ø 4.0 mm (unit = 50 pcs.)
BLC04003	BSA05020000MQ	LOWER STRIPPING PINS WHITE, Body \varnothing 14.8 mm, Pin \varnothing 4.0 mm (unit = 20 pcs.)
BLC04004	BSA0502000011Q	Support Clamp for upper pull-out frame with perforated plate - Stripping section (unit = 6 pcs.)
BLC04004 BLC04005	BSA05020000LZ BSA05020000MB	Pin Holder, 45 mm for lower stripping pins (unit = 10 pcs.)
BLC05103	BSA1089073797	Knock-in nut with Tap, M3 steel zinc plated, height 5 mm, diameter 13 mm, bore 4.35 mm (unit = 1000 pcs.)
BLC06005	BSA1089073840	SP clamping jaws, YELLOW, plastic H $30 \times L$ $70 \times W$ 9,5 mm (unit = 250 pcs.)
BLC06006	BSA1999845091	CLAMP BLOCK SP, YELLOW $89 \times 15 \times 33$ mm (LxWxH) incl. thread M6 (unit = 200 pcs.)
BLC06017	BSA0261242200	SP clamping jaws for lower stripping board steel, zinc plated L 70 x W 6 x H 30 mm (unit = 50 pcs.)
BLC06017	BSA1089073811	CITO Quick Lock Safety Screw (unit = 50 pcs.)
BLC06019	BSA05020000QX	Clamping jaws SPO, RED, plastic 85 x 15 x 55 mm (LxWxH) for lower stripping tool without fastening screws (unit = 48 pcs.)
BLC06020	BSA1089073832	Countersunk screw set SPO - top mounting for clamping jaws BLC06019 100 screws M6x50 HS4 and 100 nuts (unit = 1 set)
BLC06021	BSA1089073833	Cylinder head screw set SPO - bottom mounting for clamping jaws BLC06019 screws M6x50 HS5 (unit = 100 pcs)
BLC06081	BSA1089073758	Strip rod knife SPO, 12mm lower stripping board length: 30 mm, height: 62 mm (unit = 100 pcs.)

Order no. CITO	Order no. BOBST	Description
BLC06082	BSA1089073759	Strip rod knife SPO, 12mm lower stripping board length: 70 mm, height: 62 mm (unit = 75 pcs.)
3LC06083	BSA1089073760	Strip rod knife SPO, 12mm lower stripping board length: 100 mm, height: 62 mm (unit = 50 pcs.)
3LC06084	BSA1089073761	Strip rod knife SPO, 12mm lower stripping board length: 255 mm, height: 62 mm (unit = 25 pcs.)
3LC06085	BSA1089073762	Strip rod knife SP, 12mm lower stripping board length: 25 mm, left (unit = 150 pcs.)
BLC06086	BSA1089073757	Strip rod knife SP, 12mm lower stripping board length: 25 mm, right (unit = 150 pcs.)
3LC07010	BSA1089042200	MALE PUSHER STANDOFF 8 mm x 38 mm (unit = 50 pcs.)
BLC10399	BSA1999844531	CITO INSERTING TOOLS FOR MANUAL PINS included sizes: 1.8, 2.2, 3.0, 4.0, 5.0 mm
3MR01001	BSA1089013200	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 102/103 (unit = 2 pcs.)
3MR01002	BSA1089013600	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 104 (unit = 2 pcs.)
3MR01003	BSA1089013700	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 106 (unit = 2 pcs.)
BMR01004	BSA1089013300	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 130 (unit = 2 pcs.)
BMR01005	BSA1089013400	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 142 (unit = 2 pcs.)
BMR01006	BSA1089016900	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 145 (unit = 2 pcs.)
BMR01007	BSA1089013500	ADJUSTABLE SIDE SCRAP SUPPORT RAIL SP 162 (unit = 2 pcs.)
BMR02001	BSA1089021600	FLAT TOP Mounting RAIL - NARROW SP 102/103/104 (unit = 2 pcs.)
3MR02002	BSA1089021700	FLAT TOP Mounting RAIL - NARROW SP 106 (unit = 2 pcs.)
3MR02003	BSA1089021800	FLAT TOP Mounting RAIL - NARROW SP 130 (unit = 2 pcs.)
3MR02004	BSA1089021900	FLAT TOP Mounting RAIL - NARROW for SP 142 (unit = 2 pcs.)
3MR02005	BSA1089022000	FLAT TOP Mounting RAIL - NARROW SP 162 (unit = 2 pcs.)
3MR03001	BSA1089012800	UNIVERSAL MOUNTING RAIL SP 102/103/104/106 (unit = 2 pcs.)
3MR03002	BSA1089012900	UNIVERSAL MOUNTING RAIL SP 130 (unit = 2 pcs.)
3MR03003	BSA1089013000	UNIVERSAL MOUNTING RAIL SP 142/145 (unit = 2 pcs.)
3MR03004	BSA1089013100	UNIVERSAL MOUNTING RAIL SP 162 (unit = 2 pcs.)
BMR04001	BSA1089012100	SCREWLESS MOUNTING RAIL 2740 mm (unit = 2 pcs.)
BMR04002	BSA1089012000	SIDE SCRAP SUPPORT SINGLE KNIFE TOOL 2740 mm (unit = 2 pcs.)
BPB00143	SAM8975P03231	CITO Cushion Crease, 70 Shore A, 17×7.0 mm, GREEN (unit = 1 reel = 50 m)
3PB00144	SAM8975P03236	CITO Cushion Crease, 70 Shore A, 18 x 8.0 mm, BLUE (unit = 1 reel = 50 m)
3PB00145	SAM8975P03249	CITO Cushion Crease, 70 Shore A, 20 x 9.0 mm, ORANGE (unit = 1 reel = 50 m)
BPB00151	SAM8975P03248	CITO Cushion Crease, 70 Shore A, 18.5 x 8.5 mm, PURPLE (unit = 1 reel = 50 m)
3PB02608	BSA1089073739	CITO BALANCE PROFILE EasyFix 8.0 mm 658 x 20.0 x 8.0 mm, GREY / RED (unit = 38 strips/25
BPB02610	BSA1089073740	CITO BALANCE PROFILE EasyFix 10.0 mm 658 \times 20.0 \times 10.0 mm, GREY / BLUE (unit = 38 strips/25m)
BPB02611	BSA1089073741	CITO BALANCE PROFILE EasyFix 11.0 mm 658 \times 20.0 \times 11.0 mm, GREY / BLACK (unit = 38 strips/25m)
BPP00123	SAM0475P04209	CITO Polytop 15 SAND 658 x 380 x 12 mm
BPP00129	SAM0475P04210	CITO Polytop 15 SAND 658 x 380 x 15 mm
3PP00331	SAM0475P04211	CITO Polytop 25 RED 658 x 380 x 16 mm
3PP00633	SAM0475P04206	CITO Polytop 40 ORANGE 658 x 380 x 17 mm
3PP00635	SAM0475P04207	CITO Polytop 40 ORANGE 658 x 380 x 18 mm
3QF00001	BSA1999844567	CITO LOCK FIX DOWNHOLDER with nut 50 mm 1.97" (unit = 4 pcs.)
3QF00002	BSA1999845083	CITO LOCK FIX NUT, YELLOW 50 mm 1.97" (unit = 250 pcs.)
BQF00003	BSA1999844568	CITO LOCK FIX DOWNHOLDER with nut 33 mm 1.3" (unit = 4 pcs.)
3QF00004	BSA1999845082	CITO LOCK FIX NUT, YELLOW 33 mm 1.3" (unit = 250 pcs.)
3QK00001	BSA1089073771	CITO PROTECTOR 11.6 mm YELLOW (unit = 500 pcs.)
3QK00002	BSA1089073772	CITO PROTECTOR 14.6 mm YELLOW (unit = 500 pcs.)
3QK00003	BSA1089073773	CITO PROTECTOR 17.6 mm YELLOW (unit = 500 pcs.)
3QK00041	BSA1089073790	SOFT CORNER PROTECTOR 15 mm BLACK (unit = 200 pcs.)
3QK00042	BSA1089073791	SOFT CORNER PROTECTOR 15.9 mm BLACK (unit = 200 pcs.)
3QK00043	BSA1089073789	SOFT CORNER PROTECTOR 18 mm BLACK (unit = 200 pcs.)
3QR00003	BSA1089073806	CITO SHEET RAMP S BLACK 11 mm 0.43" (unit = 200 pcs.)
3QR00004	BSA1089073807	CITO SHEET RAMP M BLACK 21 mm 0.83" (unit = 200 pcs.)
3SA1089069500	BSA1089069500	Patching Tape BLUE - 6.0 mm width 0.03 mm thickness, 40 m length (unit = 25 reels)
3SA1089069600	BSA1089069600	Patching Tape BLUE - 12.0 mm width 0.03 mm thickness, 40 m length (unit = 12 reels)
3SA1089069700	BSA1089069700	Patching Tape BLUE - 20.0 mm width 0.03 mm thickness, 40 m length (unit = 7 reels)
3SA1089069800	BSA1089069800	Patching Tape BLUE - 30.0 mm width 0.03 mm thickness, 40 m length (unit = 5 reels)
3SA1089069900	BSA1089069900	Patching Tape BLUE - 3.0 mm width 0.03 mm thickness, 40 m length (unit = 40 reels)
3SA1089070000	BSA1089070000	Patching Tape YELLOW - 6.0 mm width 0.08 mm thickness, 20 m length (unit = 25 reels)
BSA1089070100	BSA1089070100	Patching Tape YELLOW - 12.0 mm width 0.08 mm thickness, 20 m length (unit = 12 reels)
BSA1089070200	BSA1089070200	Patching Tape YELLOW - 20.0 mm width 0.08 mm thickness, 20 m length (unit = 7 reels)
BSA1089070300	BSA1089070300	Patching Tape YELLOW - 30.0 mm width 0.08 mm thickness, 20 m length (unit = 5 reels)
BSA1089070400	BSA1089070400	Patching Tape YELLOW - 3.mm width 0.08 mm thickness, 20 m length (unit = 40 reels)



Order no. CITO	Order no. BOBST	Description
BSA1089070500	BSA1089070500	Patching Tape RED - 6.0 mm width 0.05 mm thickness, 30 m length (unit = 25 reels)
BSA1089070600	BSA1089070600	Patching Tape RED - 12.0 mm width 0.05 mm thickness, 30 m length (unit = 12 reels)
BSA1089070700	BSA1089070700	Patching Tape RED - 20.0 mm width 0.05 mm thickness, 30 m length (unit = 7 reels)
BSA1089070800	BSA1089070800	Patching Tape RED - 30.0 mm width 0.05 mm thickness, 30 m length (unit = 5 reels)
BSA1089070900	BSA1089070900	Patching Tape RED - 3.0 mm width 0.05 mm thickness, 30 m length (unit = 40 reels)
BSP50103	SAM0475P04202	CITO Polytop 15 SAND 658 x 20 x 12 mm (unit = 1 sheet = 18 strips)
BSP50104	SAM0475P04203	CITO Polytop 15 SAND 658 x 20 x 15 mm (unit = 1 sheet = 18 strips)





Please activate the QR Code for additional information.



www.cito.de